

```
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
:debug:main Running callback portstartupitem::add_notes
:debug:main Finished running callback portstartupitem::add_notes
:debug:main No need to upgrade! docbook-xml-4.3 5.0_1 >= docbook-xml-4.3 5.0_1
:debug:main epoch: in tree: 0 installed: 0
:debug:main docbook-xml-4.4 5.0_1 exists in the ports tree
:debug:main docbook-xml-4.4 5.0_1 is the latest installed
:debug:main docbook-xml-4.4 5.0_1 is active
:debug:main Merging existing variants "" into variants
:debug:main new fully merged portvariants:
:debug:main Changing to port directory:
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/textproc/docbook-xml
:debug:main OS darwin/19.6.0 (macOS 10.15) arch i386
:debug:main Sourcing PortGroup xmlcatalog 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_resources/port1.0/group/xmlcatalog-1.0.tcl
:debug:main add catalog /opt/local/share/xml/docbook/4.4/catalog.xml to
/opt/local/etc/xml/catalog
:debug:main add catalog /opt/local/share/xml/docbook/4.4/docbook.cat to
/opt/local/etc/sgml/catalog
:debug:main universal_variant is false, so not adding the default universal variant
:debug:main Running callback portconfigure::add_automatic_compiler_dependencies
:debug:main Finished running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Running callback portbuild::add_automatic_buildsystem_dependencies
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
:debug:main Running callback portstartupitem::add_notes
:debug:main Finished running callback portstartupitem::add_notes
:debug:main No need to upgrade! docbook-xml-4.4 5.0_1 >= docbook-xml-4.4 5.0_1
:debug:main epoch: in tree: 0 installed: 0
:debug:main docbook-xml-4.5 5.0_1 exists in the ports tree
:debug:main docbook-xml-4.5 5.0_1 is the latest installed
:debug:main docbook-xml-4.5 5.0_1 is active
:debug:main Merging existing variants "" into variants
:debug:main new fully merged portvariants:
:debug:main Changing to port directory:
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/textproc/docbook-xml
:debug:main OS darwin/19.6.0 (macOS 10.15) arch i386
:debug:main Sourcing PortGroup xmlcatalog 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_resources/port1.0/group/xmlcatalog-1.0.tcl
```

```
:debug:main add catalog /opt/local/share/xml/docbook/4.5/catalog.xml to
/opt/local/etc/xml/catalog
:debug:main add catalog /opt/local/share/xml/docbook/4.5/docbook.cat to
/opt/local/etc/sgml/catalog
:debug:main universal_variant is false, so not adding the default universal variant
:debug:main Running callback portconfigure::add_automatic_compiler_dependencies
:debug:main Finished running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Running callback portbuild::add_automatic_buildsystem_dependencies
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
:debug:main Running callback portstartupitem::add_notes
:debug:main Finished running callback portstartupitem::add_notes
:debug:main No need to upgrade! docbook-xml-4.5 5.0_1 >= docbook-xml-4.5 5.0_1
:debug:main epoch: in tree: 0 installed: 0
:debug:main docbook-xml-5.0 5.0_1 exists in the ports tree
:debug:main docbook-xml-5.0 5.0_1 is the latest installed
:debug:main docbook-xml-5.0 5.0_1 is active
:debug:main Merging existing variants " into variants
:debug:main new fully merged portvariants:
:debug:main Changing to port directory:
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/textp
roc/docbook-xml
:debug:main OS darwin/19.6.0 (macOS 10.15) arch i386
:debug:main Sourcing PortGroup xmlcatalog 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_reso
urces/port1.0/group/xmlcatalog-1.0.tcl
:debug:main add catalog /opt/local/share/xml/docbook/5.0/catalog.xml to
/opt/local/etc/xml/catalog
:debug:main universal_variant is false, so not adding the default universal variant
:debug:main Running callback portconfigure::add_automatic_compiler_dependencies
:debug:main Finished running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Running callback portbuild::add_automatic_buildsystem_dependencies
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
:debug:main Running callback portstartupitem::add_notes
:debug:main Finished running callback portstartupitem::add_notes
:debug:main No need to upgrade! docbook-xml-5.0 5.0_1 >= docbook-xml-5.0 5.0_1
:debug:main epoch: in tree: 0 installed: 0
:debug:main docbook-xsl-nons 1.79.2_0 exists in the ports tree
:debug:main docbook-xsl-nons 1.79.2_0 is the latest installed
:debug:main docbook-xsl-nons 1.79.2_0 is active
:debug:main Merging existing variants " into variants
:debug:main new fully merged portvariants:
```

```
:debug:main Changing to port directory:
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/textproc/docbook-xsl
:debug:main OS darwin/19.6.0 (macOS 10.15) arch i386
:debug:main Sourcing PortGroup github 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_resources/port1.0/group/github-1.0.tcl
:debug:main Sourcing PortGroup xmlcatalog 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_resources/port1.0/group/xmlcatalog-1.0.tcl
:debug:main Re-registering default for livecheck.regex
:debug:main add catalog /opt/local/share/xsl/docbook-xsl-nons/catalog.xml to
/opt/local/etc/xml/catalog
:debug:main add catalog /opt/local/share/xsl/docbook-xsl-nons/catalog.sf.xml to
/opt/local/etc/xml/catalog
:debug:main universal_variant is false, so not adding the default universal variant
:debug:main Running callback portconfigure::add_automatic_compiler_dependencies
:debug:main Finished running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Running callback portbuild::add_automatic_buildsystem_dependencies
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
:debug:main Running callback portstartupitem::add_notes
:debug:main Finished running callback portstartupitem::add_notes
:debug:main No need to upgrade! docbook-xsl-nons 1.79.2_0 >= docbook-xsl-nons 1.79.2_0
:debug:main epoch: in tree: 2 installed: 2
:debug:main python27 2.7.18_2 exists in the ports tree
:debug:main python27 2.7.18_2 is the latest installed
:debug:main python27 2.7.18_2 is active
:debug:main Merging existing variants " into variants
:debug:main new fully merged portvariants:
:debug:main Changing to port directory:
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/lang/python27
:debug:main OS darwin/19.6.0 (macOS 10.15) arch i386
:debug:main Sourcing PortGroup select 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_resources/port1.0/group/select-1.0.tcl
:debug:main Sourcing PortGroup clang_dependency 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_resources/port1.0/group/clang_dependency-1.0.tcl
:debug:main Reading variant descriptions from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_resources/port1.0/variant_descriptions.conf
:debug:main universal variant already exists, so not adding the default one
:debug:main Running callback portconfigure::add_automatic_compiler_dependencies
```

```
:debug:main Finished running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Running callback portbuild::add_automatic_buildsystem_dependencies
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
:debug:main Running callback portstartupitem::add_notes
:debug:main Finished running callback portstartupitem::add_notes
:debug:main No need to upgrade! python27 2.7.18_2 >= python27 2.7.18_2
:debug:main epoch: in tree: 0 installed: 0
:debug:main python2_select 0.0_3 exists in the ports tree
:debug:main python2_select 0.0_3 is the latest installed
:debug:main python2_select 0.0_3 is active
:debug:main Merging existing variants " into variants
:debug:main new fully merged portvariants:
:debug:main Changing to port directory:
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/sysutils/python2_select
:debug:main OS darwin/19.6.0 (macOS 10.15) arch i386
:debug:main Sourcing PortGroup select 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_resources/port1.0/group/select-1.0.tcl
:debug:main universal_variant is false, so not adding the default universal variant
:debug:main Running callback portconfigure::add_automatic_compiler_dependencies
:debug:main Finished running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Running callback portbuild::add_automatic_buildsystem_dependencies
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
:debug:main Running callback portstartupitem::add_notes
:debug:main Finished running callback portstartupitem::add_notes
:debug:main No need to upgrade! python2_select 0.0_3 >= python2_select 0.0_3
:debug:main epoch: in tree: 0 installed: 0
:debug:main gmake 4.3_0 exists in the ports tree
:debug:main gmake 4.3_0 is the latest installed
:debug:main gmake 4.3_0 is active
:debug:main Merging existing variants " into variants
:debug:main new fully merged portvariants:
:debug:main Changing to port directory:
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/development/gmake
:debug:main OS darwin/19.6.0 (macOS 10.15) arch i386
:debug:main adding the default universal variant
:debug:main Reading variant descriptions from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_resources/port1.0/variant_descriptions.conf
:debug:main Running callback portconfigure::add_automatic_compiler_dependencies
```

```
:debug:main Finished running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Running callback portbuild::add_automatic_buildsystem_dependencies
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
:debug:main Running callback portstartupitem::add_notes
:debug:main Finished running callback portstartupitem::add_notes
:debug:main No need to upgrade! gmake 4.3_0 >= gmake 4.3_0
:debug:main epoch: in tree: 0 installed: 0
:debug:main p5.28-xml-libxml 2.20.600_0 exists in the ports tree
:debug:main p5.28-xml-libxml 2.20.600_0 is the latest installed
:debug:main p5.28-xml-libxml 2.20.600_0 is active
:debug:main Merging existing variants " into variants
:debug:main new fully merged portvariants:
:debug:main Changing to port directory:
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/perl/
p5-xml-libxml
:debug:main OS darwin/19.6.0 (macOS 10.15) arch i386
:debug:main Re-registering default for configure.universal_args
:debug:main Sourcing PortGroup perl5 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_reso
urces/port1.0/group/perl5-1.0.tcl
:debug:main Re-registering default for livecheck.version
:debug:main adding the default universal variant
:debug:main Reading variant descriptions from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_reso
urces/port1.0/variant_descriptions.conf
:debug:main Running callback portconfigure::add_automatic_compiler_dependencies
:debug:main Finished running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Running callback portbuild::add_automatic_buildsystem_dependencies
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
:debug:main Running callback portstartupitem::add_notes
:debug:main Finished running callback portstartupitem::add_notes
:debug:main No need to upgrade! p5.28-xml-libxml 2.20.600_0 >= p5.28-xml-libxml
2.20.600_0
:debug:main epoch: in tree: 0 installed: 0
:debug:main p5.28-encode 3.80.0_0 exists in the ports tree
:debug:main p5.28-encode 3.80.0_0 is the latest installed
:debug:main p5.28-encode 3.80.0_0 is active
:debug:main Merging existing variants " into variants
:debug:main new fully merged portvariants:
:debug:main Changing to port directory:
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/perl/
p5-encode
:debug:main OS darwin/19.6.0 (macOS 10.15) arch i386
```

```
:debug:main Re-registering default for configure.universal_args
:debug:main Sourcing PortGroup perl5 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_resources/port1.0/group/perl5-1.0.tcl
:debug:main Re-registering default for livecheck.version
:debug:main adding the default universal variant
:debug:main Reading variant descriptions from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_resources/port1.0/variant_descriptions.conf
:debug:main Running callback portconfigure::add_automatic_compiler_dependencies
:debug:main Finished running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Running callback portbuild::add_automatic_buildsystem_dependencies
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
:debug:main Running callback portstartupitem::add_notes
:debug:main Finished running callback portstartupitem::add_notes
:debug:main No need to upgrade! p5.28-encode 3.80.0_0 >= p5.28-encode 3.80.0_0
:debug:main epoch: in tree: 0 installed: 0
:debug:main p5.28-xml-namespacesupport 1.120.0_0 exists in the ports tree
:debug:main p5.28-xml-namespacesupport 1.120.0_0 is the latest installed
:debug:main p5.28-xml-namespacesupport 1.120.0_0 is active
:debug:main Merging existing variants " into variants
:debug:main new fully merged portvariants:
:debug:main Changing to port directory:
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/perl/p5-xml-namespacesupport
:debug:main OS darwin/19.6.0 (macOS 10.15) arch i386
:debug:main Re-registering default for configure.universal_args
:debug:main Sourcing PortGroup perl5 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_resources/port1.0/group/perl5-1.0.tcl
:debug:main Re-registering default for livecheck.version
:debug:main only one arch supported, so not adding the default universal variant
:debug:main Running callback portconfigure::add_automatic_compiler_dependencies
:debug:main Finished running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Running callback portbuild::add_automatic_buildsystem_dependencies
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
:debug:main Running callback portstartupitem::add_notes
:debug:main Finished running callback portstartupitem::add_notes
:debug:main No need to upgrade! p5.28-xml-namespacesupport 1.120.0_0 >= p5.28-xml-namespacesupport 1.120.0_0
:debug:main epoch: in tree: 0 installed: 0
:debug:main p5.28-xml-sax 1.20.0_0 exists in the ports tree
:debug:main p5.28-xml-sax 1.20.0_0 is the latest installed
```

```
:debug:main p5.28-xml-sax 1.20.0_0 is active
:debug:main Merging existing variants "" into variants
:debug:main new fully merged portvariants:
:debug:main Changing to port directory:
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/perl/
p5-xml-sax
:debug:main OS darwin/19.6.0 (macOS 10.15) arch i386
:debug:main Re-registering default for configure.universal_args
:debug:main Sourcing PortGroup perl5 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_reso
urces/port1.0/group/perl5-1.0.tcl
:debug:main Re-registering default for livecheck.version
:debug:main only one arch supported, so not adding the default universal variant
:debug:main Running callback portconfigure::add_automatic_compiler_dependencies
:debug:main Finished running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Running callback portbuild::add_automatic_buildsystem_dependencies
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
:debug:main Running callback portstartupitem::add_notes
:debug:main Finished running callback portstartupitem::add_notes
:debug:main No need to upgrade! p5.28-xml-sax 1.20.0_0 >= p5.28-xml-sax 1.20.0_0
:debug:main epoch: in tree: 0 installed: 0
:debug:main p5.28-xml-sax-base 1.90.0_0 exists in the ports tree
:debug:main p5.28-xml-sax-base 1.90.0_0 is the latest installed
:debug:main p5.28-xml-sax-base 1.90.0_0 is active
:debug:main Merging existing variants "" into variants
:debug:main new fully merged portvariants:
:debug:main Changing to port directory:
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/perl/
p5-xml-sax-base
:debug:main OS darwin/19.6.0 (macOS 10.15) arch i386
:debug:main Re-registering default for configure.universal_args
:debug:main Sourcing PortGroup perl5 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_reso
urces/port1.0/group/perl5-1.0.tcl
:debug:main Re-registering default for livecheck.version
:debug:main adding the default universal variant
:debug:main Reading variant descriptions from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_reso
urces/port1.0/variant_descriptions.conf
:debug:main Running callback portconfigure::add_automatic_compiler_dependencies
:debug:main Finished running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Running callback portbuild::add_automatic_buildsystem_dependencies
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
```

```
:debug:main Running callback portstartupitem::add_notes
:debug:main Finished running callback portstartupitem::add_notes
:debug:main No need to upgrade! p5.28-xml-sax-base 1.90.0_0 >= p5.28-xml-sax-base
1.90.0_0
:debug:main epoch: in tree: 0 installed: 0
:debug:main opencv 3.4.13_0 exists in the ports tree
:debug:main opencv 3.4.13_0 is the latest installed
:debug:main opencv 3.4.13_0 is active
:debug:main Merging existing variants " into variants
:debug:main new fully merged portvariants:
:debug:main Changing to port directory:
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/grap
hics/opencv
:debug:main OS darwin/19.6.0 (macOS 10.15) arch i386
:debug:main Re-registering default for destroot.target
:debug:main Re-registering default for configure.dir
:debug:main Re-registering default for build.dir
:debug:main Re-registering default for configure.pre_args
:debug:main Sourcing PortGroup cmake 1.1 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_reso
urces/port1.0/group/cmake-1.1.tcl
:debug:main Sourcing PortGroup compiler_blacklist_versions 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_reso
urces/port1.0/group/compiler_blacklist_versions-1.0.tcl
:debug:main Removing legacy build support
:debug:main Sourcing PortGroup legacysupport 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_reso
urces/port1.0/group/legacysupport-1.0.tcl
:debug:main compiler clang 1200.0.32.28 not blacklisted because it doesn't match {clang <
800}
:debug:main adding the default universal variant
:debug:main Reading variant descriptions from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_reso
urces/port1.0/variant_descriptions.conf
:debug:main Running callback portconfigure::add_automatic_compiler_dependencies
:debug:main Finished running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Running callback portbuild::add_automatic_buildsystem_dependencies
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
:debug:main Running callback portstartupitem::add_notes
:debug:main Finished running callback portstartupitem::add_notes
:debug:main Running callback add_legacysupport
:debug:main Removing legacy build support
:debug:main Finished running callback add_legacysupport
:debug:main No need to upgrade! opencv 3.4.13_0 >= opencv 3.4.13_0
:debug:main epoch: in tree: 1 installed: 1
```



```
:debug:main ffmpeg 4.3.1_0 exists in the ports tree
:debug:main ffmpeg 4.3.1_0 +gpl2 is the latest installed
:debug:main ffmpeg 4.3.1_0 +gpl2 is active
:debug:main Merging existing variants '+gpl2' into variants
:debug:main new fully merged portvariants: gpl2 +
:debug:main Changing to port directory:
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/multi
media/ffmpeg
:debug:main OS darwin/19.6.0 (macOS 10.15) arch i386
:debug:main Sourcing PortGroup xcodeversion 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_reso
urces/port1.0/group/xcodeversion-1.0.tcl
:debug:main Reading variant descriptions from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_reso
urces/port1.0/variant_descriptions.conf
:debug:main Sourcing PortGroup muniversal 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_reso
urces/port1.0/group/muniversal-1.0.tcl
:debug:main Sourcing PortGroup compiler_blacklist_versions 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_reso
urces/port1.0/group/compiler_blacklist_versions-1.0.tcl
:debug:main Sourcing PortGroup active_variants 1.1 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_reso
urces/port1.0/group/active_variants-1.1.tcl
:debug:main Sourcing PortGroup cltversion 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_reso
urces/port1.0/group/cltversion-1.0.tcl
:debug:main Sourcing PortGroup xcode_workaround 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_reso
urces/port1.0/group/xcode_workaround-1.0.tcl
:debug:main universal variant already exists, so not adding the default one
:debug:main Executing variant gpl2 provides gpl2
:debug:main Running callback portconfigure::add_automatic_compiler_dependencies
:debug:main Finished running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Running callback portbuild::add_automatic_buildsystem_dependencies
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
:debug:main Running callback portstartupitem::add_notes
:debug:main Finished running callback portstartupitem::add_notes
:debug:main Running callback xcode_workaround::xcode_workaround.appy_fix
:debug:main cltversion: Found Command Line Tools Version 12.3.0.0.1.1607026830
:debug:main Finished running callback xcode_workaround::xcode_workaround.appy_fix
:debug:main No need to upgrade! ffmpeg 4.3.1_0 >= ffmpeg 4.3.1_0
:debug:main epoch: in tree: 0 installed: 0
:debug:main lame 3.100_1 exists in the ports tree
:debug:main lame 3.100_1 is the latest installed
```

```
:debug:main lame 3.100_1 is active
:debug:main Merging existing variants "" into variants
:debug:main new fully merged portvariants:
:debug:main Changing to port directory:
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/audio
/lame
:debug:main OS darwin/19.6.0 (macOS 10.15) arch i386
:debug:main Removing legacy build support
:debug:main Sourcing PortGroup legacysupport 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_reso
urces/port1.0/group/legacysupport-1.0.tcl
:debug:main adding the default universal variant
:debug:main Reading variant descriptions from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_reso
urces/port1.0/variant_descriptions.conf
:debug:main Running callback portconfigure::add_automatic_compiler_dependencies
:debug:main Finished running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Running callback portbuild::add_automatic_buildsystem_dependencies
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
:debug:main Running callback portstartupitem::add_notes
:debug:main Finished running callback portstartupitem::add_notes
:debug:main Running callback add_legacysupport
:debug:main Removing legacy build support
:debug:main Finished running callback add_legacysupport
:debug:main No need to upgrade! lame 3.100_1 >= lame 3.100_1
:debug:main epoch: in tree: 0 installed: 0
:debug:main libvorbis 1.3.7_0 exists in the ports tree
:debug:main libvorbis 1.3.7_0 is the latest installed
:debug:main libvorbis 1.3.7_0 is active
:debug:main Merging existing variants "" into variants
:debug:main new fully merged portvariants:
:debug:main Changing to port directory:
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/audio
/libvorbis
:debug:main OS darwin/19.6.0 (macOS 10.15) arch i386
:debug:main Reading variant descriptions from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_reso
urces/port1.0/variant_descriptions.conf
:debug:main Sourcing PortGroup muniversal 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_reso
urces/port1.0/group/muniversal-1.0.tcl
:debug:main universal variant already exists, so not adding the default one
:debug:main Running callback portconfigure::add_automatic_compiler_dependencies
:debug:main Finished running callback
portconfigure::add_automatic_compiler_dependencies
```

```
:debug:main Running callback portbuild::add_automatic_buildsystem_dependencies
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
:debug:main Running callback portstartupitem::add_notes
:debug:main Finished running callback portstartupitem::add_notes
:debug:main No need to upgrade! libvorbis 1.3.7_0 >= libvorbis 1.3.7_0
:debug:main epoch: in tree: 0 installed: 0
:debug:main libogg 1.3.4_1 exists in the ports tree
:debug:main libogg 1.3.4_1 is the latest installed
:debug:main libogg 1.3.4_1 is active
:debug:main Merging existing variants "" into variants
:debug:main new fully merged portvariants:
:debug:main Changing to port directory:
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/multi
media/libogg
:debug:main OS darwin/19.6.0 (macOS 10.15) arch i386
:debug:main adding the default universal variant
:debug:main Reading variant descriptions from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_reso
urces/port1.0/variant_descriptions.conf
:debug:main Running callback portconfigure::add_automatic_compiler_dependencies
:debug:main Finished running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Running callback portbuild::add_automatic_buildsystem_dependencies
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
:debug:main Running callback portstartupitem::add_notes
:debug:main Finished running callback portstartupitem::add_notes
:debug:main No need to upgrade! libopus 1.3.4_1 >= libopus 1.3.4_1
:debug:main epoch: in tree: 0 installed: 0
:debug:main libopus 1.3.1_0 exists in the ports tree
:debug:main libopus 1.3.1_0 is the latest installed
:debug:main libopus 1.3.1_0 is active
:debug:main Merging existing variants "" into variants
:debug:main new fully merged portvariants:
:debug:main Changing to port directory:
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/audio
/libopus
:debug:main OS darwin/19.6.0 (macOS 10.15) arch i386
:debug:main Reading variant descriptions from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_reso
urces/port1.0/variant_descriptions.conf
:debug:main Sourcing PortGroup muniversal 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_reso
urces/port1.0/group/muniversal-1.0.tcl
```

```
:debug:main Sourcing PortGroup compiler_blacklist_versions 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_resources/port1.0/group/compiler_blacklist_versions-1.0.tcl
:debug:main compiler clang 1200.0.32.28 not blacklisted because it doesn't match {clang < 500}
:debug:main universal variant already exists, so not adding the default one
:debug:main Running callback portconfigure::add_automatic_compiler_dependencies
:debug:main Finished running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Running callback portbuild::add_automatic_buildsystem_dependencies
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
:debug:main Running callback portstartupitem::add_notes
:debug:main Finished running callback portstartupitem::add_notes
:debug:main No need to upgrade! libopus 1.3.1_0 >= libopus 1.3.1_0
:debug:main epoch: in tree: 0 installed: 0
:debug:main libsvg 2.50.2_0 exists in the ports tree
:debug:main libsvg 2.50.2_0 is the latest installed
:debug:main libsvg 2.50.2_0 is active
:debug:main Merging existing variants " into variants
:debug:main new fully merged portvariants:
:debug:main Changing to port directory:
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/graphics/libsvg
:debug:main OS darwin/19.6.0 (macOS 10.15) arch i386
:debug:main Sourcing PortGroup gobject_introspection 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_resources/port1.0/group/gobject_introspection-1.0.tcl
:debug:main Re-registering default for dist_subdir
:debug:main Re-registering default for extract.only
:debug:main Sourcing PortGroup cargo_fetch 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_resources/port1.0/group/cargo_fetch-1.0.tcl
:debug:main Reading variant descriptions from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_resources/port1.0/variant_descriptions.conf
:debug:main adding universal variant via PortGroup muniversal
:debug:main Sourcing PortGroup muniversal 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_resources/port1.0/group/muniversal-1.0.tcl
:debug:main Running callback portconfigure::add_automatic_compiler_dependencies
:debug:main Finished running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Running callback portbuild::add_automatic_buildsystem_dependencies
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
:debug:main Running callback portstartupitem::add_notes
```

```
:debug:main Finished running callback portstartupitem::add_notes
:debug:main Running callback cargo.add_dependencies
:debug:main Finished running callback cargo.add_dependencies
:debug:main Running callback cargo.environments
:debug:main Finished running callback cargo.environments
:debug:main No need to upgrade! librsvg 2.50.2_0 >= librsvg 2.50.2_0
:debug:main epoch: in tree: 1 installed: 1
:debug:main pango 1.42.4_2 exists in the ports tree
:debug:main pango 1.42.4_2 +quartz+x11 is the latest installed
:debug:main pango 1.42.4_2 +quartz+x11 is active
:debug:main Merging existing variants '+quartz+x11' into variants
:debug:main new fully merged portvariants: x11 + quartz +
:debug:main Changing to port directory:
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/x11/
pango
:debug:main OS darwin/19.6.0 (macOS 10.15) arch i386
:debug:main Sourcing PortGroup active_variants 1.1 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_reso
urces/port1.0/group/active_variants-1.1.tcl
:debug:main Sourcing PortGroup gobject_introspection 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_reso
urces/port1.0/group/gobject_introspection-1.0.tcl
:debug:main Reading variant descriptions from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_reso
urces/port1.0/variant_descriptions.conf
:debug:main adding the default universal variant
:debug:main Executing variant quartz provides quartz
:debug:main Executing variant x11 provides x11
:debug:main Running callback portconfigure::add_automatic_compiler_dependencies
:debug:main Finished running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Running callback portbuild::add_automatic_buildsystem_dependencies
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
:debug:main Running callback portstartupitem::add_notes
:debug:main Finished running callback portstartupitem::add_notes
:debug:main No need to upgrade! pango 1.42.4_2 >= pango 1.42.4_2
:debug:main epoch: in tree: 0 installed: 0
:debug:main fribidi 1.0.10_0 exists in the ports tree
:debug:main fribidi 1.0.10_0 is the latest installed
:debug:main fribidi 1.0.10_0 is active
:debug:main Merging existing variants " into variants
:debug:main new fully merged portvariants:
:debug:main Changing to port directory:
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/textp
roc/fribidi
:debug:main OS darwin/19.6.0 (macOS 10.15) arch i386
```

```
:debug:main Sourcing PortGroup github 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_resources/port1.0/group/github-1.0.tcl
:debug:main Re-registering default for livecheck.regex
:debug:main adding the default universal variant
:debug:main Reading variant descriptions from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_resources/port1.0/variant_descriptions.conf
:debug:main Running callback portconfigure::add_automatic_compiler_dependencies
:debug:main Finished running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Running callback portbuild::add_automatic_buildsystem_dependencies
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
:debug:main Running callback portstartupitem::add_notes
:debug:main Finished running callback portstartupitem::add_notes
:debug:main No need to upgrade! fribidi 1.0.10_0 >= fribidi 1.0.10_0
:debug:main epoch: in tree: 0 installed: 0
:debug:main harfbuzz 2.7.4_0 exists in the ports tree
:debug:main harfbuzz 2.7.4_0 is the latest installed
:debug:main harfbuzz 2.7.4_0 is active
:debug:main Merging existing variants " into variants
:debug:main new fully merged portvariants:
:debug:main Changing to port directory:
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/graphics/harfbuzz
:debug:main OS darwin/19.6.0 (macOS 10.15) arch i386
:debug:main Sourcing PortGroup compiler_blacklist_versions 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_resources/port1.0/group/compiler_blacklist_versions-1.0.tcl
:debug:main Sourcing PortGroup github 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_resources/port1.0/group/github-1.0.tcl
:debug:main Re-registering default for livecheck.regex
:debug:main compiler clang 1200.0.32.28 not blacklisted because it doesn't match {clang < 700}
:debug:main adding the default universal variant
:debug:main Reading variant descriptions from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_resources/port1.0/variant_descriptions.conf
:debug:main Running callback portconfigure::add_automatic_compiler_dependencies
:debug:main Finished running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Running callback portbuild::add_automatic_buildsystem_dependencies
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
:debug:main Running callback portstartupitem::add_notes
```

```
:debug:main Finished running callback portstartupitem::add_notes
:debug:main No need to upgrade! harfbuzz 2.7.4_0 >= harfbuzz 2.7.4_0
:debug:main epoch: in tree: 0 installed: 0
:debug:main graphite2 1.3.13_1 exists in the ports tree
:debug:main graphite2 1.3.13_1 is the latest installed
:debug:main graphite2 1.3.13_1 is active
:debug:main Merging existing variants " into variants
:debug:main new fully merged portvariants:
:debug:main Changing to port directory:
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/grap
hics/graphite2
:debug:main OS darwin/19.6.0 (macOS 10.15) arch i386
:debug:main Re-registering default for destroot.target
:debug:main Re-registering default for configure.dir
:debug:main Re-registering default for build.dir
:debug:main Re-registering default for configure.pre_args
:debug:main Sourcing PortGroup cmake 1.1 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_reso
urces/port1.0/group/cmake-1.1.tcl
:debug:main Sourcing PortGroup github 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_reso
urces/port1.0/group/github-1.0.tcl
:debug:main Re-registering default for livecheck.regex
:debug:main adding the default universal variant
:debug:main Reading variant descriptions from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_reso
urces/port1.0/variant_descriptions.conf
:debug:main Running callback portconfigure::add_automatic_compiler_dependencies
:debug:main Finished running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Running callback portbuild::add_automatic_buildsystem_dependencies
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
:debug:main Running callback portstartupitem::add_notes
:debug:main Finished running callback portstartupitem::add_notes
:debug:main No need to upgrade! graphite2 1.3.13_1 >= graphite2 1.3.13_1
:debug:main epoch: in tree: 0 installed: 0
:debug:main Xft2 2.3.3_0 exists in the ports tree
:debug:main Xft2 2.3.3_0 is the latest installed
:debug:main Xft2 2.3.3_0 is active
:debug:main Merging existing variants " into variants
:debug:main new fully merged portvariants:
:debug:main Changing to port directory:
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/x11/
Xft2
:debug:main OS darwin/19.6.0 (macOS 10.15) arch i386
:debug:main adding the default universal variant
```

```
:debug:main Reading variant descriptions from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_resources/port1.0/variant_descriptions.conf
:debug:main Running callback portconfigure::add_automatic_compiler_dependencies
:debug:main Finished running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Running callback portbuild::add_automatic_buildsystem_dependencies
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
:debug:main Running callback portstartupitem::add_notes
:debug:main Finished running callback portstartupitem::add_notes
:debug:main No need to upgrade! Xft2 2.3.3_0 >= Xft2 2.3.3_0
:debug:main epoch: in tree: 0 installed: 0
:debug:main vala 0.50.2_0 exists in the ports tree
:debug:main vala 0.50.2_0 is the latest installed
:debug:main vala 0.50.2_0 is active
:debug:main Merging existing variants '' into variants
:debug:main new fully merged portvariants:
:debug:main Changing to port directory:
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/lang/vala
:debug:main OS darwin/19.6.0 (macOS 10.15) arch i386
:debug:main adding the default universal variant
:debug:main Reading variant descriptions from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_resources/port1.0/variant_descriptions.conf
:debug:main Running callback portconfigure::add_automatic_compiler_dependencies
:debug:main Finished running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Running callback portbuild::add_automatic_buildsystem_dependencies
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
:debug:main Running callback portstartupitem::add_notes
:debug:main Finished running callback portstartupitem::add_notes
:debug:main No need to upgrade! vala 0.50.2_0 >= vala 0.50.2_0
:debug:main epoch: in tree: 0 installed: 0
:debug:main graphviz 2.40.1_3 exists in the ports tree
:debug:main graphviz 2.40.1_3 +pangocairo+x11 is the latest installed
:debug:main graphviz 2.40.1_3 +pangocairo+x11 is active
:debug:main Merging existing variants '+pangocairo+x11' into variants
:debug:main new fully merged portvariants: x11 + pangocairo +
:debug:main Changing to port directory:
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/graphics/graphviz
:debug:main OS darwin/19.6.0 (macOS 10.15) arch i386
```



```
:debug:main Sourcing PortGroup xcodeversion 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_resources/port1.0/group/xcodeversion-1.0.tcl
:debug:main Reading variant descriptions from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_resources/port1.0/variant_descriptions.conf
:debug:main adding the default universal variant
:debug:main Executing variant pangocairo provides pangocairo
:debug:main Executing variant x11 provides x11
:debug:main Running callback portconfigure::add_automatic_compiler_dependencies
:debug:main Finished running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Running callback portbuild::add_automatic_buildsystem_dependencies
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
:debug:main Running callback portstartupitem::add_notes
:debug:main Finished running callback portstartupitem::add_notes
:debug:main No need to upgrade! graphviz 2.40.1_3 >= graphviz 2.40.1_3
:debug:main epoch: in tree: 0 installed: 0
:debug:main gd2 2.3.0_0 exists in the ports tree
:debug:main gd2 2.3.0_0 +x11 is the latest installed
:debug:main gd2 2.3.0_0 +x11 is active
:debug:main Merging existing variants '+x11' into variants
:debug:main new fully merged portvariants: x11 +
:debug:main Changing to port directory:
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/graphics/gd2
:debug:main OS darwin/19.6.0 (macOS 10.15) arch i386
:debug:main Sourcing PortGroup github 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_resources/port1.0/group/github-1.0.tcl
:debug:main Reading variant descriptions from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_resources/port1.0/variant_descriptions.conf
:debug:main Sourcing PortGroup muniversal 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_resources/port1.0/group/muniversal-1.0.tcl
:debug:main Removing legacy build support
:debug:main Sourcing PortGroup legacysupport 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_resources/port1.0/group/legacysupport-1.0.tcl
:debug:main Re-registering default for livecheck.regex
:debug:main universal variant already exists, so not adding the default one
:debug:main Executing variant x11 provides x11
:debug:main Running callback portconfigure::add_automatic_compiler_dependencies
:debug:main Finished running callback
portconfigure::add_automatic_compiler_dependencies
```

```
:debug:main Running callback portbuild::add_automatic_buildsystem_dependencies
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
:debug:main Running callback portstartupitem::add_notes
:debug:main Finished running callback portstartupitem::add_notes
:debug:main Running callback add_legacysupport
:debug:main Removing legacy build support
:debug:main Finished running callback add_legacysupport
:debug:main No need to upgrade! gd2 2.3.0_0 >= gd2 2.3.0_0
:debug:main epoch: in tree: 0 installed: 0
:debug:main xpm 3.5.13_0 exists in the ports tree
:debug:main xpm 3.5.13_0 is the latest installed
:debug:main xpm 3.5.13_0 is active
:debug:main Merging existing variants " into variants
:debug:main new fully merged portvariants:
:debug:main Changing to port directory:
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/x11/x
pm
:debug:main OS darwin/19.6.0 (macOS 10.15) arch i386
:debug:main adding the default universal variant
:debug:main Reading variant descriptions from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_reso
urces/port1.0/variant_descriptions.conf
:debug:main Running callback portconfigure::add_automatic_compiler_dependencies
:debug:main Finished running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Running callback portbuild::add_automatic_buildsystem_dependencies
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
:debug:main Running callback portstartupitem::add_notes
:debug:main Finished running callback portstartupitem::add_notes
:debug:main No need to upgrade! xpm 3.5.13_0 >= xpm 3.5.13_0
:debug:main epoch: in tree: 0 installed: 0
:debug:main gts 0.7.6-20121130_1 exists in the ports tree
:debug:main gts 0.7.6-20121130_1 is the latest installed
:debug:main gts 0.7.6-20121130_1 is active
:debug:main Merging existing variants " into variants
:debug:main new fully merged portvariants:
:debug:main Changing to port directory:
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/math
/gts
:debug:main OS darwin/19.6.0 (macOS 10.15) arch i386
:debug:main Reading variant descriptions from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_reso
urces/port1.0/variant_descriptions.conf
```

```
:debug:main Sourcing PortGroup muniversal 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_resources/port1.0/group/muniversal-1.0.tcl
:debug:main universal variant already exists, so not adding the default one
:debug:main Running callback portconfigure::add_automatic_compiler_dependencies
:debug:main Finished running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Running callback portbuild::add_automatic_buildsystem_dependencies
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
:debug:main Running callback portstartupitem::add_notes
:debug:main Finished running callback portstartupitem::add_notes
:debug:main No need to upgrade! gts 0.7.6-20121130_1 >= gts 0.7.6-20121130_1
:debug:main epoch: in tree: 0 installed: 0
:debug:main libnetpbm 10.93.00_0 exists in the ports tree
:debug:main libnetpbm 10.93.00_0 is the latest installed
:debug:main libnetpbm 10.93.00_0 is active
:debug:main Merging existing variants " into variants
:debug:main new fully merged portvariants:
:debug:main Changing to port directory:
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/graphics/netpbm
:debug:main OS darwin/19.6.0 (macOS 10.15) arch i386
:debug:main Sourcing PortGroup github 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_resources/port1.0/group/github-1.0.tcl
:debug:main Re-registering default for livecheck.url
:debug:main Reading variant descriptions from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_resources/port1.0/variant_descriptions.conf
:debug:main universal variant already exists, so not adding the default one
:debug:main Running callback portconfigure::add_automatic_compiler_dependencies
:debug:main Finished running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Running callback portbuild::add_automatic_buildsystem_dependencies
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
:debug:main Running callback portstartupitem::add_notes
:debug:main Finished running callback portstartupitem::add_notes
:debug:main No need to upgrade! libnetpbm 10.93.00_0 >= libnetpbm 10.93.00_0
:debug:main epoch: in tree: 0 installed: 0
:debug:main libLASi 1.1.3_1 exists in the ports tree
:debug:main libLASi 1.1.3_1 is the latest installed
:debug:main libLASi 1.1.3_1 is active
:debug:main Merging existing variants " into variants
:debug:main new fully merged portvariants:
```

```
:debug:main Changing to port directory:
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/print
/libLASi
:debug:main OS darwin/19.6.0 (macOS 10.15) arch i386
:debug:main Re-registering default for destroot.target
:debug:main Re-registering default for configure.dir
:debug:main Re-registering default for build.dir
:debug:main Re-registering default for configure.pre_args
:debug:main Sourcing PortGroup cmake 1.1 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_reso
urces/port1.0/group/cmake-1.1.tcl
:debug:main adding the default universal variant
:debug:main Reading variant descriptions from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_reso
urces/port1.0/variant_descriptions.conf
:debug:main Running callback portconfigure::add_automatic_compiler_dependencies
:debug:main Finished running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Running callback portbuild::add_automatic_buildsystem_dependencies
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
:debug:main Running callback portstartupitem::add_notes
:debug:main Finished running callback portstartupitem::add_notes
:debug:main No need to upgrade! libLASi 1.1.3_1 >= libLASi 1.1.3_1
:debug:main epoch: in tree: 0 installed: 0
:debug:main xorg-libXaw 1.0.13_2 exists in the ports tree
:debug:main xorg-libXaw 1.0.13_2 is the latest installed
:debug:main xorg-libXaw 1.0.13_2 is active
:debug:main Merging existing variants " into variants
:debug:main new fully merged portvariants:
:debug:main Changing to port directory:
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/x11/x
org-libXaw
:debug:main OS darwin/19.6.0 (macOS 10.15) arch i386
:debug:main adding the default universal variant
:debug:main Reading variant descriptions from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_reso
urces/port1.0/variant_descriptions.conf
:debug:main Running callback portconfigure::add_automatic_compiler_dependencies
:debug:main Finished running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Running callback portbuild::add_automatic_buildsystem_dependencies
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
:debug:main Running callback portstartupitem::add_notes
:debug:main Finished running callback portstartupitem::add_notes
:debug:main No need to upgrade! xorg-libXaw 1.0.13_2 >= xorg-libXaw 1.0.13_2
```

```
:debug:main epoch: in tree: 0 installed: 0
:debug:main xorg-libXmu 1.1.3_0 exists in the ports tree
:debug:main xorg-libXmu 1.1.3_0 is the latest installed
:debug:main xorg-libXmu 1.1.3_0 is active
:debug:main Merging existing variants " into variants
:debug:main new fully merged portvariants:
:debug:main Changing to port directory:
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/x11/x
org-libXmu
:debug:main OS darwin/19.6.0 (macOS 10.15) arch i386
:debug:main adding the default universal variant
:debug:main Reading variant descriptions from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_reso
urces/port1.0/variant_descriptions.conf
:debug:main Running callback portconfigure::add_automatic_compiler_dependencies
:debug:main Finished running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Running callback portbuild::add_automatic_buildsystem_dependencies
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
:debug:main Running callback portstartupitem::add_notes
:debug:main Finished running callback portstartupitem::add_notes
:debug:main No need to upgrade! xorg-libXmu 1.1.3_0 >= xorg-libXmu 1.1.3_0
:debug:main epoch: in tree: 1 installed: 1
:debug:main libtheora 1.1.1_3 exists in the ports tree
:debug:main libtheora 1.1.1_3 is the latest installed
:debug:main libtheora 1.1.1_3 is active
:debug:main Merging existing variants " into variants
:debug:main new fully merged portvariants:
:debug:main Changing to port directory:
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/multi
media/libtheora
:debug:main OS darwin/19.6.0 (macOS 10.15) arch i386
:debug:main Sourcing PortGroup xcodeversion 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_reso
urces/port1.0/group/xcodeversion-1.0.tcl
:debug:main adding the default universal variant
:debug:main Reading variant descriptions from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_reso
urces/port1.0/variant_descriptions.conf
:debug:main Running callback portconfigure::add_automatic_compiler_dependencies
:debug:main Finished running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Running callback portbuild::add_automatic_buildsystem_dependencies
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
:debug:main Running callback portstartupitem::add_notes
```

```
:debug:main Finished running callback portstartupitem::add_notes
:debug:main No need to upgrade! libtheora 1.1.1_3 >= libtheora 1.1.1_3
:debug:main epoch: in tree: 0 installed: 0
:debug:main libmodplug 0.8.9.0_0 exists in the ports tree
:debug:main libmodplug 0.8.9.0_0 is the latest installed
:debug:main libmodplug 0.8.9.0_0 is active
:debug:main Merging existing variants "" into variants
:debug:main new fully merged portvariants:
:debug:main Changing to port directory:
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/audio
/libmodplug
:debug:main OS darwin/19.6.0 (macOS 10.15) arch i386
:debug:main adding the default universal variant
:debug:main Reading variant descriptions from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_reso
urces/port1.0/variant_descriptions.conf
:debug:main Running callback portconfigure::add_automatic_compiler_dependencies
:debug:main Finished running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Running callback portbuild::add_automatic_buildsystem_dependencies
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
:debug:main Running callback portstartupitem::add_notes
:debug:main Finished running callback portstartupitem::add_notes
:debug:main No need to upgrade! libmodplug 0.8.9.0_0 >= libmodplug 0.8.9.0_0
:debug:main epoch: in tree: 0 installed: 0
:debug:main libass 0.15.0_0 exists in the ports tree
:debug:main libass 0.15.0_0 is the latest installed
:debug:main libass 0.15.0_0 is active
:debug:main Merging existing variants "" into variants
:debug:main new fully merged portvariants:
:debug:main Changing to port directory:
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/multi
media/libass
:debug:main OS darwin/19.6.0 (macOS 10.15) arch i386
:debug:main Sourcing PortGroup github 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_reso
urces/port1.0/group/github-1.0.tcl
:debug:main Reading variant descriptions from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_reso
urces/port1.0/variant_descriptions.conf
:debug:main Sourcing PortGroup muniversal 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_reso
urces/port1.0/group/muniversal-1.0.tcl
:debug:main Re-registering default for livecheck.regex
:debug:main universal variant already exists, so not adding the default one
:debug:main Running callback portconfigure::add_automatic_compiler_dependencies
```

```
:debug:main Finished running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Running callback portbuild::add_automatic_buildsystem_dependencies
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
:debug:main Running callback portstartupitem::add_notes
:debug:main Finished running callback portstartupitem::add_notes
:debug:main No need to upgrade! libass 0.15.0_0 >= libass 0.15.0_0
:debug:main epoch: in tree: 0 installed: 0
:debug:main libbluray 1.2.1_0 exists in the ports tree
:debug:main libbluray 1.2.1_0 is the latest installed
:debug:main libbluray 1.2.1_0 is active
:debug:main Merging existing variants " into variants
:debug:main new fully merged portvariants:
:debug:main Changing to port directory:
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/multi
media/libbluray
:debug:main OS darwin/19.6.0 (macOS 10.15) arch i386
:debug:main adding the default universal variant
:debug:main Reading variant descriptions from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_reso
urces/port1.0/variant_descriptions.conf
:debug:main Running callback portconfigure::add_automatic_compiler_dependencies
:debug:main Finished running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Running callback portbuild::add_automatic_buildsystem_dependencies
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
:debug:main Running callback portstartupitem::add_notes
:debug:main Finished running callback portstartupitem::add_notes
:debug:main No need to upgrade! libbluray 1.2.1_0 >= libbluray 1.2.1_0
:debug:main epoch: in tree: 0 installed: 0
:debug:main libvpx 1.9.0_0 exists in the ports tree
:debug:main libvpx 1.9.0_0 is the latest installed
:debug:main libvpx 1.9.0_0 is active
:debug:main Merging existing variants " into variants
:debug:main new fully merged portvariants:
:debug:main Changing to port directory:
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/multi
media/libvpx
:debug:main OS darwin/19.6.0 (macOS 10.15) arch i386
:debug:main Sourcing PortGroup compiler_blacklist_versions 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_reso
urces/port1.0/group/compiler_blacklist_versions-1.0.tcl
:debug:main Reading variant descriptions from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_reso
urces/port1.0/variant_descriptions.conf
```

```
:debug:main Sourcing PortGroup muniversal 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_resources/port1.0/group/muniversal-1.0.tcl
:debug:main compiler clang 1200.0.32.28 not blacklisted because it doesn't match {clang < 800}
:debug:main universal variant already exists, so not adding the default one
:debug:main Running callback portconfigure::add_automatic_compiler_dependencies
:debug:main Finished running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Running callback portbuild::add_automatic_buildsystem_dependencies
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
:debug:main Running callback portstartupitem::add_notes
:debug:main Finished running callback portstartupitem::add_notes
:debug:main No need to upgrade! libvpx 1.9.0_0 >= libvpx 1.9.0_0
:debug:main epoch: in tree: 0 installed: 0
:debug:main gnutls 3.6.15_0 exists in the ports tree
:debug:main gnutls 3.6.15_0 +doc is the latest installed
:debug:main gnutls 3.6.15_0 +doc is active
:debug:main Merging existing variants '+doc' into variants
:debug:main new fully merged portvariants: doc +
:debug:main Changing to port directory:
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/development/gnutls
:debug:main OS darwin/19.6.0 (macOS 10.15) arch i386
:debug:main Sourcing PortGroup active_variants 1.1 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_resources/port1.0/group/active_variants-1.1.tcl
:debug:main Sourcing PortGroup compiler_blacklist_versions 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_resources/port1.0/group/compiler_blacklist_versions-1.0.tcl
:debug:main Sourcing PortGroup conflicts_build 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_resources/port1.0/group/conflicts_build-1.0.tcl
:debug:main Removing legacy build support
:debug:main Sourcing PortGroup legacysupport 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_resources/port1.0/group/legacysupport-1.0.tcl
:debug:main Reading variant descriptions from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_resources/port1.0/variant_descriptions.conf
:debug:main Sourcing PortGroup muniversal 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_resources/port1.0/group/muniversal-1.0.tcl
:debug:main compiler clang 1200.0.32.28 not blacklisted because it doesn't match {clang < 1000}
:debug:main universal variant already exists, so not adding the default one
```



```
:debug:main Executing variant doc provides doc
:debug:main Running callback portconfigure::add_automatic_compiler_dependencies
:debug:main Finished running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Running callback portbuild::add_automatic_buildsystem_dependencies
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
:debug:main Running callback portstartupitem::add_notes
:debug:main Finished running callback portstartupitem::add_notes
:debug:main Running callback add_legacysupport
:debug:main Removing legacy build support
:debug:main Finished running callback add_legacysupport
:debug:main No need to upgrade! gnutls 3.6.15_0 >= gnutls 3.6.15_0
:debug:main epoch: in tree: 0 installed: 0
:debug:main gmp 6.2.1_0 exists in the ports tree
:debug:main gmp 6.2.1_0 is the latest installed
:debug:main gmp 6.2.1_0 is active
:debug:main Merging existing variants "" into variants
:debug:main new fully merged portvariants:
:debug:main Changing to port directory:
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/devel
/gmp
:debug:main OS darwin/19.6.0 (macOS 10.15) arch i386
:debug:main Reading variant descriptions from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_resources/port1.0/variant_descriptions.conf
:debug:main Sourcing PortGroup muniversal 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_resources/port1.0/group/muniversal-1.0.tcl
:debug:main Sourcing PortGroup cltversion 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_resources/port1.0/group/cltversion-1.0.tcl
:debug:main Sourcing PortGroup xcode_workaround 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_resources/port1.0/group/xcode_workaround-1.0.tcl
:debug:main cltversion: Found Command Line Tools Version 12.3.0.0.1.1607026830
:debug:main universal variant already exists, so not adding the default one
:debug:main Running callback portconfigure::add_automatic_compiler_dependencies
:debug:main Finished running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Running callback portbuild::add_automatic_buildsystem_dependencies
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
:debug:main Running callback portstartupitem::add_notes
:debug:main Finished running callback portstartupitem::add_notes
:debug:main Running callback xcode_workaround::xcode_workaround.appy_fix
:debug:main Finished running callback xcode_workaround::xcode_workaround.appy_fix
```

```
:debug:main No need to upgrade! gmp 6.2.1_0 >= gmp 6.2.1_0
:debug:main epoch: in tree: 0 installed: 0
:debug:main libidn2 2.3.0_0 exists in the ports tree
:debug:main libidn2 2.3.0_0 is the latest installed
:debug:main libidn2 2.3.0_0 is active
:debug:main Merging existing variants "" into variants
:debug:main new fully merged portvariants:
:debug:main Changing to port directory:
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/mail/
libidn2
:debug:main OS darwin/19.6.0 (macOS 10.15) arch i386
:debug:main Sourcing PortGroup clang_dependency 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_reso
urces/port1.0/group/clang_dependency-1.0.tcl
:debug:main adding the default universal variant
:debug:main Reading variant descriptions from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_reso
urces/port1.0/variant_descriptions.conf
:debug:main Running callback portconfigure::add_automatic_compiler_dependencies
:debug:main Finished running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Running callback portbuild::add_automatic_buildsystem_dependencies
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
:debug:main Running callback portstartupitem::add_notes
:debug:main Finished running callback portstartupitem::add_notes
:debug:main No need to upgrade! libidn2 2.3.0_0 >= libidn2 2.3.0_0
:debug:main epoch: in tree: 0 installed: 0
:debug:main libunistring 0.9.10_0 exists in the ports tree
:debug:main libunistring 0.9.10_0 is the latest installed
:debug:main libunistring 0.9.10_0 is active
:debug:main Merging existing variants "" into variants
:debug:main new fully merged portvariants:
:debug:main Changing to port directory:
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/textp
roc/libunistring
:debug:main OS darwin/19.6.0 (macOS 10.15) arch i386
:debug:main Sourcing PortGroup clang_dependency 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_reso
urces/port1.0/group/clang_dependency-1.0.tcl
:debug:main Reading variant descriptions from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_reso
urces/port1.0/variant_descriptions.conf
:debug:main Sourcing PortGroup muniversal 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_reso
urces/port1.0/group/muniversal-1.0.tcl
:debug:main universal variant already exists, so not adding the default one
```

```
:debug:main Running callback portconfigure::add_automatic_compiler_dependencies
:debug:main Finished running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Running callback portbuild::add_automatic_buildsystem_dependencies
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
:debug:main Running callback portstartupitem::add_notes
:debug:main Finished running callback portstartupitem::add_notes
:debug:main No need to upgrade! libunistring 0.9.10_0 >= libunistring 0.9.10_0
:debug:main epoch: in tree: 0 installed: 0
:debug:main libtasn1 4.16.0_0 exists in the ports tree
:debug:main libtasn1 4.16.0_0 is the latest installed
:debug:main libtasn1 4.16.0_0 is active
:debug:main Merging existing variants " into variants
:debug:main new fully merged portvariants:
:debug:main Changing to port directory:
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/devel
/libtasn1
:debug:main OS darwin/19.6.0 (macOS 10.15) arch i386
:debug:main adding the default universal variant
:debug:main Reading variant descriptions from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_reso
urces/port1.0/variant_descriptions.conf
:debug:main Running callback portconfigure::add_automatic_compiler_dependencies
:debug:main Finished running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Running callback portbuild::add_automatic_buildsystem_dependencies
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
:debug:main Running callback portstartupitem::add_notes
:debug:main Finished running callback portstartupitem::add_notes
:debug:main No need to upgrade! libtasn1 4.16.0_0 >= libtasn1 4.16.0_0
:debug:main epoch: in tree: 0 installed: 0
:debug:main p11-kit 0.23.21_0 exists in the ports tree
:debug:main p11-kit 0.23.21_0 is the latest installed
:debug:main p11-kit 0.23.21_0 is active
:debug:main Merging existing variants " into variants
:debug:main new fully merged portvariants:
:debug:main Changing to port directory:
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/secur
ity/p11-kit
:debug:main OS darwin/19.6.0 (macOS 10.15) arch i386
:debug:main Sourcing PortGroup github 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_reso
urces/port1.0/group/github-1.0.tcl
:debug:main Re-registering default for livecheck.regex
:debug:main adding the default universal variant
```

```
:debug:main Reading variant descriptions from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_resources/port1.0/variant_descriptions.conf
:debug:main Running callback portconfigure::add_automatic_compiler_dependencies
:debug:main Finished running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Running callback portbuild::add_automatic_buildsystem_dependencies
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
:debug:main Running callback portstartupitem::add_notes
:debug:main Finished running callback portstartupitem::add_notes
:debug:main No need to upgrade! p11-kit 0.23.21_0 >= p11-kit 0.23.21_0
:debug:main epoch: in tree: 0 installed: 0
:debug:main libxslt 1.1.34_4 exists in the ports tree
:debug:main libxslt 1.1.34_4 is the latest installed
:debug:main libxslt 1.1.34_4 is active
:debug:main Merging existing variants " into variants
:debug:main new fully merged portvariants:
:debug:main Changing to port directory:
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/textproc/libxslt
:debug:main OS darwin/19.6.0 (macOS 10.15) arch i386
:debug:main adding the default universal variant
:debug:main Reading variant descriptions from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_resources/port1.0/variant_descriptions.conf
:debug:main Running callback portconfigure::add_automatic_compiler_dependencies
:debug:main Finished running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Running callback portbuild::add_automatic_buildsystem_dependencies
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
:debug:main Running callback portstartupitem::add_notes
:debug:main Finished running callback portstartupitem::add_notes
:debug:main No need to upgrade! libxslt 1.1.34_4 >= libxslt 1.1.34_4
:debug:main epoch: in tree: 0 installed: 0
:debug:main curl-ca-bundle 7.74.0_0 exists in the ports tree
:debug:main curl-ca-bundle 7.74.0_0 is the latest installed
:debug:main curl-ca-bundle 7.74.0_0 is active
:debug:main Merging existing variants " into variants
:debug:main new fully merged portvariants:
:debug:main Changing to port directory:
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/net/curl
:debug:main OS darwin/19.6.0 (macOS 10.15) arch i386
```

```
:debug:main Sourcing PortGroup clang_dependency 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_resources/port1.0/group/clang_dependency-1.0.tcl
:debug:main universal_variant is false, so not adding the default universal variant
:debug:main Running callback portconfigure::add_automatic_compiler_dependencies
:debug:main Finished running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Running callback portbuild::add_automatic_buildsystem_dependencies
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
:debug:main Running callback portstartupitem::add_notes
:debug:main Finished running callback portstartupitem::add_notes
:debug:main No need to upgrade! curl-ca-bundle 7.74.0_0 >= curl-ca-bundle 7.74.0_0
:debug:main epoch: in tree: 0 installed: 0
:debug:main nettle 3.6_0 exists in the ports tree
:debug:main nettle 3.6_0 is the latest installed
:debug:main nettle 3.6_0 is active
:debug:main Merging existing variants "" into variants
:debug:main new fully merged portvariants:
:debug:main Changing to port directory:
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/development/nettle
:debug:main OS darwin/19.6.0 (macOS 10.15) arch i386
:debug:main Reading variant descriptions from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_resources/port1.0/variant_descriptions.conf
:debug:main Sourcing PortGroup muniversal 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_resources/port1.0/group/muniversal-1.0.tcl
:debug:main Sourcing PortGroup compiler_blacklist_versions 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_resources/port1.0/group/compiler_blacklist_versions-1.0.tcl
:debug:main compiler clang 1200.0.32.28 not blacklisted because it doesn't match {clang < 500}
:debug:main universal variant already exists, so not adding the default one
:debug:main Running callback portconfigure::add_automatic_compiler_dependencies
:debug:main Finished running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Running callback portbuild::add_automatic_buildsystem_dependencies
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
:debug:main Running callback portstartupitem::add_notes
:debug:main Finished running callback portstartupitem::add_notes
:debug:main No need to upgrade! nettle 3.6_0 >= nettle 3.6_0
:debug:main epoch: in tree: 0 installed: 0
:debug:main speex 1.2.0_0 exists in the ports tree
:debug:main speex 1.2.0_0 is the latest installed
```

```
:debug:main speex 1.2.0_0 is active
:debug:main Merging existing variants "" into variants
:debug:main new fully merged portvariants:
:debug:main Changing to port directory:
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/audio
/speex
:debug:main OS darwin/19.6.0 (macOS 10.15) arch i386
:debug:main adding the default universal variant
:debug:main Reading variant descriptions from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_reso
urces/port1.0/variant_descriptions.conf
:debug:main Running callback portconfigure::add_automatic_compiler_dependencies
:debug:main Finished running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Running callback portbuild::add_automatic_buildsystem_dependencies
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
:debug:main Running callback portstartupitem::add_notes
:debug:main Finished running callback portstartupitem::add_notes
:debug:main No need to upgrade! speex 1.2.0_0 >= speex 1.2.0_0
:debug:main epoch: in tree: 0 installed: 0
:debug:main soxr 0.1.3_0 exists in the ports tree
:debug:main soxr 0.1.3_0 is the latest installed
:debug:main soxr 0.1.3_0 is active
:debug:main Merging existing variants "" into variants
:debug:main new fully merged portvariants:
:debug:main Changing to port directory:
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/audio
/soxr
:debug:main OS darwin/19.6.0 (macOS 10.15) arch i386
:debug:main Re-registering default for destroot.target
:debug:main Re-registering default for configure.dir
:debug:main Re-registering default for build.dir
:debug:main Re-registering default for configure.pre_args
:debug:main Sourcing PortGroup cmake 1.1 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_reso
urces/port1.0/group/cmake-1.1.tcl
:debug:main adding the default universal variant
:debug:main Reading variant descriptions from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_reso
urces/port1.0/variant_descriptions.conf
:debug:main Running callback portconfigure::add_automatic_compiler_dependencies
:debug:main Finished running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Running callback portbuild::add_automatic_buildsystem_dependencies
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
```

```
:debug:main Running callback portstartupitem::add_notes
:debug:main Finished running callback portstartupitem::add_notes
:debug:main No need to upgrade! soxr 0.1.3_0 >= soxr 0.1.3_0
:debug:main epoch: in tree: 0 installed: 0
:debug:main libsd12 2.0.14_0 exists in the ports tree
:debug:main libsd12 2.0.14_0 is the latest installed
:debug:main libsd12 2.0.14_0 is active
:debug:main Merging existing variants " into variants
:debug:main new fully merged portvariants:
:debug:main Changing to port directory:
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/devel
/libsd12
:debug:main OS darwin/19.6.0 (macOS 10.15) arch i386
:debug:main Sourcing PortGroup compiler_blacklist_versions 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_reso
urces/port1.0/group/compiler_blacklist_versions-1.0.tcl
:debug:main Sourcing PortGroup xcodeversion 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_reso
urces/port1.0/group/xcodeversion-1.0.tcl
:debug:main compiler clang 1200.0.32.28 not blacklisted because it doesn't match { clang <
211 }
:debug:main Reading variant descriptions from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_reso
urces/port1.0/variant_descriptions.conf
:debug:main adding the default universal variant
:debug:main Running callback portconfigure::add_automatic_compiler_dependencies
:debug:main Finished running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Running callback portbuild::add_automatic_buildsystem_dependencies
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
:debug:main Running callback portstartupitem::add_notes
:debug:main Finished running callback portstartupitem::add_notes
:debug:main No need to upgrade! libsd12 2.0.14_0 >= libsd12 2.0.14_0
:debug:main epoch: in tree: 0 installed: 0
:debug:main dav1d 0.7.1_0 exists in the ports tree
:debug:main dav1d 0.7.1_0 is the latest installed
:debug:main dav1d 0.7.1_0 is active
:debug:main Merging existing variants " into variants
:debug:main new fully merged portvariants:
:debug:main Changing to port directory:
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/multi
media/dav1d
:debug:main OS darwin/19.6.0 (macOS 10.15) arch i386
:debug:main Re-registering default for configure.cmd
:debug:main Re-registering default for build.dir
:debug:main Re-registering default for build.cmd
```

```
:debug:main Re-registering default for build.target
:debug:main Re-registering default for destroot.post_args
:debug:main Sourcing PortGroup meson 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_resources/port1.0/group/meson-1.0.tcl
:debug:main Reading variant descriptions from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_resources/port1.0/variant_descriptions.conf
:debug:main Sourcing PortGroup muniversal 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_resources/port1.0/group/muniversal-1.0.tcl
:debug:main universal variant already exists, so not adding the default one
:debug:main Running callback portconfigure::add_automatic_compiler_dependencies
:debug:main Finished running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Running callback portbuild::add_automatic_buildsystem_dependencies
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
:debug:main Running callback portstartupitem::add_notes
:debug:main Finished running callback portstartupitem::add_notes
:debug:main No need to upgrade! dav1d 0.7.1_0 >= dav1d 0.7.1_0
:debug:main epoch: in tree: 0 installed: 0
:debug:main XviD 1.3.7_0 exists in the ports tree
:debug:main XviD 1.3.7_0 is the latest installed
:debug:main XviD 1.3.7_0 is active
:debug:main Merging existing variants " into variants
:debug:main new fully merged portvariants:
:debug:main Changing to port directory:
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/multimedia/XviD
:debug:main OS darwin/19.6.0 (macOS 10.15) arch i386
:debug:main Reading variant descriptions from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_resources/port1.0/variant_descriptions.conf
:debug:main Sourcing PortGroup muniversal 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_resources/port1.0/group/muniversal-1.0.tcl
:debug:main universal variant already exists, so not adding the default one
:debug:main Running callback portconfigure::add_automatic_compiler_dependencies
:debug:main Finished running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Running callback portbuild::add_automatic_buildsystem_dependencies
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
:debug:main Running callback portstartupitem::add_notes
:debug:main Finished running callback portstartupitem::add_notes
:debug:main No need to upgrade! XviD 1.3.7_0 >= XviD 1.3.7_0
```



```
:debug:main epoch: in tree: 0 installed: 0
:debug:main x264 20191217_0 exists in the ports tree
:debug:main x264 20191217_0 is the latest installed
:debug:main x264 20191217_0 is active
:debug:main Merging existing variants '' into variants
:debug:main new fully merged portvariants:
:debug:main Changing to port directory:
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/multi
media/x264
:debug:main OS darwin/19.6.0 (macOS 10.15) arch i386
:debug:main Reading variant descriptions from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_reso
urces/port1.0/variant_descriptions.conf
:debug:main Sourcing PortGroup muniversal 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_reso
urces/port1.0/group/muniversal-1.0.tcl
:debug:main Sourcing PortGroup xcodeversion 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_reso
urces/port1.0/group/xcodeversion-1.0.tcl
:debug:main Sourcing PortGroup cltversion 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_reso
urces/port1.0/group/cltversion-1.0.tcl
:debug:main Sourcing PortGroup xcode_workaround 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_reso
urces/port1.0/group/xcode_workaround-1.0.tcl
:debug:main universal variant already exists, so not adding the default one
:debug:main Running callback portconfigure::add_automatic_compiler_dependencies
:debug:main Finished running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Running callback portbuild::add_automatic_buildsystem_dependencies
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
:debug:main Running callback portstartupitem::add_notes
:debug:main Finished running callback portstartupitem::add_notes
:debug:main Running callback xcode_workaround::xcode_workaround.appy_fix
:debug:main cltversion: Found Command Line Tools Version 12.3.0.0.1.1607026830
:debug:main Finished running callback xcode_workaround::xcode_workaround.appy_fix
:debug:main No need to upgrade! x264 20191217_0 >= x264 20191217_0
:debug:main epoch: in tree: 0 installed: 0
:debug:main libnotify 0.7.9_0 exists in the ports tree
:debug:main libnotify 0.7.9_0 is the latest installed
:debug:main libnotify 0.7.9_0 is active
:debug:main Merging existing variants '' into variants
:debug:main new fully merged portvariants:
:debug:main Changing to port directory:
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/devel
/libnotify
```

```
:debug:main OS darwin/19.6.0 (macOS 10.15) arch i386
:debug:main Re-registering default for configure.cmd
:debug:main Re-registering default for build.dir
:debug:main Re-registering default for build.cmd
:debug:main Re-registering default for build.target
:debug:main Re-registering default for destroot.post_args
:debug:main Sourcing PortGroup meson 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_resources/port1.0/group/meson-1.0.tcl
:debug:main adding the default universal variant
:debug:main Reading variant descriptions from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_resources/port1.0/variant_descriptions.conf
:debug:main Running callback portconfigure::add_automatic_compiler_dependencies
:debug:main Finished running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Running callback portbuild::add_automatic_buildsystem_dependencies
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
:debug:main Running callback portstartupitem::add_notes
:debug:main Finished running callback portstartupitem::add_notes
:debug:main No need to upgrade! libnotify 0.7.9_0 >= libnotify 0.7.9_0
:debug:main epoch: in tree: 1 installed: 1
:debug:main gtk3 3.24.23_0 exists in the ports tree
:debug:main gtk3 3.24.23_0 +x11 is the latest installed
:debug:main gtk3 3.24.23_0 +x11 is active
:debug:main Merging existing variants '+x11' into variants
:debug:main new fully merged portvariants: x11 +
:debug:main Changing to port directory:
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/gnome/gtk3
:debug:main OS darwin/19.6.0 (macOS 10.15) arch i386
:debug:main Reading variant descriptions from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_resources/port1.0/variant_descriptions.conf
:debug:main Sourcing PortGroup muniversal 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_resources/port1.0/group/muniversal-1.0.tcl
:debug:main Sourcing PortGroup xcodeversion 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_resources/port1.0/group/xcodeversion-1.0.tcl
:debug:main Sourcing PortGroup active_variants 1.1 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_resources/port1.0/group/active_variants-1.1.tcl
:debug:main Sourcing PortGroup compiler_blacklist_versions 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_resources/port1.0/group/compiler_blacklist_versions-1.0.tcl
```

```
:debug:main Sourcing PortGroup legacysupport 1.1 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_resources/port1.0/group/legacysupport-1.1.tcl
:debug:main compiler clang 1200.0.32.28 not blacklisted because it doesn't match {clang < 300}
:debug:main universal variant already exists, so not adding the default one
:debug:main Executing variant x11 provides x11
:debug:main Running callback portconfigure::add_automatic_compiler_dependencies
:debug:main Finished running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Running callback portbuild::add_automatic_buildsystem_dependencies
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
:debug:main Running callback portstartupitem::add_notes
:debug:main Finished running callback portstartupitem::add_notes
:debug:main Running callback legacysupport::add_legacysupport
:debug:main Finished running callback legacysupport::add_legacysupport
:debug:main No need to upgrade! gtk3 3.24.23_0 >= gtk3 3.24.23_0
:debug:main epoch: in tree: 3 installed: 3
:debug:main atk 2.36.0_1 exists in the ports tree
:debug:main atk 2.36.0_1 is the latest installed
:debug:main atk 2.36.0_1 is active
:debug:main Merging existing variants " into variants
:debug:main new fully merged portvariants:
:debug:main Changing to port directory:
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/development/atk
:debug:main OS darwin/19.6.0 (macOS 10.15) arch i386
:debug:main Re-registering default for configure.cmd
:debug:main Re-registering default for build.dir
:debug:main Re-registering default for build.cmd
:debug:main Re-registering default for build.target
:debug:main Re-registering default for destroot.post_args
:debug:main Sourcing PortGroup meson 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_resources/port1.0/group/meson-1.0.tcl
:debug:main adding the default universal variant
:debug:main Reading variant descriptions from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_resources/port1.0/variant_descriptions.conf
:debug:main Running callback portconfigure::add_automatic_compiler_dependencies
:debug:main Finished running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Running callback portbuild::add_automatic_buildsystem_dependencies
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
:debug:main Running callback portstartupitem::add_notes
```

```
:debug:main Finished running callback portstartupitem::add_notes
:debug:main No need to upgrade! atk 2.36.0_1 >= atk 2.36.0_1
:debug:main epoch: in tree: 0 installed: 0
:debug:main libepoxy 1.5.4_1 exists in the ports tree
:debug:main libepoxy 1.5.4_1 +python38 is the latest installed
:debug:main libepoxy 1.5.4_1 +python38 is active
:debug:main Merging existing variants '+python38' into variants
:debug:main new fully merged portvariants: python38 +
:debug:main Changing to port directory:
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/grap
hics/libepoxy
:debug:main OS darwin/19.6.0 (macOS 10.15) arch i386
:debug:main Sourcing PortGroup github 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_reso
urces/port1.0/group/github-1.0.tcl
:debug:main Re-registering default for livecheck.regex
:debug:main adding the default universal variant
:debug:main Reading variant descriptions from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_reso
urces/port1.0/variant_descriptions.conf
:debug:main Executing variant python38 provides python38
:debug:main Running callback portconfigure::add_automatic_compiler_dependencies
:debug:main Finished running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Running callback portbuild::add_automatic_buildsystem_dependencies
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
:debug:main Running callback portstartupitem::add_notes
:debug:main Finished running callback portstartupitem::add_notes
:debug:main No need to upgrade! libepoxy 1.5.4_1 >= libepoxy 1.5.4_1
:debug:main epoch: in tree: 1 installed: 1
:debug:main mesa 17.1.6_2 exists in the ports tree
:debug:main mesa 17.1.6_2 +osmesa+python27 is the latest installed
:debug:main mesa 17.1.6_2 +osmesa+python27 is active
:debug:main Merging existing variants '+osmesa+python27' into variants
:debug:main new fully merged portvariants: osmesa + python27 +
:debug:main Changing to port directory:
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/x11/
mesa
:debug:main OS darwin/19.6.0 (macOS 10.15) arch i386
:debug:main Sourcing PortGroup compiler_blacklist_versions 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_reso
urces/port1.0/group/compiler_blacklist_versions-1.0.tcl
:debug:main compiler clang 1200.0.32.28 not blacklisted because it doesn't match {clang <
800}
:debug:main adding the default universal variant
```

```
:debug:main Reading variant descriptions from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_resources/port1.0/variant_descriptions.conf
:debug:main Executing variant python27 provides python27
:debug:main Executing variant osmesa provides osmesa
:debug:main Running callback portconfigure::add_automatic_compiler_dependencies
:debug:main Finished running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Running callback portbuild::add_automatic_buildsystem_dependencies
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
:debug:main Running callback portstartupitem::add_notes
:debug:main Finished running callback portstartupitem::add_notes
:debug:main No need to upgrade! mesa 17.1.6_2 >= mesa 17.1.6_2
:debug:main epoch: in tree: 0 installed: 0
:debug:main xorg-libXdamage 1.1.5_0 exists in the ports tree
:debug:main xorg-libXdamage 1.1.5_0 is the latest installed
:debug:main xorg-libXdamage 1.1.5_0 is active
:debug:main Merging existing variants " into variants
:debug:main new fully merged portvariants:
:debug:main Changing to port directory:
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/x11/xorg-libXdamage
:debug:main OS darwin/19.6.0 (macOS 10.15) arch i386
:debug:main adding the default universal variant
:debug:main Reading variant descriptions from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_resources/port1.0/variant_descriptions.conf
:debug:main Running callback portconfigure::add_automatic_compiler_dependencies
:debug:main Finished running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Running callback portbuild::add_automatic_buildsystem_dependencies
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
:debug:main Running callback portstartupitem::add_notes
:debug:main Finished running callback portstartupitem::add_notes
:debug:main No need to upgrade! xorg-libXdamage 1.1.5_0 >= xorg-libXdamage 1.1.5_0
:debug:main epoch: in tree: 0 installed: 0
:debug:main xorg-libXfixes 5.0.3_1 exists in the ports tree
:debug:main xorg-libXfixes 5.0.3_1 is the latest installed
:debug:main xorg-libXfixes 5.0.3_1 is active
:debug:main Merging existing variants " into variants
:debug:main new fully merged portvariants:
:debug:main Changing to port directory:
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/x11/xorg-libXfixes
:debug:main OS darwin/19.6.0 (macOS 10.15) arch i386
```

```
:debug:main adding the default universal variant
:debug:main Reading variant descriptions from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_resources/port1.0/variant_descriptions.conf
:debug:main Running callback portconfigure::add_automatic_compiler_dependencies
:debug:main Finished running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Running callback portbuild::add_automatic_buildsystem_dependencies
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
:debug:main Running callback portstartupitem::add_notes
:debug:main Finished running callback portstartupitem::add_notes
:debug:main No need to upgrade! xorg-libXfixes 5.0.3_1 >= xorg-libXfixes 5.0.3_1
:debug:main epoch: in tree: 0 installed: 0
:debug:main xorg-libXi 1.7.10_0 exists in the ports tree
:debug:main xorg-libXi 1.7.10_0 is the latest installed
:debug:main xorg-libXi 1.7.10_0 is active
:debug:main Merging existing variants " into variants
:debug:main new fully merged portvariants:
:debug:main Changing to port directory:
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/x11/xorg-libXi
:debug:main OS darwin/19.6.0 (macOS 10.15) arch i386
:debug:main adding the default universal variant
:debug:main Reading variant descriptions from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_resources/port1.0/variant_descriptions.conf
:debug:main Running callback portconfigure::add_automatic_compiler_dependencies
:debug:main Finished running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Running callback portbuild::add_automatic_buildsystem_dependencies
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
:debug:main Running callback portstartupitem::add_notes
:debug:main Finished running callback portstartupitem::add_notes
:debug:main No need to upgrade! xorg-libXi 1.7.10_0 >= xorg-libXi 1.7.10_0
:debug:main epoch: in tree: 0 installed: 0
:debug:main xorg-libXxf86vm 1.1.4_1 exists in the ports tree
:debug:main xorg-libXxf86vm 1.1.4_1 is the latest installed
:debug:main xorg-libXxf86vm 1.1.4_1 is active
:debug:main Merging existing variants " into variants
:debug:main new fully merged portvariants:
:debug:main Changing to port directory:
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/x11/xorg-libXxf86vm
:debug:main OS darwin/19.6.0 (macOS 10.15) arch i386
:debug:main adding the default universal variant
```

```
:debug:main Reading variant descriptions from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_resources/port1.0/variant_descriptions.conf
:debug:main Running callback portconfigure::add_automatic_compiler_dependencies
:debug:main Finished running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Running callback portbuild::add_automatic_buildsystem_dependencies
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
:debug:main Running callback portstartupitem::add_notes
:debug:main Finished running callback portstartupitem::add_notes
:debug:main No need to upgrade! xorg-libXxf86vm 1.1.4_1 >= xorg-libXxf86vm 1.1.4_1
:debug:main epoch: in tree: 0 installed: 0
:debug:main xorg-libXrandr 1.5.2_0 exists in the ports tree
:debug:main xorg-libXrandr 1.5.2_0 is the latest installed
:debug:main xorg-libXrandr 1.5.2_0 is active
:debug:main Merging existing variants " into variants
:debug:main new fully merged portvariants:
:debug:main Changing to port directory:
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/x11/xorg-libXrandr
:debug:main OS darwin/19.6.0 (macOS 10.15) arch i386
:debug:main adding the default universal variant
:debug:main Reading variant descriptions from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_resources/port1.0/variant_descriptions.conf
:debug:main Running callback portconfigure::add_automatic_compiler_dependencies
:debug:main Finished running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Running callback portbuild::add_automatic_buildsystem_dependencies
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
:debug:main Running callback portstartupitem::add_notes
:debug:main Finished running callback portstartupitem::add_notes
:debug:main No need to upgrade! xorg-libXrandr 1.5.2_0 >= xorg-libXrandr 1.5.2_0
:debug:main epoch: in tree: 0 installed: 0
:debug:main xorg-libXcursor 1.2.0_0 exists in the ports tree
:debug:main xorg-libXcursor 1.2.0_0 is the latest installed
:debug:main xorg-libXcursor 1.2.0_0 is active
:debug:main Merging existing variants " into variants
:debug:main new fully merged portvariants:
:debug:main Changing to port directory:
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/x11/xorg-libXcursor
:debug:main OS darwin/19.6.0 (macOS 10.15) arch i386
:debug:main adding the default universal variant
```

```
:debug:main Reading variant descriptions from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_resources/port1.0/variant_descriptions.conf
:debug:main Running callback portconfigure::add_automatic_compiler_dependencies
:debug:main Finished running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Running callback portbuild::add_automatic_buildsystem_dependencies
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
:debug:main Running callback portstartupitem::add_notes
:debug:main Finished running callback portstartupitem::add_notes
:debug:main No need to upgrade! xorg-libXcursor 1.2.0_0 >= xorg-libXcursor 1.2.0_0
:debug:main epoch: in tree: 0 installed: 0
:debug:main xorg-libXinerama 1.1.4_1 exists in the ports tree
:debug:main xorg-libXinerama 1.1.4_1 is the latest installed
:debug:main xorg-libXinerama 1.1.4_1 is active
:debug:main Merging existing variants " into variants
:debug:main new fully merged portvariants:
:debug:main Changing to port directory:
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/x11/xorg-libXinerama
:debug:main OS darwin/19.6.0 (macOS 10.15) arch i386
:debug:main adding the default universal variant
:debug:main Reading variant descriptions from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_resources/port1.0/variant_descriptions.conf
:debug:main Running callback portconfigure::add_automatic_compiler_dependencies
:debug:main Finished running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Running callback portbuild::add_automatic_buildsystem_dependencies
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
:debug:main Running callback portstartupitem::add_notes
:debug:main Finished running callback portstartupitem::add_notes
:debug:main No need to upgrade! xorg-libXinerama 1.1.4_1 >= xorg-libXinerama 1.1.4_1
:debug:main epoch: in tree: 0 installed: 0
:debug:main xorg-libXcomposite 0.4.5_0 exists in the ports tree
:debug:main xorg-libXcomposite 0.4.5_0 is the latest installed
:debug:main xorg-libXcomposite 0.4.5_0 is active
:debug:main Merging existing variants " into variants
:debug:main new fully merged portvariants:
:debug:main Changing to port directory:
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/x11/xorg-libXcomposite
:debug:main OS darwin/19.6.0 (macOS 10.15) arch i386
:debug:main adding the default universal variant
```



```
:debug:main Reading variant descriptions from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_resources/port1.0/variant_descriptions.conf
:debug:main Running callback portconfigure::add_automatic_compiler_dependencies
:debug:main Finished running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Running callback portbuild::add_automatic_buildsystem_dependencies
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
:debug:main Running callback portstartupitem::add_notes
:debug:main Finished running callback portstartupitem::add_notes
:debug:main No need to upgrade! xorg-libXcomposite 0.4.5_0 >= xorg-libXcomposite 0.4.5_0
:debug:main epoch: in tree: 0 installed: 0
:debug:main at-spi2-atk 2.38.0_0 exists in the ports tree
:debug:main at-spi2-atk 2.38.0_0 is the latest installed
:debug:main at-spi2-atk 2.38.0_0 is active
:debug:main Merging existing variants " into variants
:debug:main new fully merged portvariants:
:debug:main Changing to port directory:
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/gnome/at-spi2-atk
:debug:main OS darwin/19.6.0 (macOS 10.15) arch i386
:debug:main Re-registering default for configure.cmd
:debug:main Re-registering default for build.dir
:debug:main Re-registering default for build.cmd
:debug:main Re-registering default for build.target
:debug:main Re-registering default for destroot.post_args
:debug:main Sourcing PortGroup meson 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_resources/port1.0/group/meson-1.0.tcl
:debug:main adding the default universal variant
:debug:main Reading variant descriptions from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_resources/port1.0/variant_descriptions.conf
:debug:main Running callback portconfigure::add_automatic_compiler_dependencies
:debug:main Finished running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Running callback portbuild::add_automatic_buildsystem_dependencies
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
:debug:main Running callback portstartupitem::add_notes
:debug:main Finished running callback portstartupitem::add_notes
:debug:main No need to upgrade! at-spi2-atk 2.38.0_0 >= at-spi2-atk 2.38.0_0
:debug:main epoch: in tree: 0 installed: 0
:debug:main at-spi2-core 2.38.0_0 exists in the ports tree
:debug:main at-spi2-core 2.38.0_0 is the latest installed
:debug:main at-spi2-core 2.38.0_0 is active
```

```
:debug:main Merging existing variants '' into variants
:debug:main new fully merged portvariants:
:debug:main Changing to port directory:
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/gno
me/at-spi2-core
:debug:main OS darwin/19.6.0 (macOS 10.15) arch i386
:debug:main Re-registering default for configure.cmd
:debug:main Re-registering default for build.dir
:debug:main Re-registering default for build.cmd
:debug:main Re-registering default for build.target
:debug:main Re-registering default for destroot.post_args
:debug:main Sourcing PortGroup meson 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_reso
urces/port1.0/group/meson-1.0.tcl
:debug:main Reading variant descriptions from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_reso
urces/port1.0/variant_descriptions.conf
:debug:main Sourcing PortGroup muniversal 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_reso
urces/port1.0/group/muniversal-1.0.tcl
:debug:main universal variant already exists, so not adding the default one
:debug:main Running callback portconfigure::add_automatic_compiler_dependencies
:debug:main Finished running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Running callback portbuild::add_automatic_buildsystem_dependencies
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
:debug:main Running callback portstartupitem::add_notes
:debug:main Finished running callback portstartupitem::add_notes
:debug:main No need to upgrade! at-spi2-core 2.38.0_0 >= at-spi2-core 2.38.0_0
:debug:main epoch: in tree: 0 installed: 0
:debug:main dbus 1.12.20_0 exists in the ports tree
:debug:main dbus 1.12.20_0 is the latest installed
:debug:main dbus 1.12.20_0 is active
:debug:main Merging existing variants '' into variants
:debug:main new fully merged portvariants:
:debug:main Changing to port directory:
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/devel
/dbus
:debug:main OS darwin/19.6.0 (macOS 10.15) arch i386
:debug:main Reading variant descriptions from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_reso
urces/port1.0/variant_descriptions.conf
:debug:main Sourcing PortGroup muniversal 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_reso
urces/port1.0/group/muniversal-1.0.tcl
:debug:main universal variant already exists, so not adding the default one
```

```
:debug:main Running callback portconfigure::add_automatic_compiler_dependencies
:debug:main Finished running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Running callback portbuild::add_automatic_buildsystem_dependencies
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
:debug:main Running callback portstartupitem::add_notes
:debug:main Finished running callback portstartupitem::add_notes
:debug:main No need to upgrade! dbus 1.12.20_0 >= dbus 1.12.20_0
:debug:main epoch: in tree: 0 installed: 0
:debug:main xorg-libXtst 1.2.3_1 exists in the ports tree
:debug:main xorg-libXtst 1.2.3_1 is the latest installed
:debug:main xorg-libXtst 1.2.3_1 is active
:debug:main Merging existing variants " into variants
:debug:main new fully merged portvariants:
:debug:main Changing to port directory:
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/x11/x
org-libXtst
:debug:main OS darwin/19.6.0 (macOS 10.15) arch i386
:debug:main adding the default universal variant
:debug:main Reading variant descriptions from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_reso
urces/port1.0/variant_descriptions.conf
:debug:main Running callback portconfigure::add_automatic_compiler_dependencies
:debug:main Finished running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Running callback portbuild::add_automatic_buildsystem_dependencies
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
:debug:main Running callback portstartupitem::add_notes
:debug:main Finished running callback portstartupitem::add_notes
:debug:main No need to upgrade! xorg-libXtst 1.2.3_1 >= xorg-libXtst 1.2.3_1
:debug:main epoch: in tree: 0 installed: 0
:debug:main hicolor-icon-theme 0.17_0 exists in the ports tree
:debug:main hicolor-icon-theme 0.17_0 is the latest installed
:debug:main hicolor-icon-theme 0.17_0 is active
:debug:main Merging existing variants " into variants
:debug:main new fully merged portvariants:
:debug:main Changing to port directory:
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/gno
me/hicolor-icon-theme
:debug:main OS darwin/19.6.0 (macOS 10.15) arch i386
:debug:main only one arch supported, so not adding the default universal variant
:debug:main Running callback portconfigure::add_automatic_compiler_dependencies
:debug:main Finished running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Running callback portbuild::add_automatic_buildsystem_dependencies
```

```
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
:debug:main Running callback portstartupitem::add_notes
:debug:main Finished running callback portstartupitem::add_notes
:debug:main No need to upgrade! hicolor-icon-theme 0.17_0 >= hicolor-icon-theme 0.17_0
:debug:main epoch: in tree: 0 installed: 0
:debug:main netpbm 10.93.00_0 exists in the ports tree
:debug:main netpbm 10.93.00_0 +x11 is the latest installed
:debug:main netpbm 10.93.00_0 +x11 is active
:debug:main Merging existing variants '+x11' into variants
:debug:main new fully merged portvariants: x11 +
:debug:main Changing to port directory:
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/grap
hics/netpbm
:debug:main OS darwin/19.6.0 (macOS 10.15) arch i386
:debug:main Sourcing PortGroup github 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_reso
urces/port1.0/group/github-1.0.tcl
:debug:main Re-registering default for livecheck.url
:debug:main Reading variant descriptions from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_reso
urces/port1.0/variant_descriptions.conf
:debug:main universal variant already exists, so not adding the default one
:debug:main Executing variant x11 provides x11
:debug:main Running callback portconfigure::add_automatic_compiler_dependencies
:debug:main Finished running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Running callback portbuild::add_automatic_buildsystem_dependencies
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
:debug:main Running callback portstartupitem::add_notes
:debug:main Finished running callback portstartupitem::add_notes
:debug:main No need to upgrade! netpbm 10.93.00_0 >= netpbm 10.93.00_0
:debug:main epoch: in tree: 0 installed: 0
:debug:main p5.28-archive-zip 1.680.0_0 exists in the ports tree
:debug:main p5.28-archive-zip 1.680.0_0 is the latest installed
:debug:main p5.28-archive-zip 1.680.0_0 is active
:debug:main Merging existing variants "" into variants
:debug:main new fully merged portvariants:
:debug:main Changing to port directory:
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/perl/
p5-archive-zip
:debug:main OS darwin/19.6.0 (macOS 10.15) arch i386
:debug:main Re-registering default for configure.universal_args
:debug:main Sourcing PortGroup perl5 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_reso
urces/port1.0/group/perl5-1.0.tcl
```

```
:debug:main Re-registering default for livecheck.version
:debug:main only one arch supported, so not adding the default universal variant
:debug:main Running callback portconfigure::add_automatic_compiler_dependencies
:debug:main Finished running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Running callback portbuild::add_automatic_buildsystem_dependencies
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
:debug:main Running callback portstartupitem::add_notes
:debug:main Finished running callback portstartupitem::add_notes
:debug:main No need to upgrade! p5.28-archive-zip 1.680.0_0 >= p5.28-archive-zip
1.680.0_0
:debug:main epoch: in tree: 0 installed: 0
:debug:main p5.28-compress-raw-zlib 2.96.0_0 exists in the ports tree
:debug:main p5.28-compress-raw-zlib 2.96.0_0 is the latest installed
:debug:main p5.28-compress-raw-zlib 2.96.0_0 is active
:debug:main Merging existing variants " into variants
:debug:main new fully merged portvariants:
:debug:main Changing to port directory:
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/perl/
p5-compress-raw-zlib
:debug:main OS darwin/19.6.0 (macOS 10.15) arch i386
:debug:main Re-registering default for configure.universal_args
:debug:main Sourcing PortGroup perl5 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_reso
urces/port1.0/group/perl5-1.0.tcl
:debug:main Re-registering default for livecheck.version
:debug:main adding the default universal variant
:debug:main Reading variant descriptions from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_reso
urces/port1.0/variant_descriptions.conf
:debug:main Running callback portconfigure::add_automatic_compiler_dependencies
:debug:main Finished running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Running callback portbuild::add_automatic_buildsystem_dependencies
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
:debug:main Running callback portstartupitem::add_notes
:debug:main Finished running callback portstartupitem::add_notes
:debug:main No need to upgrade! p5.28-compress-raw-zlib 2.96.0_0 >= p5.28-compress-
raw-zlib 2.96.0_0
:debug:main epoch: in tree: 0 installed: 0
:debug:main p5.28-clone 0.450.0_0 exists in the ports tree
:debug:main p5.28-clone 0.450.0_0 is the latest installed
:debug:main p5.28-clone 0.450.0_0 is active
:debug:main Merging existing variants " into variants
:debug:main new fully merged portvariants:
```

```
:debug:main Changing to port directory:
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/perl/
p5-clone
:debug:main OS darwin/19.6.0 (macOS 10.15) arch i386
:debug:main Re-registering default for configure.universal_args
:debug:main Sourcing PortGroup perl5 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_reso
urces/port1.0/group/perl5-1.0.tcl
:debug:main Re-registering default for livecheck.version
:debug:main adding the default universal variant
:debug:main Reading variant descriptions from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_reso
urces/port1.0/variant_descriptions.conf
:debug:main Running callback portconfigure::add_automatic_compiler_dependencies
:debug:main Finished running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Running callback portbuild::add_automatic_buildsystem_dependencies
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
:debug:main Running callback portstartupitem::add_notes
:debug:main Finished running callback portstartupitem::add_notes
:debug:main No need to upgrade! p5.28-clone 0.450.0_0 >= p5.28-clone 0.450.0_0
:debug:main epoch: in tree: 0 installed: 0
:debug:main p5.28-dbd-sqlite 1.660.0_0 exists in the ports tree
:debug:main p5.28-dbd-sqlite 1.660.0_0 is the latest installed
:debug:main p5.28-dbd-sqlite 1.660.0_0 is active
:debug:main Merging existing variants "" into variants
:debug:main new fully merged portvariants:
:debug:main Changing to port directory:
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/perl/
p5-dbd-sqlite
:debug:main OS darwin/19.6.0 (macOS 10.15) arch i386
:debug:main Re-registering default for configure.universal_args
:debug:main Sourcing PortGroup perl5 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_reso
urces/port1.0/group/perl5-1.0.tcl
:debug:main Re-registering default for livecheck.version
:debug:main adding the default universal variant
:debug:main Reading variant descriptions from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_reso
urces/port1.0/variant_descriptions.conf
:debug:main Running callback portconfigure::add_automatic_compiler_dependencies
:debug:main Finished running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Running callback portbuild::add_automatic_buildsystem_dependencies
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
```

```
:debug:main Running callback portstartupitem::add_notes
:debug:main Finished running callback portstartupitem::add_notes
:debug:main No need to upgrade! p5.28-dbd-sqlite 1.660.0_0 >= p5.28-dbd-sqlite 1.660.0_0
:debug:main epoch: in tree: 0 installed: 0
:debug:main p5.28-dbi 1.643.0_0 exists in the ports tree
:debug:main p5.28-dbi 1.643.0_0 is the latest installed
:debug:main p5.28-dbi 1.643.0_0 is active
:debug:main Merging existing variants " into variants
:debug:main new fully merged portvariants:
:debug:main Changing to port directory:
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/perl/
p5-dbi
:debug:main OS darwin/19.6.0 (macOS 10.15) arch i386
:debug:main Re-registering default for configure.universal_args
:debug:main Sourcing PortGroup perl5 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_reso
urces/port1.0/group/perl5-1.0.tcl
:debug:main Re-registering default for livecheck.version
:debug:main adding the default universal variant
:debug:main Reading variant descriptions from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_reso
urces/port1.0/variant_descriptions.conf
:debug:main Running callback portconfigure::add_automatic_compiler_dependencies
:debug:main Finished running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Running callback portbuild::add_automatic_buildsystem_dependencies
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
:debug:main Running callback portstartupitem::add_notes
:debug:main Finished running callback portstartupitem::add_notes
:debug:main No need to upgrade! p5.28-dbi 1.643.0_0 >= p5.28-dbi 1.643.0_0
:debug:main epoch: in tree: 0 installed: 0
:debug:main p5.28-digest-md5 2.580.0_0 exists in the ports tree
:debug:main p5.28-digest-md5 2.580.0_0 is the latest installed
:debug:main p5.28-digest-md5 2.580.0_0 is active
:debug:main Merging existing variants " into variants
:debug:main new fully merged portvariants:
:debug:main Changing to port directory:
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/perl/
p5-digest-md5
:debug:main OS darwin/19.6.0 (macOS 10.15) arch i386
:debug:main Re-registering default for configure.universal_args
:debug:main Sourcing PortGroup perl5 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_reso
urces/port1.0/group/perl5-1.0.tcl
:debug:main Re-registering default for livecheck.version
:debug:main adding the default universal variant
```

```
:debug:main Reading variant descriptions from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_resources/port1.0/variant_descriptions.conf
:debug:main Running callback portconfigure::add_automatic_compiler_dependencies
:debug:main Finished running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Running callback portbuild::add_automatic_buildsystem_dependencies
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
:debug:main Running callback portstartupitem::add_notes
:debug:main Finished running callback portstartupitem::add_notes
:debug:main No need to upgrade! p5.28-digest-md5 2.580.0_0 >= p5.28-digest-md5
2.580.0_0
:debug:main epoch: in tree: 0 installed: 0
:debug:main p5.28-email-mime 1.949.0_0 exists in the ports tree
:debug:main p5.28-email-mime 1.949.0_0 is the latest installed
:debug:main p5.28-email-mime 1.949.0_0 is active
:debug:main Merging existing variants "" into variants
:debug:main new fully merged portvariants:
:debug:main Changing to port directory:
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/perl/
p5-email-mime
:debug:main OS darwin/19.6.0 (macOS 10.15) arch i386
:debug:main Re-registering default for configure.universal_args
:debug:main Sourcing PortGroup perl5 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_resources/port1.0/group/perl5-1.0.tcl
:debug:main Re-registering default for livecheck.version
:debug:main only one arch supported, so not adding the default universal variant
:debug:main Running callback portconfigure::add_automatic_compiler_dependencies
:debug:main Finished running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Running callback portbuild::add_automatic_buildsystem_dependencies
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
:debug:main Running callback portstartupitem::add_notes
:debug:main Finished running callback portstartupitem::add_notes
:debug:main No need to upgrade! p5.28-email-mime 1.949.0_0 >= p5.28-email-mime
1.949.0_0
:debug:main epoch: in tree: 0 installed: 0
:debug:main p5.28-email-address-xs 1.40.0_0 exists in the ports tree
:debug:main p5.28-email-address-xs 1.40.0_0 is the latest installed
:debug:main p5.28-email-address-xs 1.40.0_0 is active
:debug:main Merging existing variants "" into variants
:debug:main new fully merged portvariants:
```



```
:debug:main Changing to port directory:
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/perl/
p5-email-address-xs
:debug:main OS darwin/19.6.0 (macOS 10.15) arch i386
:debug:main Re-registering default for configure.universal_args
:debug:main Sourcing PortGroup perl5 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_reso
urces/port1.0/group/perl5-1.0.tcl
:debug:main Re-registering default for livecheck.version
:debug:main adding the default universal variant
:debug:main Reading variant descriptions from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_reso
urces/port1.0/variant_descriptions.conf
:debug:main Running callback portconfigure::add_automatic_compiler_dependencies
:debug:main Finished running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Running callback portbuild::add_automatic_buildsystem_dependencies
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
:debug:main Running callback portstartupitem::add_notes
:debug:main Finished running callback portstartupitem::add_notes
:debug:main No need to upgrade! p5.28-email-address-xs 1.40.0_0 >= p5.28-email-address-
xs 1.40.0_0
:debug:main epoch: in tree: 0 installed: 0
:debug:main p5.28-email-mime-contenttype 1.24.0_0 exists in the ports tree
:debug:main p5.28-email-mime-contenttype 1.24.0_0 is the latest installed
:debug:main p5.28-email-mime-contenttype 1.24.0_0 is active
:debug:main Merging existing variants " into variants
:debug:main new fully merged portvariants:
:debug:main Changing to port directory:
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/perl/
p5-email-mime-contenttype
:debug:main OS darwin/19.6.0 (macOS 10.15) arch i386
:debug:main Re-registering default for configure.universal_args
:debug:main Sourcing PortGroup perl5 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_reso
urces/port1.0/group/perl5-1.0.tcl
:debug:main Re-registering default for livecheck.version
:debug:main only one arch supported, so not adding the default universal variant
:debug:main Running callback portconfigure::add_automatic_compiler_dependencies
:debug:main Finished running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Running callback portbuild::add_automatic_buildsystem_dependencies
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
:debug:main Running callback portstartupitem::add_notes
:debug:main Finished running callback portstartupitem::add_notes
```

```
:debug:main No need to upgrade! p5.28-email-mime-contenttype 1.24.0_0 >= p5.28-email-
mime-contenttype 1.24.0_0
:debug:main epoch: in tree: 0 installed: 0
:debug:main p5.28-text-unidecode 1.300.0_0 exists in the ports tree
:debug:main p5.28-text-unidecode 1.300.0_0 is the latest installed
:debug:main p5.28-text-unidecode 1.300.0_0 is active
:debug:main Merging existing variants " into variants
:debug:main new fully merged portvariants:
:debug:main Changing to port directory:
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/perl/
p5-text-unidecode
:debug:main OS darwin/19.6.0 (macOS 10.15) arch i386
:debug:main Re-registering default for configure.universal_args
:debug:main Sourcing PortGroup perl5 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_reso
urces/port1.0/group/perl5-1.0.tcl
:debug:main Re-registering default for livecheck.version
:debug:main only one arch supported, so not adding the default universal variant
:debug:main Running callback portconfigure::add_automatic_compiler_dependencies
:debug:main Finished running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Running callback portbuild::add_automatic_buildsystem_dependencies
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
:debug:main Running callback portstartupitem::add_notes
:debug:main Finished running callback portstartupitem::add_notes
:debug:main No need to upgrade! p5.28-text-unidecode 1.300.0_0 >= p5.28-text-unidecode
1.300.0_0
:debug:main epoch: in tree: 0 installed: 0
:debug:main p5.28-email-mime-encodings 1.315.0_1 exists in the ports tree
:debug:main p5.28-email-mime-encodings 1.315.0_1 is the latest installed
:debug:main p5.28-email-mime-encodings 1.315.0_1 is active
:debug:main Merging existing variants " into variants
:debug:main new fully merged portvariants:
:debug:main Changing to port directory:
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/perl/
p5-email-mime-encodings
:debug:main OS darwin/19.6.0 (macOS 10.15) arch i386
:debug:main Re-registering default for configure.universal_args
:debug:main Sourcing PortGroup perl5 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_reso
urces/port1.0/group/perl5-1.0.tcl
:debug:main Re-registering default for livecheck.version
:debug:main only one arch supported, so not adding the default universal variant
:debug:main Running callback portconfigure::add_automatic_compiler_dependencies
:debug:main Finished running callback
portconfigure::add_automatic_compiler_dependencies
```

```
:debug:main Running callback portbuild::add_automatic_buildsystem_dependencies
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
:debug:main Running callback portstartupitem::add_notes
:debug:main Finished running callback portstartupitem::add_notes
:debug:main No need to upgrade! p5.28-email-mime-encodings 1.315.0_1 >= p5.28-email-
mime-encodings 1.315.0_1
:debug:main epoch: in tree: 0 installed: 0
:debug:main p5.28-email-messageid 1.406.0_0 exists in the ports tree
:debug:main p5.28-email-messageid 1.406.0_0 is the latest installed
:debug:main p5.28-email-messageid 1.406.0_0 is active
:debug:main Merging existing variants " into variants
:debug:main new fully merged portvariants:
:debug:main Changing to port directory:
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/perl/
p5-email-messageid
:debug:main OS darwin/19.6.0 (macOS 10.15) arch i386
:debug:main Re-registering default for configure.universal_args
:debug:main Sourcing PortGroup perl5 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_reso
urces/port1.0/group/perl5-1.0.tcl
:debug:main Re-registering default for livecheck.version
:debug:main only one arch supported, so not adding the default universal variant
:debug:main Running callback portconfigure::add_automatic_compiler_dependencies
:debug:main Finished running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Running callback portbuild::add_automatic_buildsystem_dependencies
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
:debug:main Running callback portstartupitem::add_notes
:debug:main Finished running callback portstartupitem::add_notes
:debug:main No need to upgrade! p5.28-email-messageid 1.406.0_0 >= p5.28-email-
messageid 1.406.0_0
:debug:main epoch: in tree: 0 installed: 0
:debug:main p5.28-email-simple 2.216.0_0 exists in the ports tree
:debug:main p5.28-email-simple 2.216.0_0 is the latest installed
:debug:main p5.28-email-simple 2.216.0_0 is active
:debug:main Merging existing variants " into variants
:debug:main new fully merged portvariants:
:debug:main Changing to port directory:
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/perl/
p5-email-simple
:debug:main OS darwin/19.6.0 (macOS 10.15) arch i386
:debug:main Re-registering default for configure.universal_args
:debug:main Sourcing PortGroup perl5 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_reso
urces/port1.0/group/perl5-1.0.tcl
```

```
:debug:main Re-registering default for livecheck.version
:debug:main only one arch supported, so not adding the default universal variant
:debug:main Running callback portconfigure::add_automatic_compiler_dependencies
:debug:main Finished running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Running callback portbuild::add_automatic_buildsystem_dependencies
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
:debug:main Running callback portstartupitem::add_notes
:debug:main Finished running callback portstartupitem::add_notes
:debug:main No need to upgrade! p5.28-email-simple 2.216.0_0 >= p5.28-email-simple
2.216.0_0
:debug:main epoch: in tree: 0 installed: 0
:debug:main p5.28-email-date-format 1.5.0_0 exists in the ports tree
:debug:main p5.28-email-date-format 1.5.0_0 is the latest installed
:debug:main p5.28-email-date-format 1.5.0_0 is active
:debug:main Merging existing variants " into variants
:debug:main new fully merged portvariants:
:debug:main Changing to port directory:
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/perl/
p5-email-date-format
:debug:main OS darwin/19.6.0 (macOS 10.15) arch i386
:debug:main Re-registering default for configure.universal_args
:debug:main Sourcing PortGroup perl5 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_reso
urces/port1.0/group/perl5-1.0.tcl
:debug:main Re-registering default for livecheck.version
:debug:main only one arch supported, so not adding the default universal variant
:debug:main Running callback portconfigure::add_automatic_compiler_dependencies
:debug:main Finished running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Running callback portbuild::add_automatic_buildsystem_dependencies
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
:debug:main Running callback portstartupitem::add_notes
:debug:main Finished running callback portstartupitem::add_notes
:debug:main No need to upgrade! p5.28-email-date-format 1.5.0_0 >= p5.28-email-date-
format 1.5.0_0
:debug:main epoch: in tree: 0 installed: 0
:debug:main p5.28-mime-types 2.180.0_0 exists in the ports tree
:debug:main p5.28-mime-types 2.180.0_0 is the latest installed
:debug:main p5.28-mime-types 2.180.0_0 is active
:debug:main Merging existing variants " into variants
:debug:main new fully merged portvariants:
:debug:main Changing to port directory:
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/perl/
p5-mime-types
```

```
:debug:main OS darwin/19.6.0 (macOS 10.15) arch i386
:debug:main Re-registering default for configure.universal_args
:debug:main Sourcing PortGroup perl5 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_resources/port1.0/group/perl5-1.0.tcl
:debug:main Re-registering default for livecheck.version
:debug:main only one arch supported, so not adding the default universal variant
:debug:main Running callback portconfigure::add_automatic_compiler_dependencies
:debug:main Finished running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Running callback portbuild::add_automatic_buildsystem_dependencies
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
:debug:main Running callback portstartupitem::add_notes
:debug:main Finished running callback portstartupitem::add_notes
:debug:main No need to upgrade! p5.28-mime-types 2.180.0_0 >= p5.28-mime-types
2.180.0_0
:debug:main epoch: in tree: 0 installed: 0
:debug:main p5.28-module-runtime 0.16.0_0 exists in the ports tree
:debug:main p5.28-module-runtime 0.16.0_0 is the latest installed
:debug:main p5.28-module-runtime 0.16.0_0 is active
:debug:main Merging existing variants " into variants
:debug:main new fully merged portvariants:
:debug:main Changing to port directory:
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/perl/
p5-module-runtime
:debug:main OS darwin/19.6.0 (macOS 10.15) arch i386
:debug:main Re-registering default for configure.universal_args
:debug:main Sourcing PortGroup perl5 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_resources/port1.0/group/perl5-1.0.tcl
:debug:main Re-registering default for livecheck.version
:debug:main Re-registering default for configure.args
:debug:main only one arch supported, so not adding the default universal variant
:debug:main Running callback portconfigure::add_automatic_compiler_dependencies
:debug:main Finished running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Running callback portbuild::add_automatic_buildsystem_dependencies
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
:debug:main Running callback portstartupitem::add_notes
:debug:main Finished running callback portstartupitem::add_notes
:debug:main No need to upgrade! p5.28-module-runtime 0.16.0_0 >= p5.28-module-
runtime 0.16.0_0
:debug:main epoch: in tree: 2 installed: 2
:debug:main p5.28-version 0.992.800_0 exists in the ports tree
:debug:main p5.28-version 0.992.800_0 is the latest installed
```

```
:debug:main p5.28-version 0.992.800_0 is active
:debug:main Merging existing variants "" into variants
:debug:main new fully merged portvariants:
:debug:main Changing to port directory:
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/perl/
p5-version
:debug:main OS darwin/19.6.0 (macOS 10.15) arch i386
:debug:main Re-registering default for configure.universal_args
:debug:main Sourcing PortGroup perl5 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_reso
urces/port1.0/group/perl5-1.0.tcl
:debug:main Re-registering default for livecheck.version
:debug:main adding the default universal variant
:debug:main Reading variant descriptions from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_reso
urces/port1.0/variant_descriptions.conf
:debug:main Running callback portconfigure::add_automatic_compiler_dependencies
:debug:main Finished running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Running callback portbuild::add_automatic_buildsystem_dependencies
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
:debug:main Running callback portstartupitem::add_notes
:debug:main Finished running callback portstartupitem::add_notes
:debug:main No need to upgrade! p5.28-version 0.992.800_0 >= p5.28-version 0.992.800_0
:debug:main epoch: in tree: 0 installed: 0
:debug:main p5.28-yaml 1.300.0_0 exists in the ports tree
:debug:main p5.28-yaml 1.300.0_0 is the latest installed
:debug:main p5.28-yaml 1.300.0_0 is active
:debug:main Merging existing variants "" into variants
:debug:main new fully merged portvariants:
:debug:main Changing to port directory:
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/perl/
p5-yaml
:debug:main OS darwin/19.6.0 (macOS 10.15) arch i386
:debug:main Re-registering default for configure.universal_args
:debug:main Sourcing PortGroup perl5 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_reso
urces/port1.0/group/perl5-1.0.tcl
:debug:main Re-registering default for livecheck.version
:debug:main only one arch supported, so not adding the default universal variant
:debug:main Running callback portconfigure::add_automatic_compiler_dependencies
:debug:main Finished running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Running callback portbuild::add_automatic_buildsystem_dependencies
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
```

```
:debug:main Running callback portstartupitem::add_notes
:debug:main Finished running callback portstartupitem::add_notes
:debug:main No need to upgrade! p5.28-yaml 1.300.0_0 >= p5.28-yaml 1.300.0_0
:debug:main epoch: in tree: 2 installed: 2
:debug:main p5.28-module-build 0.423.100_0 exists in the ports tree
:debug:main p5.28-module-build 0.423.100_0 is the latest installed
:debug:main p5.28-module-build 0.423.100_0 is active
:debug:main Merging existing variants " into variants
:debug:main new fully merged portvariants:
:debug:main Changing to port directory:
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/perl/
p5-module-build
:debug:main OS darwin/19.6.0 (macOS 10.15) arch i386
:debug:main Re-registering default for configure.universal_args
:debug:main Sourcing PortGroup perl5 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_reso
urces/port1.0/group/perl5-1.0.tcl
:debug:main Re-registering default for livecheck.version
:debug:main Re-registering default for configure.args
:debug:main only one arch supported, so not adding the default universal variant
:debug:main Running callback portconfigure::add_automatic_compiler_dependencies
:debug:main Finished running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Running callback portbuild::add_automatic_buildsystem_dependencies
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
:debug:main Running callback portstartupitem::add_notes
:debug:main Finished running callback portstartupitem::add_notes
:debug:main No need to upgrade! p5.28-module-build 0.423.100_0 >= p5.28-module-build
0.423.100_0
:debug:main epoch: in tree: 0 installed: 0
:debug:main p5.28-cpan-meta 2.150.10_0 exists in the ports tree
:debug:main p5.28-cpan-meta 2.150.10_0 is the latest installed
:debug:main p5.28-cpan-meta 2.150.10_0 is active
:debug:main Merging existing variants " into variants
:debug:main new fully merged portvariants:
:debug:main Changing to port directory:
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/perl/
p5-cpan-meta
:debug:main OS darwin/19.6.0 (macOS 10.15) arch i386
:debug:main Re-registering default for configure.universal_args
:debug:main Sourcing PortGroup perl5 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_reso
urces/port1.0/group/perl5-1.0.tcl
:debug:main Re-registering default for livecheck.version
:debug:main only one arch supported, so not adding the default universal variant
:debug:main Running callback portconfigure::add_automatic_compiler_dependencies
```

```
:debug:main Finished running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Running callback portbuild::add_automatic_buildsystem_dependencies
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
:debug:main Running callback portstartupitem::add_notes
:debug:main Finished running callback portstartupitem::add_notes
:debug:main No need to upgrade! p5.28-cpan-meta 2.150.10_0 >= p5.28-cpan-meta
2.150.10_0
:debug:main epoch: in tree: 0 installed: 0
:debug:main p5.28-cpan-meta-requirements 2.140.0_0 exists in the ports tree
:debug:main p5.28-cpan-meta-requirements 2.140.0_0 is the latest installed
:debug:main p5.28-cpan-meta-requirements 2.140.0_0 is active
:debug:main Merging existing variants " into variants
:debug:main new fully merged portvariants:
:debug:main Changing to port directory:
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/perl/
p5-cpan-meta-requirements
:debug:main OS darwin/19.6.0 (macOS 10.15) arch i386
:debug:main Re-registering default for configure.universal_args
:debug:main Sourcing PortGroup perl5 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_reso
urces/port1.0/group/perl5-1.0.tcl
:debug:main Re-registering default for livecheck.version
:debug:main only one arch supported, so not adding the default universal variant
:debug:main Running callback portconfigure::add_automatic_compiler_dependencies
:debug:main Finished running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Running callback portbuild::add_automatic_buildsystem_dependencies
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
:debug:main Running callback portstartupitem::add_notes
:debug:main Finished running callback portstartupitem::add_notes
:debug:main No need to upgrade! p5.28-cpan-meta-requirements 2.140.0_0 >= p5.28-cpan-
meta-requirements 2.140.0_0
:debug:main epoch: in tree: 0 installed: 0
:debug:main p5.28-cpan-meta-yaml 0.18.0_0 exists in the ports tree
:debug:main p5.28-cpan-meta-yaml 0.18.0_0 is the latest installed
:debug:main p5.28-cpan-meta-yaml 0.18.0_0 is active
:debug:main Merging existing variants " into variants
:debug:main new fully merged portvariants:
:debug:main Changing to port directory:
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/perl/
p5-cpan-meta-yaml
:debug:main OS darwin/19.6.0 (macOS 10.15) arch i386
:debug:main Re-registering default for configure.universal_args
```



```
:debug:main Sourcing PortGroup perl5 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_resources/port1.0/group/perl5-1.0.tcl
:debug:main Re-registering default for livecheck.version
:debug:main only one arch supported, so not adding the default universal variant
:debug:main Running callback portconfigure::add_automatic_compiler_dependencies
:debug:main Finished running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Running callback portbuild::add_automatic_buildsystem_dependencies
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
:debug:main Running callback portstartupitem::add_notes
:debug:main Finished running callback portstartupitem::add_notes
:debug:main No need to upgrade! p5.28-cpan-meta-yaml 0.18.0_0 >= p5.28-cpan-meta-yaml
0.18.0_0
:debug:main epoch: in tree: 0 installed: 0
:debug:main p5.28-scalar-list-utils 1.550.0_0 exists in the ports tree
:debug:main p5.28-scalar-list-utils 1.550.0_0 is the latest installed
:debug:main p5.28-scalar-list-utils 1.550.0_0 is active
:debug:main Merging existing variants " into variants
:debug:main new fully merged portvariants:
:debug:main Changing to port directory:
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/perl/
p5-scalar-list-utils
:debug:main OS darwin/19.6.0 (macOS 10.15) arch i386
:debug:main Re-registering default for configure.universal_args
:debug:main Sourcing PortGroup perl5 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_resources/port1.0/group/perl5-1.0.tcl
:debug:main Re-registering default for livecheck.version
:debug:main adding the default universal variant
:debug:main Reading variant descriptions from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_resources/port1.0/variant_descriptions.conf
:debug:main Running callback portconfigure::add_automatic_compiler_dependencies
:debug:main Finished running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Running callback portbuild::add_automatic_buildsystem_dependencies
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
:debug:main Running callback portstartupitem::add_notes
:debug:main Finished running callback portstartupitem::add_notes
:debug:main No need to upgrade! p5.28-scalar-list-utils 1.550.0_0 >= p5.28-scalar-list-utils
1.550.0_0
:debug:main epoch: in tree: 0 installed: 0
:debug:main p5.28-inc-latest 0.500.0_0 exists in the ports tree
:debug:main p5.28-inc-latest 0.500.0_0 is the latest installed
```

```
:debug:main p5.28-inc-latest 0.500.0_0 is active
:debug:main Merging existing variants "" into variants
:debug:main new fully merged portvariants:
:debug:main Changing to port directory:
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/perl/
p5-inc-latest
:debug:main OS darwin/19.6.0 (macOS 10.15) arch i386
:debug:main Re-registering default for configure.universal_args
:debug:main Sourcing PortGroup perl5 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_reso
urces/port1.0/group/perl5-1.0.tcl
:debug:main Re-registering default for livecheck.version
:debug:main only one arch supported, so not adding the default universal variant
:debug:main Running callback portconfigure::add_automatic_compiler_dependencies
:debug:main Finished running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Running callback portbuild::add_automatic_buildsystem_dependencies
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
:debug:main Running callback portstartupitem::add_notes
:debug:main Finished running callback portstartupitem::add_notes
:debug:main No need to upgrade! p5.28-inc-latest 0.500.0_0 >= p5.28-inc-latest 0.500.0_0
:debug:main epoch: in tree: 0 installed: 0
:debug:main p5.28-module-metadata 1.0.37_0 exists in the ports tree
:debug:main p5.28-module-metadata 1.0.37_0 is the latest installed
:debug:main p5.28-module-metadata 1.0.37_0 is active
:debug:main Merging existing variants "" into variants
:debug:main new fully merged portvariants:
:debug:main Changing to port directory:
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/perl/
p5-module-metadata
:debug:main OS darwin/19.6.0 (macOS 10.15) arch i386
:debug:main Re-registering default for configure.universal_args
:debug:main Sourcing PortGroup perl5 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_reso
urces/port1.0/group/perl5-1.0.tcl
:debug:main Re-registering default for livecheck.version
:debug:main only one arch supported, so not adding the default universal variant
:debug:main Running callback portconfigure::add_automatic_compiler_dependencies
:debug:main Finished running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Running callback portbuild::add_automatic_buildsystem_dependencies
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
:debug:main Running callback portstartupitem::add_notes
:debug:main Finished running callback portstartupitem::add_notes
```

```
:debug:main No need to upgrade! p5.28-module-metadata 1.0.37_0 >= p5.28-module-
metadata 1.0.37_0
:debug:main epoch: in tree: 0 installed: 0
:debug:main p5.28-perl-ostype 1.10.0_0 exists in the ports tree
:debug:main p5.28-perl-ostype 1.10.0_0 is the latest installed
:debug:main p5.28-perl-ostype 1.10.0_0 is active
:debug:main Merging existing variants " into variants
:debug:main new fully merged portvariants:
:debug:main Changing to port directory:
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/perl/
p5-perl-ostype
:debug:main OS darwin/19.6.0 (macOS 10.15) arch i386
:debug:main Re-registering default for configure.universal_args
:debug:main Sourcing PortGroup perl5 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_reso
urces/port1.0/group/perl5-1.0.tcl
:debug:main Re-registering default for livecheck.version
:debug:main only one arch supported, so not adding the default universal variant
:debug:main Running callback portconfigure::add_automatic_compiler_dependencies
:debug:main Finished running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Running callback portbuild::add_automatic_buildsystem_dependencies
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
:debug:main Running callback portstartupitem::add_notes
:debug:main Finished running callback portstartupitem::add_notes
:debug:main No need to upgrade! p5.28-perl-ostype 1.10.0_0 >= p5.28-perl-ostype 1.10.0_0
:debug:main epoch: in tree: 0 installed: 0
:debug:main p5.28-podlators 4.140.0_0 exists in the ports tree
:debug:main p5.28-podlators 4.140.0_0 is the latest installed
:debug:main p5.28-podlators 4.140.0_0 is active
:debug:main Merging existing variants " into variants
:debug:main new fully merged portvariants:
:debug:main Changing to port directory:
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/perl/
p5-podlators
:debug:main OS darwin/19.6.0 (macOS 10.15) arch i386
:debug:main Re-registering default for configure.universal_args
:debug:main Sourcing PortGroup perl5 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_reso
urces/port1.0/group/perl5-1.0.tcl
:debug:main Re-registering default for livecheck.version
:debug:main only one arch supported, so not adding the default universal variant
:debug:main Running callback portconfigure::add_automatic_compiler_dependencies
:debug:main Finished running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Running callback portbuild::add_automatic_buildsystem_dependencies
```

```
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
:debug:main Running callback portstartupitem::add_notes
:debug:main Finished running callback portstartupitem::add_notes
:debug:main No need to upgrade! p5.28-podlators 4.140.0_0 >= p5.28-podlators 4.140.0_0
:debug:main epoch: in tree: 0 installed: 0
:debug:main p5.28-pod-simple 3.420.0_0 exists in the ports tree
:debug:main p5.28-pod-simple 3.420.0_0 is the latest installed
:debug:main p5.28-pod-simple 3.420.0_0 is active
:debug:main Merging existing variants "" into variants
:debug:main new fully merged portvariants:
:debug:main Changing to port directory:
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/perl/
p5-pod-simple
:debug:main OS darwin/19.6.0 (macOS 10.15) arch i386
:debug:main Re-registering default for configure.universal_args
:debug:main Sourcing PortGroup perl5 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_reso
urces/port1.0/group/perl5-1.0.tcl
:debug:main Re-registering default for livecheck.version
:debug:main only one arch supported, so not adding the default universal variant
:debug:main Running callback portconfigure::add_automatic_compiler_dependencies
:debug:main Finished running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Running callback portbuild::add_automatic_buildsystem_dependencies
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
:debug:main Running callback portstartupitem::add_notes
:debug:main Finished running callback portstartupitem::add_notes
:debug:main No need to upgrade! p5.28-pod-simple 3.420.0_0 >= p5.28-pod-simple
3.420.0_0
:debug:main epoch: in tree: 0 installed: 0
:debug:main p5.28-pod-escapes 1.70.0_0 exists in the ports tree
:debug:main p5.28-pod-escapes 1.70.0_0 is the latest installed
:debug:main p5.28-pod-escapes 1.70.0_0 is active
:debug:main Merging existing variants "" into variants
:debug:main new fully merged portvariants:
:debug:main Changing to port directory:
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/perl/
p5-pod-escapes
:debug:main OS darwin/19.6.0 (macOS 10.15) arch i386
:debug:main Re-registering default for configure.universal_args
:debug:main Sourcing PortGroup perl5 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_reso
urces/port1.0/group/perl5-1.0.tcl
:debug:main Re-registering default for livecheck.version
:debug:main only one arch supported, so not adding the default universal variant
```

```
:debug:main Running callback portconfigure::add_automatic_compiler_dependencies
:debug:main Finished running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Running callback portbuild::add_automatic_buildsystem_dependencies
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
:debug:main Running callback portstartupitem::add_notes
:debug:main Finished running callback portstartupitem::add_notes
:debug:main No need to upgrade! p5.28-pod-escapes 1.70.0_0 >= p5.28-pod-escapes
1.70.0_0
:debug:main epoch: in tree: 0 installed: 0
:debug:main p5.28-email-sender 1.300.35_0 exists in the ports tree
:debug:main p5.28-email-sender 1.300.35_0 is the latest installed
:debug:main p5.28-email-sender 1.300.35_0 is active
:debug:main Merging existing variants "" into variants
:debug:main new fully merged portvariants:
:debug:main Changing to port directory:
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/perl/
p5-email-sender
:debug:main OS darwin/19.6.0 (macOS 10.15) arch i386
:debug:main Re-registering default for configure.universal_args
:debug:main Sourcing PortGroup perl5 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_reso
urces/port1.0/group/perl5-1.0.tcl
:debug:main Re-registering default for livecheck.version
:debug:main only one arch supported, so not adding the default universal variant
:debug:main Running callback portconfigure::add_automatic_compiler_dependencies
:debug:main Finished running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Running callback portbuild::add_automatic_buildsystem_dependencies
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
:debug:main Running callback portstartupitem::add_notes
:debug:main Finished running callback portstartupitem::add_notes
:debug:main No need to upgrade! p5.28-email-sender 1.300.35_0 >= p5.28-email-sender
1.300.35_0
:debug:main epoch: in tree: 0 installed: 0
:debug:main p5.28-email-abstract 3.8.0_0 exists in the ports tree
:debug:main p5.28-email-abstract 3.8.0_0 is the latest installed
:debug:main p5.28-email-abstract 3.8.0_0 is active
:debug:main Merging existing variants "" into variants
:debug:main new fully merged portvariants:
:debug:main Changing to port directory:
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/perl/
p5-email-abstract
:debug:main OS darwin/19.6.0 (macOS 10.15) arch i386
:debug:main Re-registering default for configure.universal_args
```

```
:debug:main Sourcing PortGroup perl5 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_resources/port1.0/group/perl5-1.0.tcl
:debug:main Re-registering default for livecheck.version
:debug:main only one arch supported, so not adding the default universal variant
:debug:main Running callback portconfigure::add_automatic_compiler_dependencies
:debug:main Finished running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Running callback portbuild::add_automatic_buildsystem_dependencies
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
:debug:main Running callback portstartupitem::add_notes
:debug:main Finished running callback portstartupitem::add_notes
:debug:main No need to upgrade! p5.28-email-abstract 3.8.0_0 >= p5.28-email-abstract
3.8.0_0
:debug:main epoch: in tree: 0 installed: 0
:debug:main p5.28-module-pluggable 5.200.0_0 exists in the ports tree
:debug:main p5.28-module-pluggable 5.200.0_0 is the latest installed
:debug:main p5.28-module-pluggable 5.200.0_0 is active
:debug:main Merging existing variants " into variants
:debug:main new fully merged portvariants:
:debug:main Changing to port directory:
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/perl/
p5-module-pluggable
:debug:main OS darwin/19.6.0 (macOS 10.15) arch i386
:debug:main Re-registering default for configure.universal_args
:debug:main Sourcing PortGroup perl5 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_resources/port1.0/group/perl5-1.0.tcl
:debug:main Re-registering default for livecheck.version
:debug:main only one arch supported, so not adding the default universal variant
:debug:main Running callback portconfigure::add_automatic_compiler_dependencies
:debug:main Finished running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Running callback portbuild::add_automatic_buildsystem_dependencies
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
:debug:main Running callback portstartupitem::add_notes
:debug:main Finished running callback portstartupitem::add_notes
:debug:main No need to upgrade! p5.28-module-pluggable 5.200.0_0 >= p5.28-module-
pluggable 5.200.0_0
:debug:main epoch: in tree: 0 installed: 0
:debug:main p5.28-mro-compat 0.130.0_0 exists in the ports tree
:debug:main p5.28-mro-compat 0.130.0_0 is the latest installed
:debug:main p5.28-mro-compat 0.130.0_0 is active
:debug:main Merging existing variants " into variants
:debug:main new fully merged portvariants:
```

```
:debug:main Changing to port directory:
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/perl/
p5-mro-compat
:debug:main OS darwin/19.6.0 (macOS 10.15) arch i386
:debug:main Re-registering default for configure.universal_args
:debug:main Sourcing PortGroup perl5 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_reso
urces/port1.0/group/perl5-1.0.tcl
:debug:main Re-registering default for livecheck.version
:debug:main only one arch supported, so not adding the default universal variant
:debug:main Running callback portconfigure::add_automatic_compiler_dependencies
:debug:main Finished running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Running callback portbuild::add_automatic_buildsystem_dependencies
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
:debug:main Running callback portstartupitem::add_notes
:debug:main Finished running callback portstartupitem::add_notes
:debug:main No need to upgrade! p5.28-mro-compat 0.130.0_0 >= p5.28-mro-compat
0.130.0_0
:debug:main epoch: in tree: 0 installed: 0
:debug:main p5.28-email-address 1.912.0_0 exists in the ports tree
:debug:main p5.28-email-address 1.912.0_0 is the latest installed
:debug:main p5.28-email-address 1.912.0_0 is active
:debug:main Merging existing variants "" into variants
:debug:main new fully merged portvariants:
:debug:main Changing to port directory:
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/perl/
p5-email-address
:debug:main OS darwin/19.6.0 (macOS 10.15) arch i386
:debug:main Re-registering default for configure.universal_args
:debug:main Sourcing PortGroup perl5 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_reso
urces/port1.0/group/perl5-1.0.tcl
:debug:main Re-registering default for livecheck.version
:debug:main only one arch supported, so not adding the default universal variant
:debug:main Running callback portconfigure::add_automatic_compiler_dependencies
:debug:main Finished running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Running callback portbuild::add_automatic_buildsystem_dependencies
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
:debug:main Running callback portstartupitem::add_notes
:debug:main Finished running callback portstartupitem::add_notes
:debug:main No need to upgrade! p5.28-email-address 1.912.0_0 >= p5.28-email-address
1.912.0_0
:debug:main epoch: in tree: 0 installed: 0
```

```
:debug:main p5.28-list-moreutils 0.430.0_0 exists in the ports tree
:debug:main p5.28-list-moreutils 0.430.0_0 is the latest installed
:debug:main p5.28-list-moreutils 0.430.0_0 is active
:debug:main Merging existing variants "" into variants
:debug:main new fully merged portvariants:
:debug:main Changing to port directory:
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/perl/
p5-list-moreutils
:debug:main OS darwin/19.6.0 (macOS 10.15) arch i386
:debug:main Re-registering default for configure.universal_args
:debug:main Sourcing PortGroup perl5 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_reso
urces/port1.0/group/perl5-1.0.tcl
:debug:main Re-registering default for livecheck.version
:debug:main only one arch supported, so not adding the default universal variant
:debug:main Running callback portconfigure::add_automatic_compiler_dependencies
:debug:main Finished running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Running callback portbuild::add_automatic_buildsystem_dependencies
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
:debug:main Running callback portstartupitem::add_notes
:debug:main Finished running callback portstartupitem::add_notes
:debug:main No need to upgrade! p5.28-list-moreutils 0.430.0_0 >= p5.28-list-moreutils
0.430.0_0
:debug:main epoch: in tree: 0 installed: 0
:debug:main p5.28-exporter-tiny 1.2.2_0 exists in the ports tree
:debug:main p5.28-exporter-tiny 1.2.2_0 is the latest installed
:debug:main p5.28-exporter-tiny 1.2.2_0 is active
:debug:main Merging existing variants "" into variants
:debug:main new fully merged portvariants:
:debug:main Changing to port directory:
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/perl/
p5-exporter-tiny
:debug:main OS darwin/19.6.0 (macOS 10.15) arch i386
:debug:main Re-registering default for configure.universal_args
:debug:main Sourcing PortGroup perl5 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_reso
urces/port1.0/group/perl5-1.0.tcl
:debug:main Re-registering default for livecheck.version
:debug:main only one arch supported, so not adding the default universal variant
:debug:main Running callback portconfigure::add_automatic_compiler_dependencies
:debug:main Finished running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Running callback portbuild::add_automatic_buildsystem_dependencies
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
```



```
:debug:main Running callback portstartupitem::add_notes
:debug:main Finished running callback portstartupitem::add_notes
:debug:main No need to upgrade! p5.28-exporter-tiny 1.2.2_0 >= p5.28-exporter-tiny
1.2.2_0
:debug:main epoch: in tree: 0 installed: 0
:debug:main p5.28-list-moreutils-xs 0.430.0_0 exists in the ports tree
:debug:main p5.28-list-moreutils-xs 0.430.0_0 is the latest installed
:debug:main p5.28-list-moreutils-xs 0.430.0_0 is active
:debug:main Merging existing variants " into variants
:debug:main new fully merged portvariants:
:debug:main Changing to port directory:
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/perl/
p5-list-moreutils-xs
:debug:main OS darwin/19.6.0 (macOS 10.15) arch i386
:debug:main Re-registering default for configure.universal_args
:debug:main Sourcing PortGroup perl5 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_reso
urces/port1.0/group/perl5-1.0.tcl
:debug:main Re-registering default for livecheck.version
:debug:main adding the default universal variant
:debug:main Reading variant descriptions from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_reso
urces/port1.0/variant_descriptions.conf
:debug:main Running callback portconfigure::add_automatic_compiler_dependencies
:debug:main Finished running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Running callback portbuild::add_automatic_buildsystem_dependencies
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
:debug:main Running callback portstartupitem::add_notes
:debug:main Finished running callback portstartupitem::add_notes
:debug:main No need to upgrade! p5.28-list-moreutils-xs 0.430.0_0 >= p5.28-list-moreutils-
xs 0.430.0_0
:debug:main epoch: in tree: 0 installed: 0
:debug:main p5.28-xsloader 0.240.0_0 exists in the ports tree
:debug:main p5.28-xsloader 0.240.0_0 is the latest installed
:debug:main p5.28-xsloader 0.240.0_0 is active
:debug:main Merging existing variants " into variants
:debug:main new fully merged portvariants:
:debug:main Changing to port directory:
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/perl/
p5-xsloader
:debug:main OS darwin/19.6.0 (macOS 10.15) arch i386
:debug:main Re-registering default for configure.universal_args
:debug:main Sourcing PortGroup perl5 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_reso
urces/port1.0/group/perl5-1.0.tcl
```

```
:debug:main Re-registering default for livecheck.version
:debug:main only one arch supported, so not adding the default universal variant
:debug:main Running callback portconfigure::add_automatic_compiler_dependencies
:debug:main Finished running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Running callback portbuild::add_automatic_buildsystem_dependencies
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
:debug:main Running callback portstartupitem::add_notes
:debug:main Finished running callback portstartupitem::add_notes
:debug:main No need to upgrade! p5.28-xsloader 0.240.0_0 >= p5.28-xsloader 0.240.0_0
:debug:main epoch: in tree: 0 installed: 0
:debug:main p5.28-moo 2.4.4_0 exists in the ports tree
:debug:main p5.28-moo 2.4.4_0 is the latest installed
:debug:main p5.28-moo 2.4.4_0 is active
:debug:main Merging existing variants " into variants
:debug:main new fully merged portvariants:
:debug:main Changing to port directory:
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/perl/
p5-moo
:debug:main OS darwin/19.6.0 (macOS 10.15) arch i386
:debug:main Re-registering default for configure.universal_args
:debug:main Sourcing PortGroup perl5 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_reso
urces/port1.0/group/perl5-1.0.tcl
:debug:main Re-registering default for livecheck.version
:debug:main only one arch supported, so not adding the default universal variant
:debug:main Running callback portconfigure::add_automatic_compiler_dependencies
:debug:main Finished running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Running callback portbuild::add_automatic_buildsystem_dependencies
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
:debug:main Running callback portstartupitem::add_notes
:debug:main Finished running callback portstartupitem::add_notes
:debug:main No need to upgrade! p5.28-moo 2.4.4_0 >= p5.28-moo 2.4.4_0
:debug:main epoch: in tree: 0 installed: 0
:debug:main p5.28-class-method-modifiers 2.130.0_0 exists in the ports tree
:debug:main p5.28-class-method-modifiers 2.130.0_0 is the latest installed
:debug:main p5.28-class-method-modifiers 2.130.0_0 is active
:debug:main Merging existing variants " into variants
:debug:main new fully merged portvariants:
:debug:main Changing to port directory:
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/perl/
p5-class-method-modifiers
:debug:main OS darwin/19.6.0 (macOS 10.15) arch i386
:debug:main Re-registering default for configure.universal_args
```

```
:debug:main Sourcing PortGroup perl5 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_resources/port1.0/group/perl5-1.0.tcl
:debug:main Re-registering default for livecheck.version
:debug:main only one arch supported, so not adding the default universal variant
:debug:main Running callback portconfigure::add_automatic_compiler_dependencies
:debug:main Finished running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Running callback portbuild::add_automatic_buildsystem_dependencies
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
:debug:main Running callback portstartupitem::add_notes
:debug:main Finished running callback portstartupitem::add_notes
:debug:main No need to upgrade! p5.28-class-method-modifiers 2.130.0_0 >= p5.28-class-method-modifiers 2.130.0_0
:debug:main epoch: in tree: 0 installed: 0
:debug:main p5.28-class-xsaccessor 1.190.0_0 exists in the ports tree
:debug:main p5.28-class-xsaccessor 1.190.0_0 is the latest installed
:debug:main p5.28-class-xsaccessor 1.190.0_0 is active
:debug:main Merging existing variants " into variants
:debug:main new fully merged portvariants:
:debug:main Changing to port directory:
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/perl/p5-class-xsaccessor
:debug:main OS darwin/19.6.0 (macOS 10.15) arch i386
:debug:main Re-registering default for configure.universal_args
:debug:main Sourcing PortGroup perl5 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_resources/port1.0/group/perl5-1.0.tcl
:debug:main Re-registering default for livecheck.version
:debug:main adding the default universal variant
:debug:main Reading variant descriptions from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_resources/port1.0/variant_descriptions.conf
:debug:main Running callback portconfigure::add_automatic_compiler_dependencies
:debug:main Finished running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Running callback portbuild::add_automatic_buildsystem_dependencies
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
:debug:main Running callback portstartupitem::add_notes
:debug:main Finished running callback portstartupitem::add_notes
:debug:main No need to upgrade! p5.28-class-xsaccessor 1.190.0_0 >= p5.28-class-xsaccessor 1.190.0_0
:debug:main epoch: in tree: 0 installed: 0
:debug:main p5.28-role-tiny 2.1.4_0 exists in the ports tree
:debug:main p5.28-role-tiny 2.1.4_0 is the latest installed
```

```
:debug:main p5.28-role-tiny 2.1.4_0 is active
:debug:main Merging existing variants "" into variants
:debug:main new fully merged portvariants:
:debug:main Changing to port directory:
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/perl/
p5-role-tiny
:debug:main OS darwin/19.6.0 (macOS 10.15) arch i386
:debug:main Re-registering default for configure.universal_args
:debug:main Sourcing PortGroup perl5 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_reso
urces/port1.0/group/perl5-1.0.tcl
:debug:main Re-registering default for livecheck.version
:debug:main only one arch supported, so not adding the default universal variant
:debug:main Running callback portconfigure::add_automatic_compiler_dependencies
:debug:main Finished running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Running callback portbuild::add_automatic_buildsystem_dependencies
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
:debug:main Running callback portstartupitem::add_notes
:debug:main Finished running callback portstartupitem::add_notes
:debug:main No need to upgrade! p5.28-role-tiny 2.1.4_0 >= p5.28-role-tiny 2.1.4_0
:debug:main epoch: in tree: 0 installed: 0
:debug:main p5.28-strictures 2.0.6_0 exists in the ports tree
:debug:main p5.28-strictures 2.0.6_0 is the latest installed
:debug:main p5.28-strictures 2.0.6_0 is active
:debug:main Merging existing variants "" into variants
:debug:main new fully merged portvariants:
:debug:main Changing to port directory:
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/perl/
p5-strictures
:debug:main OS darwin/19.6.0 (macOS 10.15) arch i386
:debug:main Re-registering default for configure.universal_args
:debug:main Sourcing PortGroup perl5 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_reso
urces/port1.0/group/perl5-1.0.tcl
:debug:main Re-registering default for livecheck.version
:debug:main only one arch supported, so not adding the default universal variant
:debug:main Running callback portconfigure::add_automatic_compiler_dependencies
:debug:main Finished running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Running callback portbuild::add_automatic_buildsystem_dependencies
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
:debug:main Running callback portstartupitem::add_notes
:debug:main Finished running callback portstartupitem::add_notes
:debug:main No need to upgrade! p5.28-strictures 2.0.6_0 >= p5.28-strictures 2.0.6_0
```

```
:debug:main epoch: in tree: 0 installed: 0
:debug:main p5.28-bareword-filehandles 0.7.0_0 exists in the ports tree
:debug:main p5.28-bareword-filehandles 0.7.0_0 is the latest installed
:debug:main p5.28-bareword-filehandles 0.7.0_0 is active
:debug:main Merging existing variants '' into variants
:debug:main new fully merged portvariants:
:debug:main Changing to port directory:
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/perl/
p5-bareword-filehandles
:debug:main OS darwin/19.6.0 (macOS 10.15) arch i386
:debug:main Re-registering default for configure.universal_args
:debug:main Sourcing PortGroup perl5 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_reso
urces/port1.0/group/perl5-1.0.tcl
:debug:main Re-registering default for livecheck.version
:debug:main adding the default universal variant
:debug:main Reading variant descriptions from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_reso
urces/port1.0/variant_descriptions.conf
:debug:main Running callback portconfigure::add_automatic_compiler_dependencies
:debug:main Finished running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Running callback portbuild::add_automatic_buildsystem_dependencies
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
:debug:main Running callback portstartupitem::add_notes
:debug:main Finished running callback portstartupitem::add_notes
:debug:main No need to upgrade! p5.28-bareword-filehandles 0.7.0_0 >= p5.28-bareword-
filehandles 0.7.0_0
:debug:main epoch: in tree: 0 installed: 0
:debug:main p5.28-b-hooks-op-check 0.220.0_0 exists in the ports tree
:debug:main p5.28-b-hooks-op-check 0.220.0_0 is the latest installed
:debug:main p5.28-b-hooks-op-check 0.220.0_0 is active
:debug:main Merging existing variants '' into variants
:debug:main new fully merged portvariants:
:debug:main Changing to port directory:
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/perl/
p5-b-hooks-op-check
:debug:main OS darwin/19.6.0 (macOS 10.15) arch i386
:debug:main Re-registering default for configure.universal_args
:debug:main Sourcing PortGroup perl5 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_reso
urces/port1.0/group/perl5-1.0.tcl
:debug:main Re-registering default for livecheck.version
:debug:main adding the default universal variant
```

```
:debug:main Reading variant descriptions from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_resources/port1.0/variant_descriptions.conf
:debug:main Running callback portconfigure::add_automatic_compiler_dependencies
:debug:main Finished running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Running callback portbuild::add_automatic_buildsystem_dependencies
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
:debug:main Running callback portstartupitem::add_notes
:debug:main Finished running callback portstartupitem::add_notes
:debug:main No need to upgrade! p5.28-b-hooks-op-check 0.220.0_0 >= p5.28-b-hooks-op-check 0.220.0_0
:debug:main epoch: in tree: 0 installed: 0
:debug:main p5.28-indirect 0.390.0_0 exists in the ports tree
:debug:main p5.28-indirect 0.390.0_0 is the latest installed
:debug:main p5.28-indirect 0.390.0_0 is active
:debug:main Merging existing variants " into variants
:debug:main new fully merged portvariants:
:debug:main Changing to port directory:
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/perl/p5-indirect
:debug:main OS darwin/19.6.0 (macOS 10.15) arch i386
:debug:main Re-registering default for configure.universal_args
:debug:main Sourcing PortGroup perl5 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_resources/port1.0/group/perl5-1.0.tcl
:debug:main Re-registering default for livecheck.version
:debug:main adding the default universal variant
:debug:main Reading variant descriptions from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_resources/port1.0/variant_descriptions.conf
:debug:main Running callback portconfigure::add_automatic_compiler_dependencies
:debug:main Finished running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Running callback portbuild::add_automatic_buildsystem_dependencies
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
:debug:main Running callback portstartupitem::add_notes
:debug:main Finished running callback portstartupitem::add_notes
:debug:main No need to upgrade! p5.28-indirect 0.390.0_0 >= p5.28-indirect 0.390.0_0
:debug:main epoch: in tree: 0 installed: 0
:debug:main p5.28-multidimensional 0.14.0_0 exists in the ports tree
:debug:main p5.28-multidimensional 0.14.0_0 is the latest installed
:debug:main p5.28-multidimensional 0.14.0_0 is active
:debug:main Merging existing variants " into variants
:debug:main new fully merged portvariants:
```

```
:debug:main Changing to port directory:
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/perl/
p5-multidimensional
:debug:main OS darwin/19.6.0 (macOS 10.15) arch i386
:debug:main Re-registering default for configure.universal_args
:debug:main Sourcing PortGroup perl5 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_reso
urces/port1.0/group/perl5-1.0.tcl
:debug:main Re-registering default for livecheck.version
:debug:main adding the default universal variant
:debug:main Reading variant descriptions from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_reso
urces/port1.0/variant_descriptions.conf
:debug:main Running callback portconfigure::add_automatic_compiler_dependencies
:debug:main Finished running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Running callback portbuild::add_automatic_buildsystem_dependencies
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
:debug:main Running callback portstartupitem::add_notes
:debug:main Finished running callback portstartupitem::add_notes
:debug:main No need to upgrade! p5.28-multidimensional 0.14.0_0 >= p5.28-
multidimensional 0.14.0_0
:debug:main epoch: in tree: 0 installed: 0
:debug:main p5.28-sub-name 0.260.0_0 exists in the ports tree
:debug:main p5.28-sub-name 0.260.0_0 is the latest installed
:debug:main p5.28-sub-name 0.260.0_0 is active
:debug:main Merging existing variants " into variants
:debug:main new fully merged portvariants:
:debug:main Changing to port directory:
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/perl/
p5-sub-name
:debug:main OS darwin/19.6.0 (macOS 10.15) arch i386
:debug:main Re-registering default for configure.universal_args
:debug:main Sourcing PortGroup perl5 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_reso
urces/port1.0/group/perl5-1.0.tcl
:debug:main Re-registering default for livecheck.version
:debug:main adding the default universal variant
:debug:main Reading variant descriptions from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_reso
urces/port1.0/variant_descriptions.conf
:debug:main Running callback portconfigure::add_automatic_compiler_dependencies
:debug:main Finished running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Running callback portbuild::add_automatic_buildsystem_dependencies
```

```
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
:debug:main Running callback portstartupitem::add_notes
:debug:main Finished running callback portstartupitem::add_notes
:debug:main No need to upgrade! p5.28-sub-name 0.260.0_0 >= p5.28-sub-name 0.260.0_0
:debug:main epoch: in tree: 0 installed: 0
:debug:main p5.28-sub-quote 2.6.6_0 exists in the ports tree
:debug:main p5.28-sub-quote 2.6.6_0 is the latest installed
:debug:main p5.28-sub-quote 2.6.6_0 is active
:debug:main Merging existing variants " into variants
:debug:main new fully merged portvariants:
:debug:main Changing to port directory:
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/perl/
p5-sub-quote
:debug:main OS darwin/19.6.0 (macOS 10.15) arch i386
:debug:main Re-registering default for configure.universal_args
:debug:main Sourcing PortGroup perl5 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_reso
urces/port1.0/group/perl5-1.0.tcl
:debug:main Re-registering default for livecheck.version
:debug:main only one arch supported, so not adding the default universal variant
:debug:main Running callback portconfigure::add_automatic_compiler_dependencies
:debug:main Finished running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Running callback portbuild::add_automatic_buildsystem_dependencies
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
:debug:main Running callback portstartupitem::add_notes
:debug:main Finished running callback portstartupitem::add_notes
:debug:main No need to upgrade! p5.28-sub-quote 2.6.6_0 >= p5.28-sub-quote 2.6.6_0
:debug:main epoch: in tree: 0 installed: 0
:debug:main p5.28-moox-types-mooselike 0.290.0_0 exists in the ports tree
:debug:main p5.28-moox-types-mooselike 0.290.0_0 is the latest installed
:debug:main p5.28-moox-types-mooselike 0.290.0_0 is active
:debug:main Merging existing variants " into variants
:debug:main new fully merged portvariants:
:debug:main Changing to port directory:
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/perl/
p5-moox-types-mooselike
:debug:main OS darwin/19.6.0 (macOS 10.15) arch i386
:debug:main Re-registering default for configure.universal_args
:debug:main Sourcing PortGroup perl5 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_reso
urces/port1.0/group/perl5-1.0.tcl
:debug:main Re-registering default for livecheck.version
:debug:main only one arch supported, so not adding the default universal variant
:debug:main Running callback portconfigure::add_automatic_compiler_dependencies
```



```
:debug:main Finished running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Running callback portbuild::add_automatic_buildsystem_dependencies
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
:debug:main Running callback portstartupitem::add_notes
:debug:main Finished running callback portstartupitem::add_notes
:debug:main No need to upgrade! p5.28-moox-types-mooselike 0.290.0_0 >= p5.28-moox-
types-mooselike 0.290.0_0
:debug:main epoch: in tree: 0 installed: 0
:debug:main p5.28-net 3.130.0_0 exists in the ports tree
:debug:main p5.28-net 3.130.0_0 is the latest installed
:debug:main p5.28-net 3.130.0_0 is active
:debug:main Merging existing variants " into variants
:debug:main new fully merged portvariants:
:debug:main Changing to port directory:
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/perl/
p5-net
:debug:main OS darwin/19.6.0 (macOS 10.15) arch i386
:debug:main Re-registering default for configure.universal_args
:debug:main Sourcing PortGroup perl5 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_reso
urces/port1.0/group/perl5-1.0.tcl
:debug:main Re-registering default for livecheck.version
:debug:main only one arch supported, so not adding the default universal variant
:debug:main Running callback portconfigure::add_automatic_compiler_dependencies
:debug:main Finished running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Running callback portbuild::add_automatic_buildsystem_dependencies
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
:debug:main Running callback portstartupitem::add_notes
:debug:main Finished running callback portstartupitem::add_notes
:debug:main No need to upgrade! p5.28-net 3.130.0_0 >= p5.28-net 3.130.0_0
:debug:main epoch: in tree: 0 installed: 0
:debug:main p5.28-authen-sasl 2.160.0_0 exists in the ports tree
:debug:main p5.28-authen-sasl 2.160.0_0 is the latest installed
:debug:main p5.28-authen-sasl 2.160.0_0 is active
:debug:main Merging existing variants " into variants
:debug:main new fully merged portvariants:
:debug:main Changing to port directory:
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/perl/
p5-authen-sasl
:debug:main OS darwin/19.6.0 (macOS 10.15) arch i386
:debug:main Re-registering default for configure.universal_args
```

```
:debug:main Sourcing PortGroup perl5 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_resources/port1.0/group/perl5-1.0.tcl
:debug:main Re-registering default for livecheck.version
:debug:main only one arch supported, so not adding the default universal variant
:debug:main Running callback portconfigure::add_automatic_compiler_dependencies
:debug:main Finished running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Running callback portbuild::add_automatic_buildsystem_dependencies
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
:debug:main Running callback portstartupitem::add_notes
:debug:main Finished running callback portstartupitem::add_notes
:debug:main No need to upgrade! p5.28-authen-sasl 2.160.0_0 >= p5.28-authen-sasl
2.160.0_0
:debug:main epoch: in tree: 0 installed: 0
:debug:main p5.28-digest-hmac 1.30.0_0 exists in the ports tree
:debug:main p5.28-digest-hmac 1.30.0_0 is the latest installed
:debug:main p5.28-digest-hmac 1.30.0_0 is active
:debug:main Merging existing variants "" into variants
:debug:main new fully merged portvariants:
:debug:main Changing to port directory:
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/perl/p5-digest-hmac
:debug:main OS darwin/19.6.0 (macOS 10.15) arch i386
:debug:main Re-registering default for configure.universal_args
:debug:main Sourcing PortGroup perl5 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_resources/port1.0/group/perl5-1.0.tcl
:debug:main Re-registering default for livecheck.version
:debug:main only one arch supported, so not adding the default universal variant
:debug:main Running callback portconfigure::add_automatic_compiler_dependencies
:debug:main Finished running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Running callback portbuild::add_automatic_buildsystem_dependencies
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
:debug:main Running callback portstartupitem::add_notes
:debug:main Finished running callback portstartupitem::add_notes
:debug:main No need to upgrade! p5.28-digest-hmac 1.30.0_0 >= p5.28-digest-hmac
1.30.0_0
:debug:main epoch: in tree: 0 installed: 0
:debug:main p5.28-digest-sha1 2.130.0_4 exists in the ports tree
:debug:main p5.28-digest-sha1 2.130.0_4 is the latest installed
:debug:main p5.28-digest-sha1 2.130.0_4 is active
:debug:main Merging existing variants "" into variants
:debug:main new fully merged portvariants:
```

```
:debug:main Changing to port directory:
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/perl/
p5-digest-sha1
:debug:main OS darwin/19.6.0 (macOS 10.15) arch i386
:debug:main Re-registering default for configure.universal_args
:debug:main Sourcing PortGroup perl5 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_reso
urces/port1.0/group/perl5-1.0.tcl
:debug:main Re-registering default for livecheck.version
:debug:main adding the default universal variant
:debug:main Reading variant descriptions from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_reso
urces/port1.0/variant_descriptions.conf
:debug:main Running callback portconfigure::add_automatic_compiler_dependencies
:debug:main Finished running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Running callback portbuild::add_automatic_buildsystem_dependencies
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
:debug:main Running callback portstartupitem::add_notes
:debug:main Finished running callback portstartupitem::add_notes
:debug:main No need to upgrade! p5.28-digest-sha1 2.130.0_4 >= p5.28-digest-sha1
2.130.0_4
:debug:main epoch: in tree: 0 installed: 0
:debug:main p5.28-gssapi 0.280.0_3 exists in the ports tree
:debug:main p5.28-gssapi 0.280.0_3 is the latest installed
:debug:main p5.28-gssapi 0.280.0_3 is active
:debug:main Merging existing variants " into variants
:debug:main new fully merged portvariants:
:debug:main Changing to port directory:
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/perl/
p5-gssapi
:debug:main OS darwin/19.6.0 (macOS 10.15) arch i386
:debug:main Re-registering default for configure.universal_args
:debug:main Sourcing PortGroup perl5 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_reso
urces/port1.0/group/perl5-1.0.tcl
:debug:main Re-registering default for livecheck.version
:debug:main adding the default universal variant
:debug:main Reading variant descriptions from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_reso
urces/port1.0/variant_descriptions.conf
:debug:main Running callback portconfigure::add_automatic_compiler_dependencies
:debug:main Finished running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Running callback portbuild::add_automatic_buildsystem_dependencies
```

```
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
:debug:main Running callback portstartupitem::add_notes
:debug:main Finished running callback portstartupitem::add_notes
:debug:main No need to upgrade! p5.28-gssapi 0.280.0_3 >= p5.28-gssapi 0.280.0_3
:debug:main epoch: in tree: 0 installed: 0
:debug:main kerberos5 1.18.3_0 exists in the ports tree
:debug:main kerberos5 1.18.3_0 is the latest installed
:debug:main kerberos5 1.18.3_0 is active
:debug:main Merging existing variants " into variants
:debug:main new fully merged portvariants:
:debug:main Changing to port directory:
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/net/k
erberos5
:debug:main OS darwin/19.6.0 (macOS 10.15) arch i386
:debug:main Sourcing PortGroup compiler_blacklist_versions 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_reso
urces/port1.0/group/compiler_blacklist_versions-1.0.tcl
:debug:main compiler clang 1200.0.32.28 not blacklisted because it doesn't match {clang <=
318.0.61}
:debug:main adding the default universal variant
:debug:main Reading variant descriptions from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_reso
urces/port1.0/variant_descriptions.conf
:debug:main Running callback portconfigure::add_automatic_compiler_dependencies
:debug:main Finished running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Running callback portbuild::add_automatic_buildsystem_dependencies
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
:debug:main Running callback portstartupitem::add_notes
:debug:main Finished running callback portstartupitem::add_notes
:debug:main No need to upgrade! kerberos5 1.18.3_0 >= kerberos5 1.18.3_0
:debug:main epoch: in tree: 0 installed: 0
:debug:main libcomerr 1.45.6_0 exists in the ports tree
:debug:main libcomerr 1.45.6_0 is the latest installed
:debug:main libcomerr 1.45.6_0 is active
:debug:main Merging existing variants " into variants
:debug:main new fully merged portvariants:
:debug:main Changing to port directory:
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/sysut
ils/e2fsprogs
:debug:main OS darwin/19.6.0 (macOS 10.15) arch i386
:debug:main adding the default universal variant
:debug:main Reading variant descriptions from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_reso
urces/port1.0/variant_descriptions.conf
```

```
:debug:main Running callback portconfigure::add_automatic_compiler_dependencies
:debug:main Finished running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Running callback portbuild::add_automatic_buildsystem_dependencies
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
:debug:main Running callback portstartupitem::add_notes
:debug:main Finished running callback portstartupitem::add_notes
:debug:main No need to upgrade! libcomerr 1.45.6_0 >= libcomerr 1.45.6_0
:debug:main epoch: in tree: 0 installed: 0
:debug:main p5.28-io-socket-ip 0.410.0_0 exists in the ports tree
:debug:main p5.28-io-socket-ip 0.410.0_0 is the latest installed
:debug:main p5.28-io-socket-ip 0.410.0_0 is active
:debug:main Merging existing variants "" into variants
:debug:main new fully merged portvariants:
:debug:main Changing to port directory:
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/perl/
p5-io-socket-ip
:debug:main OS darwin/19.6.0 (macOS 10.15) arch i386
:debug:main Re-registering default for configure.universal_args
:debug:main Sourcing PortGroup perl5 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_reso
urces/port1.0/group/perl5-1.0.tcl
:debug:main Re-registering default for livecheck.version
:debug:main Re-registering default for configure.args
:debug:main only one arch supported, so not adding the default universal variant
:debug:main Running callback portconfigure::add_automatic_compiler_dependencies
:debug:main Finished running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Running callback portbuild::add_automatic_buildsystem_dependencies
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
:debug:main Running callback portstartupitem::add_notes
:debug:main Finished running callback portstartupitem::add_notes
:debug:main No need to upgrade! p5.28-io-socket-ip 0.410.0_0 >= p5.28-io-socket-ip
0.410.0_0
:debug:main epoch: in tree: 0 installed: 0
:debug:main p5.28-socket 2.30.0_0 exists in the ports tree
:debug:main p5.28-socket 2.30.0_0 is the latest installed
:debug:main p5.28-socket 2.30.0_0 is active
:debug:main Merging existing variants "" into variants
:debug:main new fully merged portvariants:
:debug:main Changing to port directory:
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/perl/
p5-socket
:debug:main OS darwin/19.6.0 (macOS 10.15) arch i386
:debug:main Re-registering default for configure.universal_args
```

```
:debug:main Sourcing PortGroup perl5 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_resources/port1.0/group/perl5-1.0.tcl
:debug:main Re-registering default for livecheck.version
:debug:main adding the default universal variant
:debug:main Reading variant descriptions from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_resources/port1.0/variant_descriptions.conf
:debug:main Running callback portconfigure::add_automatic_compiler_dependencies
:debug:main Finished running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Running callback portbuild::add_automatic_buildsystem_dependencies
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
:debug:main Running callback portstartupitem::add_notes
:debug:main Finished running callback portstartupitem::add_notes
:debug:main No need to upgrade! p5.28-socket 2.30.0_0 >= p5.28-socket 2.30.0_0
:debug:main epoch: in tree: 0 installed: 0
:debug:main p5.28-io-socket-ssl 2.68.0_0 exists in the ports tree
:debug:main p5.28-io-socket-ssl 2.68.0_0 is the latest installed
:debug:main p5.28-io-socket-ssl 2.68.0_0 is active
:debug:main Merging existing variants " into variants
:debug:main new fully merged portvariants:
:debug:main Changing to port directory:
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/perl/p5-io-socket-ssl
:debug:main OS darwin/19.6.0 (macOS 10.15) arch i386
:debug:main Re-registering default for configure.universal_args
:debug:main Sourcing PortGroup perl5 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_resources/port1.0/group/perl5-1.0.tcl
:debug:main Re-registering default for livecheck.version
:debug:main only one arch supported, so not adding the default universal variant
:debug:main Running callback portconfigure::add_automatic_compiler_dependencies
:debug:main Finished running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Running callback portbuild::add_automatic_buildsystem_dependencies
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
:debug:main Running callback portstartupitem::add_notes
:debug:main Finished running callback portstartupitem::add_notes
:debug:main No need to upgrade! p5.28-io-socket-ssl 2.68.0_0 >= p5.28-io-socket-ssl 2.68.0_0
:debug:main epoch: in tree: 0 installed: 0
:debug:main p5.28-mozilla-ca 20200520_0 exists in the ports tree
:debug:main p5.28-mozilla-ca 20200520_0 is the latest installed
:debug:main p5.28-mozilla-ca 20200520_0 is active
```

```
:debug:main Merging existing variants '' into variants
:debug:main new fully merged portvariants:
:debug:main Changing to port directory:
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/perl/
p5-mozilla-ca
:debug:main OS darwin/19.6.0 (macOS 10.15) arch i386
:debug:main Re-registering default for configure.universal_args
:debug:main Sourcing PortGroup perl5 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_reso
urces/port1.0/group/perl5-1.0.tcl
:debug:main Re-registering default for livecheck.version
:debug:main only one arch supported, so not adding the default universal variant
:debug:main Running callback portconfigure::add_automatic_compiler_dependencies
:debug:main Finished running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Running callback portbuild::add_automatic_buildsystem_dependencies
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
:debug:main Running callback portstartupitem::add_notes
:debug:main Finished running callback portstartupitem::add_notes
:debug:main No need to upgrade! p5.28-mozilla-ca 20200520_0 >= p5.28-mozilla-ca
20200520_0
:debug:main epoch: in tree: 0 installed: 0
:debug:main p5.28-net-libidn 0.120.0_5 exists in the ports tree
:debug:main p5.28-net-libidn 0.120.0_5 is the latest installed
:debug:main p5.28-net-libidn 0.120.0_5 is active
:debug:main Merging existing variants '' into variants
:debug:main new fully merged portvariants:
:debug:main Changing to port directory:
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/perl/
p5-net-libidn
:debug:main OS darwin/19.6.0 (macOS 10.15) arch i386
:debug:main Re-registering default for configure.universal_args
:debug:main Sourcing PortGroup perl5 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_reso
urces/port1.0/group/perl5-1.0.tcl
:debug:main Re-registering default for livecheck.version
:debug:main adding the default universal variant
:debug:main Reading variant descriptions from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_reso
urces/port1.0/variant_descriptions.conf
:debug:main Running callback portconfigure::add_automatic_compiler_dependencies
:debug:main Finished running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Running callback portbuild::add_automatic_buildsystem_dependencies
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
```

```
:debug:main Running callback portstartupitem::add_notes
:debug:main Finished running callback portstartupitem::add_notes
:debug:main No need to upgrade! p5.28-net-libidn 0.120.0_5 >= p5.28-net-libidn 0.120.0_5
:debug:main epoch: in tree: 0 installed: 0
:debug:main p5.28-net-ssleay 1.880.0_1 exists in the ports tree
:debug:main p5.28-net-ssleay 1.880.0_1 is the latest installed
:debug:main p5.28-net-ssleay 1.880.0_1 is active
:debug:main Merging existing variants " into variants
:debug:main new fully merged portvariants:
:debug:main Changing to port directory:
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/perl/
p5-net-ssleay
:debug:main OS darwin/19.6.0 (macOS 10.15) arch i386
:debug:main Re-registering default for configure.universal_args
:debug:main Sourcing PortGroup perl5 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_reso
urces/port1.0/group/perl5-1.0.tcl
:debug:main Re-registering default for livecheck.version
:debug:main adding the default universal variant
:debug:main Reading variant descriptions from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_reso
urces/port1.0/variant_descriptions.conf
:debug:main Running callback portconfigure::add_automatic_compiler_dependencies
:debug:main Finished running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Running callback portbuild::add_automatic_buildsystem_dependencies
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
:debug:main Running callback portstartupitem::add_notes
:debug:main Finished running callback portstartupitem::add_notes
:debug:main No need to upgrade! p5.28-net-ssleay 1.880.0_1 >= p5.28-net-ssleay 1.880.0_1
:debug:main epoch: in tree: 0 installed: 0
:debug:main p5.28-sub-exporter 0.987.0_1 exists in the ports tree
:debug:main p5.28-sub-exporter 0.987.0_1 is the latest installed
:debug:main p5.28-sub-exporter 0.987.0_1 is active
:debug:main Merging existing variants " into variants
:debug:main new fully merged portvariants:
:debug:main Changing to port directory:
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/perl/
p5-sub-exporter
:debug:main OS darwin/19.6.0 (macOS 10.15) arch i386
:debug:main Re-registering default for configure.universal_args
:debug:main Sourcing PortGroup perl5 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_reso
urces/port1.0/group/perl5-1.0.tcl
:debug:main Re-registering default for livecheck.version
:debug:main only one arch supported, so not adding the default universal variant
```



```
:debug:main Running callback portconfigure::add_automatic_compiler_dependencies
:debug:main Finished running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Running callback portbuild::add_automatic_buildsystem_dependencies
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
:debug:main Running callback portstartupitem::add_notes
:debug:main Finished running callback portstartupitem::add_notes
:debug:main No need to upgrade! p5.28-sub-exporter 0.987.0_1 >= p5.28-sub-exporter
0.987.0_1
:debug:main epoch: in tree: 0 installed: 0
:debug:main p5.28-data-optlist 0.110.0_0 exists in the ports tree
:debug:main p5.28-data-optlist 0.110.0_0 is the latest installed
:debug:main p5.28-data-optlist 0.110.0_0 is active
:debug:main Merging existing variants "" into variants
:debug:main new fully merged portvariants:
:debug:main Changing to port directory:
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/perl/
p5-data-optlist
:debug:main OS darwin/19.6.0 (macOS 10.15) arch i386
:debug:main Re-registering default for configure.universal_args
:debug:main Sourcing PortGroup perl5 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_reso
urces/port1.0/group/perl5-1.0.tcl
:debug:main Re-registering default for livecheck.version
:debug:main only one arch supported, so not adding the default universal variant
:debug:main Running callback portconfigure::add_automatic_compiler_dependencies
:debug:main Finished running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Running callback portbuild::add_automatic_buildsystem_dependencies
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
:debug:main Running callback portstartupitem::add_notes
:debug:main Finished running callback portstartupitem::add_notes
:debug:main No need to upgrade! p5.28-data-optlist 0.110.0_0 >= p5.28-data-optlist
0.110.0_0
:debug:main epoch: in tree: 0 installed: 0
:debug:main p5.28-params-util 1.102.0_0 exists in the ports tree
:debug:main p5.28-params-util 1.102.0_0 is the latest installed
:debug:main p5.28-params-util 1.102.0_0 is active
:debug:main Merging existing variants "" into variants
:debug:main new fully merged portvariants:
:debug:main Changing to port directory:
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/perl/
p5-params-util
:debug:main OS darwin/19.6.0 (macOS 10.15) arch i386
:debug:main Re-registering default for configure.universal_args
```

```
:debug:main Sourcing PortGroup perl5 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_resources/port1.0/group/perl5-1.0.tcl
:debug:main Re-registering default for livecheck.version
:debug:main adding the default universal variant
:debug:main Reading variant descriptions from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_resources/port1.0/variant_descriptions.conf
:debug:main Running callback portconfigure::add_automatic_compiler_dependencies
:debug:main Finished running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Running callback portbuild::add_automatic_buildsystem_dependencies
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
:debug:main Running callback portstartupitem::add_notes
:debug:main Finished running callback portstartupitem::add_notes
:debug:main No need to upgrade! p5.28-params-util 1.102.0_0 >= p5.28-params-util
1.102.0_0
:debug:main epoch: in tree: 0 installed: 0
:debug:main p5.28-sub-install 0.928.0_1 exists in the ports tree
:debug:main p5.28-sub-install 0.928.0_1 is the latest installed
:debug:main p5.28-sub-install 0.928.0_1 is active
:debug:main Merging existing variants " into variants
:debug:main new fully merged portvariants:
:debug:main Changing to port directory:
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/perl/
p5-sub-install
:debug:main OS darwin/19.6.0 (macOS 10.15) arch i386
:debug:main Re-registering default for configure.universal_args
:debug:main Sourcing PortGroup perl5 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_resources/port1.0/group/perl5-1.0.tcl
:debug:main Re-registering default for livecheck.version
:debug:main only one arch supported, so not adding the default universal variant
:debug:main Running callback portconfigure::add_automatic_compiler_dependencies
:debug:main Finished running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Running callback portbuild::add_automatic_buildsystem_dependencies
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
:debug:main Running callback portstartupitem::add_notes
:debug:main Finished running callback portstartupitem::add_notes
:debug:main No need to upgrade! p5.28-sub-install 0.928.0_1 >= p5.28-sub-install 0.928.0_1
:debug:main epoch: in tree: 0 installed: 0
:debug:main p5.28-throwable 0.200.13_0 exists in the ports tree
:debug:main p5.28-throwable 0.200.13_0 is the latest installed
:debug:main p5.28-throwable 0.200.13_0 is active
```

```
:debug:main Merging existing variants '' into variants
:debug:main new fully merged portvariants:
:debug:main Changing to port directory:
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/perl/
p5-throwable
:debug:main OS darwin/19.6.0 (macOS 10.15) arch i386
:debug:main Re-registering default for configure.universal_args
:debug:main Sourcing PortGroup perl5 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_reso
urces/port1.0/group/perl5-1.0.tcl
:debug:main Re-registering default for livecheck.version
:debug:main only one arch supported, so not adding the default universal variant
:debug:main Running callback portconfigure::add_automatic_compiler_dependencies
:debug:main Finished running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Running callback portbuild::add_automatic_buildsystem_dependencies
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
:debug:main Running callback portstartupitem::add_notes
:debug:main Finished running callback portstartupitem::add_notes
:debug:main No need to upgrade! p5.28-throwable 0.200.13_0 >= p5.28-throwable
0.200.13_0
:debug:main epoch: in tree: 1 installed: 1
:debug:main p5.28-devel-stacktrace 2.40.0_0 exists in the ports tree
:debug:main p5.28-devel-stacktrace 2.40.0_0 is the latest installed
:debug:main p5.28-devel-stacktrace 2.40.0_0 is active
:debug:main Merging existing variants '' into variants
:debug:main new fully merged portvariants:
:debug:main Changing to port directory:
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/perl/
p5-devel-stacktrace
:debug:main OS darwin/19.6.0 (macOS 10.15) arch i386
:debug:main Re-registering default for configure.universal_args
:debug:main Sourcing PortGroup perl5 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_reso
urces/port1.0/group/perl5-1.0.tcl
:debug:main Re-registering default for livecheck.version
:debug:main only one arch supported, so not adding the default universal variant
:debug:main Running callback portconfigure::add_automatic_compiler_dependencies
:debug:main Finished running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Running callback portbuild::add_automatic_buildsystem_dependencies
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
:debug:main Running callback portstartupitem::add_notes
:debug:main Finished running callback portstartupitem::add_notes
```

```
:debug:main No need to upgrade! p5.28-devel-stacktrace 2.40.0_0 >= p5.28-devel-
stacktrace 2.40.0_0
:debug:main epoch: in tree: 0 installed: 0
:debug:main p5.28-try-tiny 0.300.0_0 exists in the ports tree
:debug:main p5.28-try-tiny 0.300.0_0 is the latest installed
:debug:main p5.28-try-tiny 0.300.0_0 is active
:debug:main Merging existing variants "" into variants
:debug:main new fully merged portvariants:
:debug:main Changing to port directory:
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/perl/
p5-try-tiny
:debug:main OS darwin/19.6.0 (macOS 10.15) arch i386
:debug:main Re-registering default for configure.universal_args
:debug:main Sourcing PortGroup perl5 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_reso
urces/port1.0/group/perl5-1.0.tcl
:debug:main Re-registering default for livecheck.version
:debug:main only one arch supported, so not adding the default universal variant
:debug:main Running callback portconfigure::add_automatic_compiler_dependencies
:debug:main Finished running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Running callback portbuild::add_automatic_buildsystem_dependencies
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
:debug:main Running callback portstartupitem::add_notes
:debug:main Finished running callback portstartupitem::add_notes
:debug:main No need to upgrade! p5.28-try-tiny 0.300.0_0 >= p5.28-try-tiny 0.300.0_0
:debug:main epoch: in tree: 0 installed: 0
:debug:main p5.28-file-basedir 0.80.0_0 exists in the ports tree
:debug:main p5.28-file-basedir 0.80.0_0 is the latest installed
:debug:main p5.28-file-basedir 0.80.0_0 is active
:debug:main Merging existing variants "" into variants
:debug:main new fully merged portvariants:
:debug:main Changing to port directory:
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/perl/
p5-file-basedir
:debug:main OS darwin/19.6.0 (macOS 10.15) arch i386
:debug:main Re-registering default for configure.universal_args
:debug:main Sourcing PortGroup perl5 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_reso
urces/port1.0/group/perl5-1.0.tcl
:debug:main Re-registering default for livecheck.version
:debug:main Re-registering default for configure.args
:debug:main only one arch supported, so not adding the default universal variant
:debug:main Running callback portconfigure::add_automatic_compiler_dependencies
:debug:main Finished running callback
portconfigure::add_automatic_compiler_dependencies
```

```
:debug:main Running callback portbuild::add_automatic_buildsystem_dependencies
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
:debug:main Running callback portstartupitem::add_notes
:debug:main Finished running callback portstartupitem::add_notes
:debug:main No need to upgrade! p5.28-file-basedir 0.80.0_0 >= p5.28-file-basedir 0.80.0_0
:debug:main epoch: in tree: 0 installed: 0
:debug:main p5.28-ipc-system-simple 1.300.0_0 exists in the ports tree
:debug:main p5.28-ipc-system-simple 1.300.0_0 is the latest installed
:debug:main p5.28-ipc-system-simple 1.300.0_0 is active
:debug:main Merging existing variants "" into variants
:debug:main new fully merged portvariants:
:debug:main Changing to port directory:
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/perl/
p5-ipc-system-simple
:debug:main OS darwin/19.6.0 (macOS 10.15) arch i386
:debug:main Re-registering default for configure.universal_args
:debug:main Sourcing PortGroup perl5 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_reso
urces/port1.0/group/perl5-1.0.tcl
:debug:main Re-registering default for livecheck.version
:debug:main only one arch supported, so not adding the default universal variant
:debug:main Running callback portconfigure::add_automatic_compiler_dependencies
:debug:main Finished running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Running callback portbuild::add_automatic_buildsystem_dependencies
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
:debug:main Running callback portstartupitem::add_notes
:debug:main Finished running callback portstartupitem::add_notes
:debug:main No need to upgrade! p5.28-ipc-system-simple 1.300.0_0 >= p5.28-ipc-system-
simple 1.300.0_0
:debug:main epoch: in tree: 0 installed: 0
:debug:main p5.28-file-mimeinfo 0.300.0_0 exists in the ports tree
:debug:main p5.28-file-mimeinfo 0.300.0_0 is the latest installed
:debug:main p5.28-file-mimeinfo 0.300.0_0 is active
:debug:main Merging existing variants "" into variants
:debug:main new fully merged portvariants:
:debug:main Changing to port directory:
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/perl/
p5-file-mimeinfo
:debug:main OS darwin/19.6.0 (macOS 10.15) arch i386
:debug:main Re-registering default for configure.universal_args
:debug:main Sourcing PortGroup perl5 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_reso
urces/port1.0/group/perl5-1.0.tcl
:debug:main Re-registering default for livecheck.version
```

```
:debug:main adding the default universal variant
:debug:main Reading variant descriptions from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_resources/port1.0/variant_descriptions.conf
:debug:main Running callback portconfigure::add_automatic_compiler_dependencies
:debug:main Finished running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Running callback portbuild::add_automatic_buildsystem_dependencies
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
:debug:main Running callback portstartupitem::add_notes
:debug:main Finished running callback portstartupitem::add_notes
:debug:main No need to upgrade! p5.28-file-mimeinfo 0.300.0_0 >= p5.28-file-mimeinfo
0.300.0_0
:debug:main epoch: in tree: 0 installed: 0
:debug:main p5.28-glib-object-introspection 0.48.0_1 exists in the ports tree
:debug:main p5.28-glib-object-introspection 0.48.0_1 is the latest installed
:debug:main p5.28-glib-object-introspection 0.48.0_1 is active
:debug:main Merging existing variants " into variants
:debug:main new fully merged portvariants:
:debug:main Changing to port directory:
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/perl/
p5-glib-object-introspection
:debug:main OS darwin/19.6.0 (macOS 10.15) arch i386
:debug:main Re-registering default for configure.universal_args
:debug:main Sourcing PortGroup perl5 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_resources/port1.0/group/perl5-1.0.tcl
:debug:main Re-registering default for livecheck.version
:debug:main adding the default universal variant
:debug:main Reading variant descriptions from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_resources/port1.0/variant_descriptions.conf
:debug:main Running callback portconfigure::add_automatic_compiler_dependencies
:debug:main Finished running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Running callback portbuild::add_automatic_buildsystem_dependencies
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
:debug:main Running callback portstartupitem::add_notes
:debug:main Finished running callback portstartupitem::add_notes
:debug:main No need to upgrade! p5.28-glib-object-introspection 0.48.0_1 >= p5.28-glib-
object-introspection 0.48.0_1
:debug:main epoch: in tree: 0 installed: 0
:debug:main p5.28-glib 1.329.300_0 exists in the ports tree
:debug:main p5.28-glib 1.329.300_0 is the latest installed
:debug:main p5.28-glib 1.329.300_0 is active
```

```
:debug:main Merging existing variants '' into variants
:debug:main new fully merged portvariants:
:debug:main Changing to port directory:
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/perl/
p5-glib
:debug:main OS darwin/19.6.0 (macOS 10.15) arch i386
:debug:main Re-registering default for configure.universal_args
:debug:main Sourcing PortGroup perl5 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_reso
urces/port1.0/group/perl5-1.0.tcl
:debug:main Re-registering default for livecheck.version
:debug:main adding the default universal variant
:debug:main Reading variant descriptions from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_reso
urces/port1.0/variant_descriptions.conf
:debug:main Running callback portconfigure::add_automatic_compiler_dependencies
:debug:main Finished running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Running callback portbuild::add_automatic_buildsystem_dependencies
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
:debug:main Running callback portstartupitem::add_notes
:debug:main Finished running callback portstartupitem::add_notes
:debug:main No need to upgrade! p5.28-glib 1.329.300_0 >= p5.28-glib 1.329.300_0
:debug:main epoch: in tree: 0 installed: 0
:debug:main p5.28-extutils-depends 0.800.0_0 exists in the ports tree
:debug:main p5.28-extutils-depends 0.800.0_0 is the latest installed
:debug:main p5.28-extutils-depends 0.800.0_0 is active
:debug:main Merging existing variants '' into variants
:debug:main new fully merged portvariants:
:debug:main Changing to port directory:
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/perl/
p5-extutils-depends
:debug:main OS darwin/19.6.0 (macOS 10.15) arch i386
:debug:main Re-registering default for configure.universal_args
:debug:main Sourcing PortGroup perl5 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_reso
urces/port1.0/group/perl5-1.0.tcl
:debug:main Re-registering default for livecheck.version
:debug:main only one arch supported, so not adding the default universal variant
:debug:main Running callback portconfigure::add_automatic_compiler_dependencies
:debug:main Finished running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Running callback portbuild::add_automatic_buildsystem_dependencies
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
:debug:main Running callback portstartupitem::add_notes
```

```
:debug:main Finished running callback portstartupitem::add_notes
:debug:main No need to upgrade! p5.28-extutils-depends 0.800.0_0 >= p5.28-extutils-
depends 0.800.0_0
:debug:main epoch: in tree: 0 installed: 0
:debug:main p5.28-extutils-pkgconfig 1.160.0_0 exists in the ports tree
:debug:main p5.28-extutils-pkgconfig 1.160.0_0 is the latest installed
:debug:main p5.28-extutils-pkgconfig 1.160.0_0 is active
:debug:main Merging existing variants "" into variants
:debug:main new fully merged portvariants:
:debug:main Changing to port directory:
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/perl/
p5-extutils-pkgconfig
:debug:main OS darwin/19.6.0 (macOS 10.15) arch i386
:debug:main Re-registering default for configure.universal_args
:debug:main Sourcing PortGroup perl5 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_reso
urces/port1.0/group/perl5-1.0.tcl
:debug:main Re-registering default for livecheck.version
:debug:main only one arch supported, so not adding the default universal variant
:debug:main Running callback portconfigure::add_automatic_compiler_dependencies
:debug:main Finished running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Running callback portbuild::add_automatic_buildsystem_dependencies
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
:debug:main Running callback portstartupitem::add_notes
:debug:main Finished running callback portstartupitem::add_notes
:debug:main No need to upgrade! p5.28-extutils-pkgconfig 1.160.0_0 >= p5.28-extutils-
pkgconfig 1.160.0_0
:debug:main epoch: in tree: 0 installed: 0
:debug:main p5.28-gtk3 0.37.0_0 exists in the ports tree
:debug:main p5.28-gtk3 0.37.0_0 is the latest installed
:debug:main p5.28-gtk3 0.37.0_0 is active
:debug:main Merging existing variants "" into variants
:debug:main new fully merged portvariants:
:debug:main Changing to port directory:
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/perl/
p5-gtk3
:debug:main OS darwin/19.6.0 (macOS 10.15) arch i386
:debug:main Re-registering default for configure.universal_args
:debug:main Sourcing PortGroup perl5 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_reso
urces/port1.0/group/perl5-1.0.tcl
:debug:main Re-registering default for livecheck.version
:debug:main only one arch supported, so not adding the default universal variant
:debug:main Running callback portconfigure::add_automatic_compiler_dependencies
```



```
:debug:main Finished running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Running callback portbuild::add_automatic_buildsystem_dependencies
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
:debug:main Running callback portstartupitem::add_notes
:debug:main Finished running callback portstartupitem::add_notes
:debug:main No need to upgrade! p5.28-gtk3 0.37.0_0 >= p5.28-gtk3 0.37.0_0
:debug:main epoch: in tree: 0 installed: 0
:debug:main adwaita-icon-theme 3.38.0_0 exists in the ports tree
:debug:main adwaita-icon-theme 3.38.0_0 is the latest installed
:debug:main adwaita-icon-theme 3.38.0_0 is active
:debug:main Merging existing variants " into variants
:debug:main new fully merged portvariants:
:debug:main Changing to port directory:
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/gnome/adwaita-icon-theme
:debug:main OS darwin/19.6.0 (macOS 10.15) arch i386
:debug:main adding the default universal variant
:debug:main Reading variant descriptions from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_resources/port1.0/variant_descriptions.conf
:debug:main Running callback portconfigure::add_automatic_compiler_dependencies
:debug:main Finished running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Running callback portbuild::add_automatic_buildsystem_dependencies
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
:debug:main Running callback portstartupitem::add_notes
:debug:main Finished running callback portstartupitem::add_notes
:debug:main No need to upgrade! adwaita-icon-theme 3.38.0_0 >= adwaita-icon-theme 3.38.0_0
:debug:main epoch: in tree: 0 installed: 0
:debug:main p5.28-cairo-gobject 1.5.0_0 exists in the ports tree
:debug:main p5.28-cairo-gobject 1.5.0_0 is the latest installed
:debug:main p5.28-cairo-gobject 1.5.0_0 is active
:debug:main Merging existing variants " into variants
:debug:main new fully merged portvariants:
:debug:main Changing to port directory:
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/perl/p5-cairo-gobject
:debug:main OS darwin/19.6.0 (macOS 10.15) arch i386
:debug:main Re-registering default for configure.universal_args
:debug:main Sourcing PortGroup perl5 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_resources/port1.0/group/perl5-1.0.tcl
:debug:main Re-registering default for livecheck.version
```

```
:debug:main adding the default universal variant
:debug:main Reading variant descriptions from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_resources/port1.0/variant_descriptions.conf
:debug:main Running callback portconfigure::add_automatic_compiler_dependencies
:debug:main Finished running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Running callback portbuild::add_automatic_buildsystem_dependencies
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
:debug:main Running callback portstartupitem::add_notes
:debug:main Finished running callback portstartupitem::add_notes
:debug:main No need to upgrade! p5.28-cairo-gobject 1.5.0_0 >= p5.28-cairo-gobject
1.5.0_0
:debug:main epoch: in tree: 0 installed: 0
:debug:main p5.28-cairo 1.108.0_0 exists in the ports tree
:debug:main p5.28-cairo 1.108.0_0 is the latest installed
:debug:main p5.28-cairo 1.108.0_0 is active
:debug:main Merging existing variants " into variants
:debug:main new fully merged portvariants:
:debug:main Changing to port directory:
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/perl/
p5-cairo
:debug:main OS darwin/19.6.0 (macOS 10.15) arch i386
:debug:main Re-registering default for configure.universal_args
:debug:main Sourcing PortGroup perl5 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_resources/port1.0/group/perl5-1.0.tcl
:debug:main Re-registering default for livecheck.version
:debug:main adding the default universal variant
:debug:main Reading variant descriptions from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_resources/port1.0/variant_descriptions.conf
:debug:main Running callback portconfigure::add_automatic_compiler_dependencies
:debug:main Finished running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Running callback portbuild::add_automatic_buildsystem_dependencies
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
:debug:main Running callback portstartupitem::add_notes
:debug:main Finished running callback portstartupitem::add_notes
:debug:main No need to upgrade! p5.28-cairo 1.108.0_0 >= p5.28-cairo 1.108.0_0
:debug:main epoch: in tree: 0 installed: 0
:debug:main p5.28-font-freetype 0.160.0_0 exists in the ports tree
:debug:main p5.28-font-freetype 0.160.0_0 is the latest installed
:debug:main p5.28-font-freetype 0.160.0_0 is active
:debug:main Merging existing variants " into variants
```

```
:debug:main new fully merged portvariants:
:debug:main Changing to port directory:
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/perl/
p5-font-freetype
:debug:main OS darwin/19.6.0 (macOS 10.15) arch i386
:debug:main Re-registering default for configure.universal_args
:debug:main Sourcing PortGroup perl5 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_reso
urces/port1.0/group/perl5-1.0.tcl
:debug:main Re-registering default for livecheck.version
:debug:main adding the default universal variant
:debug:main Reading variant descriptions from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_reso
urces/port1.0/variant_descriptions.conf
:debug:main Running callback portconfigure::add_automatic_compiler_dependencies
:debug:main Finished running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Running callback portbuild::add_automatic_buildsystem_dependencies
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
:debug:main Running callback portstartupitem::add_notes
:debug:main Finished running callback portstartupitem::add_notes
:debug:main No need to upgrade! p5.28-font-freetype 0.160.0_0 >= p5.28-font-freetype
0.160.0_0
:debug:main epoch: in tree: 0 installed: 0
:debug:main p5.28-locale-codes 3.660.0_0 exists in the ports tree
:debug:main p5.28-locale-codes 3.660.0_0 is the latest installed
:debug:main p5.28-locale-codes 3.660.0_0 is active
:debug:main Merging existing variants '' into variants
:debug:main new fully merged portvariants:
:debug:main Changing to port directory:
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/perl/
p5-locale-codes
:debug:main OS darwin/19.6.0 (macOS 10.15) arch i386
:debug:main Re-registering default for configure.universal_args
:debug:main Sourcing PortGroup perl5 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_reso
urces/port1.0/group/perl5-1.0.tcl
:debug:main Re-registering default for livecheck.version
:debug:main only one arch supported, so not adding the default universal variant
:debug:main Running callback portconfigure::add_automatic_compiler_dependencies
:debug:main Finished running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Running callback portbuild::add_automatic_buildsystem_dependencies
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
:debug:main Running callback portstartupitem::add_notes
```

```
:debug:main Finished running callback portstartupitem::add_notes
:debug:main No need to upgrade! p5.28-locale-codes 3.660.0_0 >= p5.28-locale-codes
3.660.0_0
:debug:main epoch: in tree: 0 installed: 0
:debug:main p5.28-locale-gettext 1.70.0_0 exists in the ports tree
:debug:main p5.28-locale-gettext 1.70.0_0 is the latest installed
:debug:main p5.28-locale-gettext 1.70.0_0 is active
:debug:main Merging existing variants " into variants
:debug:main new fully merged portvariants:
:debug:main Changing to port directory:
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/perl/
p5-locale-gettext
:debug:main OS darwin/19.6.0 (macOS 10.15) arch i386
:debug:main Sourcing PortGroup compiler_blacklist_versions 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_reso
urces/port1.0/group/compiler_blacklist_versions-1.0.tcl
:debug:main Re-registering default for configure.universal_args
:debug:main Sourcing PortGroup perl5 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_reso
urces/port1.0/group/perl5-1.0.tcl
:debug:main Sourcing PortGroup clang_dependency 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_reso
urces/port1.0/group/clang_dependency-1.0.tcl
:debug:main Re-registering default for livecheck.version
:debug:main adding the default universal variant
:debug:main Reading variant descriptions from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_reso
urces/port1.0/variant_descriptions.conf
:debug:main Running callback portconfigure::add_automatic_compiler_dependencies
:debug:main Finished running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Running callback portbuild::add_automatic_buildsystem_dependencies
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
:debug:main Running callback portstartupitem::add_notes
:debug:main Finished running callback portstartupitem::add_notes
:debug:main No need to upgrade! p5.28-locale-gettext 1.70.0_0 >= p5.28-locale-gettext
1.70.0_0
:debug:main epoch: in tree: 0 installed: 0
:debug:main p5.28-module-load-conditional 0.740.0_0 exists in the ports tree
:debug:main p5.28-module-load-conditional 0.740.0_0 is the latest installed
:debug:main p5.28-module-load-conditional 0.740.0_0 is active
:debug:main Merging existing variants " into variants
:debug:main new fully merged portvariants:
:debug:main Changing to port directory:
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/perl/
p5-module-load-conditional
```

```
:debug:main OS darwin/19.6.0 (macOS 10.15) arch i386
:debug:main Re-registering default for configure.universal_args
:debug:main Sourcing PortGroup perl5 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_resources/port1.0/group/perl5-1.0.tcl
:debug:main Re-registering default for livecheck.version
:debug:main only one arch supported, so not adding the default universal variant
:debug:main Running callback portconfigure::add_automatic_compiler_dependencies
:debug:main Finished running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Running callback portbuild::add_automatic_buildsystem_dependencies
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
:debug:main Running callback portstartupitem::add_notes
:debug:main Finished running callback portstartupitem::add_notes
:debug:main No need to upgrade! p5.28-module-load-conditional 0.740.0_0 >= p5.28-module-load-conditional 0.740.0_0
:debug:main epoch: in tree: 0 installed: 0
:debug:main p5.28-locale-maketext-simple 0.210.0_3 exists in the ports tree
:debug:main p5.28-locale-maketext-simple 0.210.0_3 is the latest installed
:debug:main p5.28-locale-maketext-simple 0.210.0_3 is active
:debug:main Merging existing variants " into variants
:debug:main new fully merged portvariants:
:debug:main Changing to port directory:
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/perl/p5-locale-maketext-simple
:debug:main OS darwin/19.6.0 (macOS 10.15) arch i386
:debug:main Re-registering default for configure.universal_args
:debug:main Sourcing PortGroup perl5 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_resources/port1.0/group/perl5-1.0.tcl
:debug:main Re-registering default for livecheck.version
:debug:main only one arch supported, so not adding the default universal variant
:debug:main Running callback portconfigure::add_automatic_compiler_dependencies
:debug:main Finished running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Running callback portbuild::add_automatic_buildsystem_dependencies
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
:debug:main Running callback portstartupitem::add_notes
:debug:main Finished running callback portstartupitem::add_notes
:debug:main No need to upgrade! p5.28-locale-maketext-simple 0.210.0_3 >= p5.28-locale-maketext-simple 0.210.0_3
:debug:main epoch: in tree: 0 installed: 0
:debug:main p5.28-module-load 0.360.0_0 exists in the ports tree
:debug:main p5.28-module-load 0.360.0_0 is the latest installed
:debug:main p5.28-module-load 0.360.0_0 is active
```

```
:debug:main Merging existing variants '' into variants
:debug:main new fully merged portvariants:
:debug:main Changing to port directory:
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/perl/
p5-module-load
:debug:main OS darwin/19.6.0 (macOS 10.15) arch i386
:debug:main Re-registering default for configure.universal_args
:debug:main Sourcing PortGroup perl5 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_reso
urces/port1.0/group/perl5-1.0.tcl
:debug:main Re-registering default for livecheck.version
:debug:main only one arch supported, so not adding the default universal variant
:debug:main Running callback portconfigure::add_automatic_compiler_dependencies
:debug:main Finished running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Running callback portbuild::add_automatic_buildsystem_dependencies
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
:debug:main Running callback portstartupitem::add_notes
:debug:main Finished running callback portstartupitem::add_notes
:debug:main No need to upgrade! p5.28-module-load 0.360.0_0 >= p5.28-module-load
0.360.0_0
:debug:main epoch: in tree: 0 installed: 0
:debug:main p5.28-params-check 0.380.0_1 exists in the ports tree
:debug:main p5.28-params-check 0.380.0_1 is the latest installed
:debug:main p5.28-params-check 0.380.0_1 is active
:debug:main Merging existing variants '' into variants
:debug:main new fully merged portvariants:
:debug:main Changing to port directory:
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/perl/
p5-params-check
:debug:main OS darwin/19.6.0 (macOS 10.15) arch i386
:debug:main Re-registering default for configure.universal_args
:debug:main Sourcing PortGroup perl5 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_reso
urces/port1.0/group/perl5-1.0.tcl
:debug:main Re-registering default for livecheck.version
:debug:main only one arch supported, so not adding the default universal variant
:debug:main Running callback portconfigure::add_automatic_compiler_dependencies
:debug:main Finished running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Running callback portbuild::add_automatic_buildsystem_dependencies
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
:debug:main Running callback portstartupitem::add_notes
:debug:main Finished running callback portstartupitem::add_notes
```

```
:debug:main No need to upgrade! p5.28-params-check 0.380.0_1 >= p5.28-params-check
0.380.0_1
:debug:main epoch: in tree: 0 installed: 0
:debug:main p5.28-openoffice-oodoc 2.125.0_2 exists in the ports tree
:debug:main p5.28-openoffice-oodoc 2.125.0_2 is the latest installed
:debug:main p5.28-openoffice-oodoc 2.125.0_2 is active
:debug:main Merging existing variants "" into variants
:debug:main new fully merged portvariants:
:debug:main Changing to port directory:
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/perl/
p5-openoffice-oodoc
:debug:main OS darwin/19.6.0 (macOS 10.15) arch i386
:debug:main Re-registering default for configure.universal_args
:debug:main Sourcing PortGroup perl5 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_reso
urces/port1.0/group/perl5-1.0.tcl
:debug:main Re-registering default for livecheck.version
:debug:main only one arch supported, so not adding the default universal variant
:debug:main Running callback portconfigure::add_automatic_compiler_dependencies
:debug:main Finished running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Running callback portbuild::add_automatic_buildsystem_dependencies
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
:debug:main Running callback portstartupitem::add_notes
:debug:main Finished running callback portstartupitem::add_notes
:debug:main No need to upgrade! p5.28-openoffice-oodoc 2.125.0_2 >= p5.28-openoffice-
oodoc 2.125.0_2
:debug:main epoch: in tree: 0 installed: 0
:debug:main p5.28-xml-twig 3.520.0_0 exists in the ports tree
:debug:main p5.28-xml-twig 3.520.0_0 is the latest installed
:debug:main p5.28-xml-twig 3.520.0_0 is active
:debug:main Merging existing variants "" into variants
:debug:main new fully merged portvariants:
:debug:main Changing to port directory:
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/perl/
p5-xml-twig
:debug:main OS darwin/19.6.0 (macOS 10.15) arch i386
:debug:main Re-registering default for configure.universal_args
:debug:main Sourcing PortGroup perl5 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_reso
urces/port1.0/group/perl5-1.0.tcl
:debug:main Re-registering default for livecheck.version
:debug:main only one arch supported, so not adding the default universal variant
:debug:main Running callback portconfigure::add_automatic_compiler_dependencies
:debug:main Finished running callback
portconfigure::add_automatic_compiler_dependencies
```

```
:debug:main Running callback portbuild::add_automatic_buildsystem_dependencies
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
:debug:main Running callback portstartupitem::add_notes
:debug:main Finished running callback portstartupitem::add_notes
:debug:main No need to upgrade! p5.28-xml-twig 3.520.0_0 >= p5.28-xml-twig 3.520.0_0
:debug:main epoch: in tree: 0 installed: 0
:debug:main p5.28-html-entities-numbered 0.40.0_0 exists in the ports tree
:debug:main p5.28-html-entities-numbered 0.40.0_0 is the latest installed
:debug:main p5.28-html-entities-numbered 0.40.0_0 is active
:debug:main Merging existing variants "" into variants
:debug:main new fully merged portvariants:
:debug:main Changing to port directory:
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/perl/
p5-html-entities-numbered
:debug:main OS darwin/19.6.0 (macOS 10.15) arch i386
:debug:main Re-registering default for configure.universal_args
:debug:main Sourcing PortGroup perl5 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_reso
urces/port1.0/group/perl5-1.0.tcl
:debug:main Re-registering default for livecheck.version
:debug:main only one arch supported, so not adding the default universal variant
:debug:main Running callback portconfigure::add_automatic_compiler_dependencies
:debug:main Finished running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Running callback portbuild::add_automatic_buildsystem_dependencies
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
:debug:main Running callback portstartupitem::add_notes
:debug:main Finished running callback portstartupitem::add_notes
:debug:main No need to upgrade! p5.28-html-entities-numbered 0.40.0_0 >= p5.28-html-
entities-numbered 0.40.0_0
:debug:main epoch: in tree: 0 installed: 0
:debug:main p5.28-html-parser 3.750.0_0 exists in the ports tree
:debug:main p5.28-html-parser 3.750.0_0 is the latest installed
:debug:main p5.28-html-parser 3.750.0_0 is active
:debug:main Merging existing variants "" into variants
:debug:main new fully merged portvariants:
:debug:main Changing to port directory:
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/perl/
p5-html-parser
:debug:main OS darwin/19.6.0 (macOS 10.15) arch i386
:debug:main Re-registering default for configure.universal_args
:debug:main Sourcing PortGroup perl5 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_reso
urces/port1.0/group/perl5-1.0.tcl
:debug:main Re-registering default for livecheck.version
```



```
:debug:main adding the default universal variant
:debug:main Reading variant descriptions from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_resources/port1.0/variant_descriptions.conf
:debug:main Running callback portconfigure::add_automatic_compiler_dependencies
:debug:main Finished running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Running callback portbuild::add_automatic_buildsystem_dependencies
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
:debug:main Running callback portstartupitem::add_notes
:debug:main Finished running callback portstartupitem::add_notes
:debug:main No need to upgrade! p5.28-html-parser 3.750.0_0 >= p5.28-html-parser
3.750.0_0
:debug:main epoch: in tree: 0 installed: 0
:debug:main p5.28-html-tagset 3.200.0_4 exists in the ports tree
:debug:main p5.28-html-tagset 3.200.0_4 is the latest installed
:debug:main p5.28-html-tagset 3.200.0_4 is active
:debug:main Merging existing variants " into variants
:debug:main new fully merged portvariants:
:debug:main Changing to port directory:
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/perl/
p5-html-tagset
:debug:main OS darwin/19.6.0 (macOS 10.15) arch i386
:debug:main Re-registering default for configure.universal_args
:debug:main Sourcing PortGroup perl5 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_resources/port1.0/group/perl5-1.0.tcl
:debug:main Re-registering default for livecheck.version
:debug:main only one arch supported, so not adding the default universal variant
:debug:main Running callback portconfigure::add_automatic_compiler_dependencies
:debug:main Finished running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Running callback portbuild::add_automatic_buildsystem_dependencies
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
:debug:main Running callback portstartupitem::add_notes
:debug:main Finished running callback portstartupitem::add_notes
:debug:main No need to upgrade! p5.28-html-tagset 3.200.0_4 >= p5.28-html-tagset
3.200.0_4
:debug:main epoch: in tree: 0 installed: 0
:debug:main p5.28-http-message 6.260.0_0 exists in the ports tree
:debug:main p5.28-http-message 6.260.0_0 is the latest installed
:debug:main p5.28-http-message 6.260.0_0 is active
:debug:main Merging existing variants " into variants
:debug:main new fully merged portvariants:
```

```
:debug:main Changing to port directory:
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/perl/
p5-http-message
:debug:main OS darwin/19.6.0 (macOS 10.15) arch i386
:debug:main Re-registering default for configure.universal_args
:debug:main Sourcing PortGroup perl5 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_reso
urces/port1.0/group/perl5-1.0.tcl
:debug:main Re-registering default for livecheck.version
:debug:main only one arch supported, so not adding the default universal variant
:debug:main Running callback portconfigure::add_automatic_compiler_dependencies
:debug:main Finished running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Running callback portbuild::add_automatic_buildsystem_dependencies
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
:debug:main Running callback portstartupitem::add_notes
:debug:main Finished running callback portstartupitem::add_notes
:debug:main No need to upgrade! p5.28-http-message 6.260.0_0 >= p5.28-http-message
6.260.0_0
:debug:main epoch: in tree: 0 installed: 0
:debug:main p5.28-encode-locale 1.50.0_0 exists in the ports tree
:debug:main p5.28-encode-locale 1.50.0_0 is the latest installed
:debug:main p5.28-encode-locale 1.50.0_0 is active
:debug:main Merging existing variants " into variants
:debug:main new fully merged portvariants:
:debug:main Changing to port directory:
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/perl/
p5-encode-locale
:debug:main OS darwin/19.6.0 (macOS 10.15) arch i386
:debug:main Re-registering default for configure.universal_args
:debug:main Sourcing PortGroup perl5 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_reso
urces/port1.0/group/perl5-1.0.tcl
:debug:main Re-registering default for livecheck.version
:debug:main only one arch supported, so not adding the default universal variant
:debug:main Running callback portconfigure::add_automatic_compiler_dependencies
:debug:main Finished running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Running callback portbuild::add_automatic_buildsystem_dependencies
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
:debug:main Running callback portstartupitem::add_notes
:debug:main Finished running callback portstartupitem::add_notes
:debug:main No need to upgrade! p5.28-encode-locale 1.50.0_0 >= p5.28-encode-locale
1.50.0_0
:debug:main epoch: in tree: 0 installed: 0
```

```
:debug:main p5.28-http-date 6.50.0_0 exists in the ports tree
:debug:main p5.28-http-date 6.50.0_0 is the latest installed
:debug:main p5.28-http-date 6.50.0_0 is active
:debug:main Merging existing variants "" into variants
:debug:main new fully merged portvariants:
:debug:main Changing to port directory:
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/perl/
p5-http-date
:debug:main OS darwin/19.6.0 (macOS 10.15) arch i386
:debug:main Re-registering default for configure.universal_args
:debug:main Sourcing PortGroup perl5 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_reso
urces/port1.0/group/perl5-1.0.tcl
:debug:main Re-registering default for livecheck.version
:debug:main only one arch supported, so not adding the default universal variant
:debug:main Running callback portconfigure::add_automatic_compiler_dependencies
:debug:main Finished running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Running callback portbuild::add_automatic_buildsystem_dependencies
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
:debug:main Running callback portstartupitem::add_notes
:debug:main Finished running callback portstartupitem::add_notes
:debug:main No need to upgrade! p5.28-http-date 6.50.0_0 >= p5.28-http-date 6.50.0_0
:debug:main epoch: in tree: 0 installed: 0
:debug:main p5.28-time-local 1.300.0_0 exists in the ports tree
:debug:main p5.28-time-local 1.300.0_0 is the latest installed
:debug:main p5.28-time-local 1.300.0_0 is active
:debug:main Merging existing variants "" into variants
:debug:main new fully merged portvariants:
:debug:main Changing to port directory:
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/perl/
p5-time-local
:debug:main OS darwin/19.6.0 (macOS 10.15) arch i386
:debug:main Re-registering default for configure.universal_args
:debug:main Sourcing PortGroup perl5 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_reso
urces/port1.0/group/perl5-1.0.tcl
:debug:main Re-registering default for livecheck.version
:debug:main only one arch supported, so not adding the default universal variant
:debug:main Running callback portconfigure::add_automatic_compiler_dependencies
:debug:main Finished running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Running callback portbuild::add_automatic_buildsystem_dependencies
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
:debug:main Running callback portstartupitem::add_notes
```

```
:debug:main Finished running callback portstartupitem::add_notes
:debug:main No need to upgrade! p5.28-time-local 1.300.0_0 >= p5.28-time-local 1.300.0_0
:debug:main epoch: in tree: 0 installed: 0
:debug:main p5.28-timedate 2.330.0_0 exists in the ports tree
:debug:main p5.28-timedate 2.330.0_0 is the latest installed
:debug:main p5.28-timedate 2.330.0_0 is active
:debug:main Merging existing variants " into variants
:debug:main new fully merged portvariants:
:debug:main Changing to port directory:
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/perl/
p5-timedate
:debug:main OS darwin/19.6.0 (macOS 10.15) arch i386
:debug:main Re-registering default for configure.universal_args
:debug:main Sourcing PortGroup perl5 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_reso
urces/port1.0/group/perl5-1.0.tcl
:debug:main Re-registering default for livecheck.version
:debug:main only one arch supported, so not adding the default universal variant
:debug:main Running callback portconfigure::add_automatic_compiler_dependencies
:debug:main Finished running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Running callback portbuild::add_automatic_buildsystem_dependencies
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
:debug:main Running callback portstartupitem::add_notes
:debug:main Finished running callback portstartupitem::add_notes
:debug:main No need to upgrade! p5.28-timedate 2.330.0_0 >= p5.28-timedate 2.330.0_0
:debug:main epoch: in tree: 0 installed: 0
:debug:main p5.28-io-html 1.4.0_0 exists in the ports tree
:debug:main p5.28-io-html 1.4.0_0 is the latest installed
:debug:main p5.28-io-html 1.4.0_0 is active
:debug:main Merging existing variants " into variants
:debug:main new fully merged portvariants:
:debug:main Changing to port directory:
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/perl/
p5-io-html
:debug:main OS darwin/19.6.0 (macOS 10.15) arch i386
:debug:main Re-registering default for configure.universal_args
:debug:main Sourcing PortGroup perl5 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_reso
urces/port1.0/group/perl5-1.0.tcl
:debug:main Re-registering default for livecheck.version
:debug:main only one arch supported, so not adding the default universal variant
:debug:main Running callback portconfigure::add_automatic_compiler_dependencies
:debug:main Finished running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Running callback portbuild::add_automatic_buildsystem_dependencies
```

```
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
:debug:main Running callback portstartupitem::add_notes
:debug:main Finished running callback portstartupitem::add_notes
:debug:main No need to upgrade! p5.28-io-html 1.4.0_0 >= p5.28-io-html 1.4.0_0
:debug:main epoch: in tree: 0 installed: 0
:debug:main p5.28-lwp-mediatypes 6.40.0_0 exists in the ports tree
:debug:main p5.28-lwp-mediatypes 6.40.0_0 is the latest installed
:debug:main p5.28-lwp-mediatypes 6.40.0_0 is active
:debug:main Merging existing variants " into variants
:debug:main new fully merged portvariants:
:debug:main Changing to port directory:
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/perl/
p5-lwp-mediatypes
:debug:main OS darwin/19.6.0 (macOS 10.15) arch i386
:debug:main Re-registering default for configure.universal_args
:debug:main Sourcing PortGroup perl5 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_reso
urces/port1.0/group/perl5-1.0.tcl
:debug:main Re-registering default for livecheck.version
:debug:main only one arch supported, so not adding the default universal variant
:debug:main Running callback portconfigure::add_automatic_compiler_dependencies
:debug:main Finished running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Running callback portbuild::add_automatic_buildsystem_dependencies
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
:debug:main Running callback portstartupitem::add_notes
:debug:main Finished running callback portstartupitem::add_notes
:debug:main No need to upgrade! p5.28-lwp-mediatypes 6.40.0_0 >= p5.28-lwp-mediatypes
6.40.0_0
:debug:main epoch: in tree: 0 installed: 0
:debug:main p5.28-uri 5.50.0_0 exists in the ports tree
:debug:main p5.28-uri 5.50.0_0 is the latest installed
:debug:main p5.28-uri 5.50.0_0 is active
:debug:main Merging existing variants " into variants
:debug:main new fully merged portvariants:
:debug:main Changing to port directory:
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/perl/
p5-uri
:debug:main OS darwin/19.6.0 (macOS 10.15) arch i386
:debug:main Re-registering default for configure.universal_args
:debug:main Sourcing PortGroup perl5 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_reso
urces/port1.0/group/perl5-1.0.tcl
:debug:main Re-registering default for livecheck.version
:debug:main only one arch supported, so not adding the default universal variant
```

```
:debug:main Running callback portconfigure::add_automatic_compiler_dependencies
:debug:main Finished running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Running callback portbuild::add_automatic_buildsystem_dependencies
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
:debug:main Running callback portstartupitem::add_notes
:debug:main Finished running callback portstartupitem::add_notes
:debug:main No need to upgrade! p5.28-uri 5.50.0_0 >= p5.28-uri 5.50.0_0
:debug:main epoch: in tree: 0 installed: 0
:debug:main p5.28-html-tidy 1.600.0_0 exists in the ports tree
:debug:main p5.28-html-tidy 1.600.0_0 is the latest installed
:debug:main p5.28-html-tidy 1.600.0_0 is active
:debug:main Merging existing variants " into variants
:debug:main new fully merged portvariants:
:debug:main Changing to port directory:
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/perl/
p5-html-tidy
:debug:main OS darwin/19.6.0 (macOS 10.15) arch i386
:debug:main Re-registering default for configure.universal_args
:debug:main Sourcing PortGroup perl5 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_reso
urces/port1.0/group/perl5-1.0.tcl
:debug:main Re-registering default for livecheck.version
:debug:main adding the default universal variant
:debug:main Reading variant descriptions from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_reso
urces/port1.0/variant_descriptions.conf
:debug:main Running callback portconfigure::add_automatic_compiler_dependencies
:debug:main Finished running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Running callback portbuild::add_automatic_buildsystem_dependencies
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
:debug:main Running callback portstartupitem::add_notes
:debug:main Finished running callback portstartupitem::add_notes
:debug:main No need to upgrade! p5.28-html-tidy 1.600.0_0 >= p5.28-html-tidy 1.600.0_0
:debug:main epoch: in tree: 0 installed: 0
:debug:main p5.28-libwww-perl 6.510.0_0 exists in the ports tree
:debug:main p5.28-libwww-perl 6.510.0_0 is the latest installed
:debug:main p5.28-libwww-perl 6.510.0_0 is active
:debug:main Merging existing variants " into variants
:debug:main new fully merged portvariants:
:debug:main Changing to port directory:
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/perl/
p5-libwww-perl
:debug:main OS darwin/19.6.0 (macOS 10.15) arch i386
```

```
:debug:main Re-registering default for configure.universal_args
:debug:main Sourcing PortGroup perl5 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_resources/port1.0/group/perl5-1.0.tcl
:debug:main Re-registering default for livecheck.version
:debug:main only one arch supported, so not adding the default universal variant
:debug:main Running callback portconfigure::add_automatic_compiler_dependencies
:debug:main Finished running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Running callback portbuild::add_automatic_buildsystem_dependencies
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
:debug:main Running callback portstartupitem::add_notes
:debug:main Finished running callback portstartupitem::add_notes
:debug:main No need to upgrade! p5.28-libwww-perl 6.510.0_0 >= p5.28-libwww-perl
6.510.0_0
:debug:main epoch: in tree: 0 installed: 0
:debug:main p5.28-data-dump 1.230.0_0 exists in the ports tree
:debug:main p5.28-data-dump 1.230.0_0 is the latest installed
:debug:main p5.28-data-dump 1.230.0_0 is active
:debug:main Merging existing variants "" into variants
:debug:main new fully merged portvariants:
:debug:main Changing to port directory:
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/perl/
p5-data-dump
:debug:main OS darwin/19.6.0 (macOS 10.15) arch i386
:debug:main Re-registering default for configure.universal_args
:debug:main Sourcing PortGroup perl5 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_resources/port1.0/group/perl5-1.0.tcl
:debug:main Re-registering default for livecheck.version
:debug:main only one arch supported, so not adding the default universal variant
:debug:main Running callback portconfigure::add_automatic_compiler_dependencies
:debug:main Finished running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Running callback portbuild::add_automatic_buildsystem_dependencies
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
:debug:main Running callback portstartupitem::add_notes
:debug:main Finished running callback portstartupitem::add_notes
:debug:main No need to upgrade! p5.28-data-dump 1.230.0_0 >= p5.28-data-dump
1.230.0_0
:debug:main epoch: in tree: 0 installed: 0
:debug:main p5.28-file-listing 6.140.0_0 exists in the ports tree
:debug:main p5.28-file-listing 6.140.0_0 is the latest installed
:debug:main p5.28-file-listing 6.140.0_0 is active
:debug:main Merging existing variants "" into variants
```

```
:debug:main new fully merged portvariants:
:debug:main Changing to port directory:
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/perl/
p5-file-listing
:debug:main OS darwin/19.6.0 (macOS 10.15) arch i386
:debug:main Re-registering default for configure.universal_args
:debug:main Sourcing PortGroup perl5 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_reso
urces/port1.0/group/perl5-1.0.tcl
:debug:main Re-registering default for livecheck.version
:debug:main only one arch supported, so not adding the default universal variant
:debug:main Running callback portconfigure::add_automatic_compiler_dependencies
:debug:main Finished running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Running callback portbuild::add_automatic_buildsystem_dependencies
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
:debug:main Running callback portstartupitem::add_notes
:debug:main Finished running callback portstartupitem::add_notes
:debug:main No need to upgrade! p5.28-file-listing 6.140.0_0 >= p5.28-file-listing 6.140.0_0
:debug:main epoch: in tree: 0 installed: 0
:debug:main p5.28-html-form 6.70.0_0 exists in the ports tree
:debug:main p5.28-html-form 6.70.0_0 is the latest installed
:debug:main p5.28-html-form 6.70.0_0 is active
:debug:main Merging existing variants "" into variants
:debug:main new fully merged portvariants:
:debug:main Changing to port directory:
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/perl/
p5-html-form
:debug:main OS darwin/19.6.0 (macOS 10.15) arch i386
:debug:main Re-registering default for configure.universal_args
:debug:main Sourcing PortGroup perl5 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_reso
urces/port1.0/group/perl5-1.0.tcl
:debug:main Re-registering default for livecheck.version
:debug:main only one arch supported, so not adding the default universal variant
:debug:main Running callback portconfigure::add_automatic_compiler_dependencies
:debug:main Finished running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Running callback portbuild::add_automatic_buildsystem_dependencies
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
:debug:main Running callback portstartupitem::add_notes
:debug:main Finished running callback portstartupitem::add_notes
:debug:main No need to upgrade! p5.28-html-form 6.70.0_0 >= p5.28-html-form 6.70.0_0
:debug:main epoch: in tree: 0 installed: 0
:debug:main p5.28-http-cookies 6.90.0_0 exists in the ports tree
```



```
:debug:main p5.28-http-cookies 6.90.0_0 is the latest installed
:debug:main p5.28-http-cookies 6.90.0_0 is active
:debug:main Merging existing variants '' into variants
:debug:main new fully merged portvariants:
:debug:main Changing to port directory:
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/perl/
p5-http-cookies
:debug:main OS darwin/19.6.0 (macOS 10.15) arch i386
:debug:main Re-registering default for configure.universal_args
:debug:main Sourcing PortGroup perl5 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_reso
urces/port1.0/group/perl5-1.0.tcl
:debug:main Re-registering default for livecheck.version
:debug:main only one arch supported, so not adding the default universal variant
:debug:main Running callback portconfigure::add_automatic_compiler_dependencies
:debug:main Finished running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Running callback portbuild::add_automatic_buildsystem_dependencies
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
:debug:main Running callback portstartupitem::add_notes
:debug:main Finished running callback portstartupitem::add_notes
:debug:main No need to upgrade! p5.28-http-cookies 6.90.0_0 >= p5.28-http-cookies
6.90.0_0
:debug:main epoch: in tree: 0 installed: 0
:debug:main p5.28-http-daemon 6.120.0_0 exists in the ports tree
:debug:main p5.28-http-daemon 6.120.0_0 is the latest installed
:debug:main p5.28-http-daemon 6.120.0_0 is active
:debug:main Merging existing variants '' into variants
:debug:main new fully merged portvariants:
:debug:main Changing to port directory:
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/perl/
p5-http-daemon
:debug:main OS darwin/19.6.0 (macOS 10.15) arch i386
:debug:main Re-registering default for configure.universal_args
:debug:main Sourcing PortGroup perl5 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_reso
urces/port1.0/group/perl5-1.0.tcl
:debug:main Re-registering default for livecheck.version
:debug:main Re-registering default for configure.args
:debug:main only one arch supported, so not adding the default universal variant
:debug:main Running callback portconfigure::add_automatic_compiler_dependencies
:debug:main Finished running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Running callback portbuild::add_automatic_buildsystem_dependencies
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
```

```
:debug:main Running callback portstartupitem::add_notes
:debug:main Finished running callback portstartupitem::add_notes
:debug:main No need to upgrade! p5.28-http-daemon 6.120.0_0 >= p5.28-http-daemon
6.120.0_0
:debug:main epoch: in tree: 0 installed: 0
:debug:main p5.28-http-negotiate 6.10.0_1 exists in the ports tree
:debug:main p5.28-http-negotiate 6.10.0_1 is the latest installed
:debug:main p5.28-http-negotiate 6.10.0_1 is active
:debug:main Merging existing variants " into variants
:debug:main new fully merged portvariants:
:debug:main Changing to port directory:
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/perl/
p5-http-negotiate
:debug:main OS darwin/19.6.0 (macOS 10.15) arch i386
:debug:main Re-registering default for configure.universal_args
:debug:main Sourcing PortGroup perl5 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_reso
urces/port1.0/group/perl5-1.0.tcl
:debug:main Re-registering default for livecheck.version
:debug:main only one arch supported, so not adding the default universal variant
:debug:main Running callback portconfigure::add_automatic_compiler_dependencies
:debug:main Finished running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Running callback portbuild::add_automatic_buildsystem_dependencies
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
:debug:main Running callback portstartupitem::add_notes
:debug:main Finished running callback portstartupitem::add_notes
:debug:main No need to upgrade! p5.28-http-negotiate 6.10.0_1 >= p5.28-http-negotiate
6.10.0_1
:debug:main epoch: in tree: 0 installed: 0
:debug:main p5.28-net-http 6.190.0_0 exists in the ports tree
:debug:main p5.28-net-http 6.190.0_0 is the latest installed
:debug:main p5.28-net-http 6.190.0_0 is active
:debug:main Merging existing variants " into variants
:debug:main new fully merged portvariants:
:debug:main Changing to port directory:
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/perl/
p5-net-http
:debug:main OS darwin/19.6.0 (macOS 10.15) arch i386
:debug:main Re-registering default for configure.universal_args
:debug:main Sourcing PortGroup perl5 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_reso
urces/port1.0/group/perl5-1.0.tcl
:debug:main Re-registering default for livecheck.version
:debug:main only one arch supported, so not adding the default universal variant
:debug:main Running callback portconfigure::add_automatic_compiler_dependencies
```

```
:debug:main Finished running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Running callback portbuild::add_automatic_buildsystem_dependencies
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
:debug:main Running callback portstartupitem::add_notes
:debug:main Finished running callback portstartupitem::add_notes
:debug:main No need to upgrade! p5.28-net-http 6.190.0_0 >= p5.28-net-http 6.190.0_0
:debug:main epoch: in tree: 0 installed: 0
:debug:main p5.28-www-robotrules 6.20.0_1 exists in the ports tree
:debug:main p5.28-www-robotrules 6.20.0_1 is the latest installed
:debug:main p5.28-www-robotrules 6.20.0_1 is active
:debug:main Merging existing variants "" into variants
:debug:main new fully merged portvariants:
:debug:main Changing to port directory:
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/perl/
p5-www-robotrules
:debug:main OS darwin/19.6.0 (macOS 10.15) arch i386
:debug:main Re-registering default for configure.universal_args
:debug:main Sourcing PortGroup perl5 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_reso
urces/port1.0/group/perl5-1.0.tcl
:debug:main Re-registering default for livecheck.version
:debug:main only one arch supported, so not adding the default universal variant
:debug:main Running callback portconfigure::add_automatic_compiler_dependencies
:debug:main Finished running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Running callback portbuild::add_automatic_buildsystem_dependencies
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
:debug:main Running callback portstartupitem::add_notes
:debug:main Finished running callback portstartupitem::add_notes
:debug:main No need to upgrade! p5.28-www-robotrules 6.20.0_1 >= p5.28-www-
robotrules 6.20.0_1
:debug:main epoch: in tree: 0 installed: 0
:debug:main tidyp 1.04_0 exists in the ports tree
:debug:main tidyp 1.04_0 is the latest installed
:debug:main tidyp 1.04_0 is active
:debug:main Merging existing variants "" into variants
:debug:main new fully merged portvariants:
:debug:main Changing to port directory:
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/www
/tidyp
:debug:main OS darwin/19.6.0 (macOS 10.15) arch i386
:debug:main Sourcing PortGroup github 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_reso
urces/port1.0/group/github-1.0.tcl
```

```
:debug:main Re-registering default for livecheck.regex
:debug:main adding the default universal variant
:debug:main Reading variant descriptions from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_resources/port1.0/variant_descriptions.conf
:debug:main Running callback portconfigure::add_automatic_compiler_dependencies
:debug:main Finished running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Running callback portbuild::add_automatic_buildsystem_dependencies
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
:debug:main Running callback portstartupitem::add_notes
:debug:main Finished running callback portstartupitem::add_notes
:debug:main No need to upgrade! tidyp 1.04_0 >= tidyp 1.04_0
:debug:main epoch: in tree: 1 installed: 1
:debug:main p5.28-html-tree 5.70.0_1 exists in the ports tree
:debug:main p5.28-html-tree 5.70.0_1 is the latest installed
:debug:main p5.28-html-tree 5.70.0_1 is active
:debug:main Merging existing variants " into variants
:debug:main new fully merged portvariants:
:debug:main Changing to port directory:
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/perl/p5-html-tree
:debug:main OS darwin/19.6.0 (macOS 10.15) arch i386
:debug:main Re-registering default for configure.universal_args
:debug:main Sourcing PortGroup perl5 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_resources/port1.0/group/perl5-1.0.tcl
:debug:main Re-registering default for livecheck.version
:debug:main Re-registering default for configure.args
:debug:main only one arch supported, so not adding the default universal variant
:debug:main Running callback portconfigure::add_automatic_compiler_dependencies
:debug:main Finished running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Running callback portbuild::add_automatic_buildsystem_dependencies
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
:debug:main Running callback portstartupitem::add_notes
:debug:main Finished running callback portstartupitem::add_notes
:debug:main No need to upgrade! p5.28-html-tree 5.70.0_1 >= p5.28-html-tree 5.70.0_1
:debug:main epoch: in tree: 0 installed: 0
:debug:main p5.28-text-tabsxwrap 2013.52.300_1 exists in the ports tree
:debug:main p5.28-text-tabsxwrap 2013.52.300_1 is the latest installed
:debug:main p5.28-text-tabsxwrap 2013.52.300_1 is active
:debug:main Merging existing variants " into variants
:debug:main new fully merged portvariants:
```

```
:debug:main Changing to port directory:
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/perl/
p5-text-tabsxwrap
:debug:main OS darwin/19.6.0 (macOS 10.15) arch i386
:debug:main Re-registering default for configure.universal_args
:debug:main Sourcing PortGroup perl5 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_reso
urces/port1.0/group/perl5-1.0.tcl
:debug:main Re-registering default for livecheck.version
:debug:main only one arch supported, so not adding the default universal variant
:debug:main Running callback portconfigure::add_automatic_compiler_dependencies
:debug:main Finished running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Running callback portbuild::add_automatic_buildsystem_dependencies
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
:debug:main Running callback portstartupitem::add_notes
:debug:main Finished running callback portstartupitem::add_notes
:debug:main No need to upgrade! p5.28-text-tabsxwrap 2013.52.300_1 >= p5.28-text-
tabsxwrap 2013.52.300_1
:debug:main epoch: in tree: 0 installed: 0
:debug:main p5.28-tie-ixhash 1.230.0_1 exists in the ports tree
:debug:main p5.28-tie-ixhash 1.230.0_1 is the latest installed
:debug:main p5.28-tie-ixhash 1.230.0_1 is active
:debug:main Merging existing variants "" into variants
:debug:main new fully merged portvariants:
:debug:main Changing to port directory:
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/perl/
p5-tie-ixhash
:debug:main OS darwin/19.6.0 (macOS 10.15) arch i386
:debug:main Re-registering default for configure.universal_args
:debug:main Sourcing PortGroup perl5 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_reso
urces/port1.0/group/perl5-1.0.tcl
:debug:main Re-registering default for livecheck.version
:debug:main only one arch supported, so not adding the default universal variant
:debug:main Running callback portconfigure::add_automatic_compiler_dependencies
:debug:main Finished running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Running callback portbuild::add_automatic_buildsystem_dependencies
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
:debug:main Running callback portstartupitem::add_notes
:debug:main Finished running callback portstartupitem::add_notes
:debug:main No need to upgrade! p5.28-tie-ixhash 1.230.0_1 >= p5.28-tie-ixhash 1.230.0_1
:debug:main epoch: in tree: 0 installed: 0
:debug:main p5.28-xml-parser 2.460.0_0 exists in the ports tree
```

```
:debug:main p5.28-xml-parser 2.460.0_0 is the latest installed
:debug:main p5.28-xml-parser 2.460.0_0 is active
:debug:main Merging existing variants '' into variants
:debug:main new fully merged portvariants:
:debug:main Changing to port directory:
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/perl/
p5-xml-parser
:debug:main OS darwin/19.6.0 (macOS 10.15) arch i386
:debug:main Re-registering default for configure.universal_args
:debug:main Sourcing PortGroup perl5 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_reso
urces/port1.0/group/perl5-1.0.tcl
:debug:main Re-registering default for livecheck.version
:debug:main adding the default universal variant
:debug:main Reading variant descriptions from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_reso
urces/port1.0/variant_descriptions.conf
:debug:main Running callback portconfigure::add_automatic_compiler_dependencies
:debug:main Finished running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Running callback portbuild::add_automatic_buildsystem_dependencies
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
:debug:main Running callback portstartupitem::add_notes
:debug:main Finished running callback portstartupitem::add_notes
:debug:main No need to upgrade! p5.28-xml-parser 2.460.0_0 >= p5.28-xml-parser
2.460.0_0
:debug:main epoch: in tree: 0 installed: 0
:debug:main p5.28-xml-xpath 1.440.0_0 exists in the ports tree
:debug:main p5.28-xml-xpath 1.440.0_0 is the latest installed
:debug:main p5.28-xml-xpath 1.440.0_0 is active
:debug:main Merging existing variants '' into variants
:debug:main new fully merged portvariants:
:debug:main Changing to port directory:
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/perl/
p5-xml-xpath
:debug:main OS darwin/19.6.0 (macOS 10.15) arch i386
:debug:main Re-registering default for configure.universal_args
:debug:main Sourcing PortGroup perl5 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_reso
urces/port1.0/group/perl5-1.0.tcl
:debug:main Re-registering default for livecheck.version
:debug:main only one arch supported, so not adding the default universal variant
:debug:main Running callback portconfigure::add_automatic_compiler_dependencies
:debug:main Finished running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Running callback portbuild::add_automatic_buildsystem_dependencies
```

```
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
:debug:main Running callback portstartupitem::add_notes
:debug:main Finished running callback portstartupitem::add_notes
:debug:main No need to upgrade! p5.28-xml-xpath 1.440.0_0 >= p5.28-xml-xpath 1.440.0_0
:debug:main epoch: in tree: 0 installed: 0
:debug:main p5.28-xml-xpathengine 0.140.0_0 exists in the ports tree
:debug:main p5.28-xml-xpathengine 0.140.0_0 is the latest installed
:debug:main p5.28-xml-xpathengine 0.140.0_0 is active
:debug:main Merging existing variants "" into variants
:debug:main new fully merged portvariants:
:debug:main Changing to port directory:
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/perl/
p5-xml-xpathengine
:debug:main OS darwin/19.6.0 (macOS 10.15) arch i386
:debug:main Re-registering default for configure.universal_args
:debug:main Sourcing PortGroup perl5 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_reso
urces/port1.0/group/perl5-1.0.tcl
:debug:main Re-registering default for livecheck.version
:debug:main only one arch supported, so not adding the default universal variant
:debug:main Running callback portconfigure::add_automatic_compiler_dependencies
:debug:main Finished running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Running callback portbuild::add_automatic_buildsystem_dependencies
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
:debug:main Running callback portstartupitem::add_notes
:debug:main Finished running callback portstartupitem::add_notes
:debug:main No need to upgrade! p5.28-xml-xpathengine 0.140.0_0 >= p5.28-xml-
xpathengine 0.140.0_0
:debug:main epoch: in tree: 1 installed: 1
:debug:main p5.28-perlmagick 6.9.11-50_0 exists in the ports tree
:debug:main p5.28-perlmagick 6.9.11-50_0 is the latest installed
:debug:main p5.28-perlmagick 6.9.11-50_0 is active
:debug:main Merging existing variants "" into variants
:debug:main new fully merged portvariants:
:debug:main Changing to port directory:
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/perl/
p5-perlmagick
:debug:main OS darwin/19.6.0 (macOS 10.15) arch i386
:debug:main Re-registering default for configure.universal_args
:debug:main Sourcing PortGroup perl5 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_reso
urces/port1.0/group/perl5-1.0.tcl
:debug:main Re-registering default for livecheck.version
:debug:main adding the default universal variant
```

```
:debug:main Reading variant descriptions from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_resources/port1.0/variant_descriptions.conf
:debug:main Running callback portconfigure::add_automatic_compiler_dependencies
:debug:main Finished running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Running callback portbuild::add_automatic_buildsystem_dependencies
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
:debug:main Running callback portstartupitem::add_notes
:debug:main Finished running callback portstartupitem::add_notes
:debug:main No need to upgrade! p5.28-perlmagick 6.9.11-50_0 >= p5.28-perlmagick 6.9.11-50_0
:debug:main epoch: in tree: 0 installed: 0
:debug:main p5.28-text-csv 2.0.0_0 exists in the ports tree
:debug:main p5.28-text-csv 2.0.0_0 is the latest installed
:debug:main p5.28-text-csv 2.0.0_0 is active
:debug:main Merging existing variants "" into variants
:debug:main new fully merged portvariants:
:debug:main Changing to port directory:
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/perl/p5-text-csv
:debug:main OS darwin/19.6.0 (macOS 10.15) arch i386
:debug:main Re-registering default for configure.universal_args
:debug:main Sourcing PortGroup perl5 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_resources/port1.0/group/perl5-1.0.tcl
:debug:main Re-registering default for livecheck.version
:debug:main only one arch supported, so not adding the default universal variant
:debug:main Running callback portconfigure::add_automatic_compiler_dependencies
:debug:main Finished running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Running callback portbuild::add_automatic_buildsystem_dependencies
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
:debug:main Running callback portstartupitem::add_notes
:debug:main Finished running callback portstartupitem::add_notes
:debug:main No need to upgrade! p5.28-text-csv 2.0.0_0 >= p5.28-text-csv 2.0.0_0
:debug:main epoch: in tree: 0 installed: 0
:debug:main p5.28-text-csv_xs 1.450.0_0 exists in the ports tree
:debug:main p5.28-text-csv_xs 1.450.0_0 is the latest installed
:debug:main p5.28-text-csv_xs 1.450.0_0 is active
:debug:main Merging existing variants "" into variants
:debug:main new fully merged portvariants:
:debug:main Changing to port directory:
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/perl/p5-text-csv_xs
```



```
:debug:main OS darwin/19.6.0 (macOS 10.15) arch i386
:debug:main Re-registering default for configure.universal_args
:debug:main Sourcing PortGroup perl5 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_resources/port1.0/group/perl5-1.0.tcl
:debug:main Re-registering default for livecheck.version
:debug:main adding the default universal variant
:debug:main Reading variant descriptions from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_resources/port1.0/variant_descriptions.conf
:debug:main Running callback portconfigure::add_automatic_compiler_dependencies
:debug:main Finished running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Running callback portbuild::add_automatic_buildsystem_dependencies
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
:debug:main Running callback portstartupitem::add_notes
:debug:main Finished running callback portstartupitem::add_notes
:debug:main No need to upgrade! p5.28-text-csv_xs 1.450.0_0 >= p5.28-text-csv_xs
1.450.0_0
:debug:main epoch: in tree: 0 installed: 0
:debug:main p5.28-xml-simple 2.250.0_0 exists in the ports tree
:debug:main p5.28-xml-simple 2.250.0_0 is the latest installed
:debug:main p5.28-xml-simple 2.250.0_0 is active
:debug:main Merging existing variants "" into variants
:debug:main new fully merged portvariants:
:debug:main Changing to port directory:
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/perl/
p5-xml-simple
:debug:main OS darwin/19.6.0 (macOS 10.15) arch i386
:debug:main Re-registering default for configure.universal_args
:debug:main Sourcing PortGroup perl5 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_resources/port1.0/group/perl5-1.0.tcl
:debug:main Re-registering default for livecheck.version
:debug:main only one arch supported, so not adding the default universal variant
:debug:main Running callback portconfigure::add_automatic_compiler_dependencies
:debug:main Finished running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Running callback portbuild::add_automatic_buildsystem_dependencies
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
:debug:main Running callback portstartupitem::add_notes
:debug:main Finished running callback portstartupitem::add_notes
:debug:main No need to upgrade! p5.28-xml-simple 2.250.0_0 >= p5.28-xml-simple
2.250.0_0
:debug:main epoch: in tree: 0 installed: 0
```

```
:debug:main p5.28-xml-sax-expat 0.510.0_1 exists in the ports tree
:debug:main p5.28-xml-sax-expat 0.510.0_1 is the latest installed
:debug:main p5.28-xml-sax-expat 0.510.0_1 is active
:debug:main Merging existing variants "" into variants
:debug:main new fully merged portvariants:
:debug:main Changing to port directory:
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/perl/
p5-xml-sax-expat
:debug:main OS darwin/19.6.0 (macOS 10.15) arch i386
:debug:main Re-registering default for configure.universal_args
:debug:main Sourcing PortGroup perl5 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_reso
urces/port1.0/group/perl5-1.0.tcl
:debug:main Re-registering default for livecheck.version
:debug:main only one arch supported, so not adding the default universal variant
:debug:main Running callback portconfigure::add_automatic_compiler_dependencies
:debug:main Finished running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Running callback portbuild::add_automatic_buildsystem_dependencies
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
:debug:main Running callback portstartupitem::add_notes
:debug:main Finished running callback portstartupitem::add_notes
:debug:main No need to upgrade! p5.28-xml-sax-expat 0.510.0_1 >= p5.28-xml-sax-expat
0.510.0_1
:debug:main epoch: in tree: 0 installed: 0
:debug:main p5.28-xml-writer 0.900.0_0 exists in the ports tree
:debug:main p5.28-xml-writer 0.900.0_0 is the latest installed
:debug:main p5.28-xml-writer 0.900.0_0 is active
:debug:main Merging existing variants "" into variants
:debug:main new fully merged portvariants:
:debug:main Changing to port directory:
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/perl/
p5-xml-writer
:debug:main OS darwin/19.6.0 (macOS 10.15) arch i386
:debug:main Re-registering default for configure.universal_args
:debug:main Sourcing PortGroup perl5 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_reso
urces/port1.0/group/perl5-1.0.tcl
:debug:main Re-registering default for livecheck.version
:debug:main only one arch supported, so not adding the default universal variant
:debug:main Running callback portconfigure::add_automatic_compiler_dependencies
:debug:main Finished running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Running callback portbuild::add_automatic_buildsystem_dependencies
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
```

```
:debug:main Running callback portstartupitem::add_notes
:debug:main Finished running callback portstartupitem::add_notes
:debug:main No need to upgrade! p5.28-xml-writer 0.900.0_0 >= p5.28-xml-writer 0.900.0_0
:debug:main epoch: in tree: 0 installed: 0
:debug:main poppler 20.12.1_0 exists in the ports tree
:debug:main poppler 20.12.1_0 is the latest installed
:debug:main poppler 20.12.1_0 is active
:debug:main Merging existing variants " into variants
:debug:main new fully merged portvariants:
:debug:main Changing to port directory:
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/grap
hics/poppler
:debug:main OS darwin/19.6.0 (macOS 10.15) arch i386
:debug:main Sourcing PortGroup compiler_blacklist_versions 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_reso
urces/port1.0/group/compiler_blacklist_versions-1.0.tcl
:debug:main Sourcing PortGroup gobject_introspection 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_reso
urces/port1.0/group/gobject_introspection-1.0.tcl
:debug:main Re-registering default for destroot.target
:debug:main Re-registering default for configure.dir
:debug:main Re-registering default for build.dir
:debug:main Re-registering default for configure.pre_args
:debug:main Sourcing PortGroup cmake 1.1 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_reso
urces/port1.0/group/cmake-1.1.tcl
:debug:main Removing legacy build support
:debug:main Sourcing PortGroup legacysupport 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_reso
urces/port1.0/group/legacysupport-1.0.tcl
:debug:main compiler clang 1200.0.32.28 not blacklisted because it doesn't match {clang <
800.0.38}
:debug:main adding the default universal variant
:debug:main Reading variant descriptions from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_reso
urces/port1.0/variant_descriptions.conf
:debug:main Running callback portconfigure::add_automatic_compiler_dependencies
:debug:main Finished running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Running callback portbuild::add_automatic_buildsystem_dependencies
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
:debug:main Running callback portstartupitem::add_notes
:debug:main Finished running callback portstartupitem::add_notes
:debug:main Running callback add_legacysupport
:debug:main Removing legacy build support
:debug:main Finished running callback add_legacysupport
```

```
:debug:main No need to upgrade! poppler 20.12.1_0 >= poppler 20.12.1_0
:debug:main epoch: in tree: 0 installed: 0
:debug:main curl 7.74.0_0 exists in the ports tree
:debug:main curl 7.74.0_0 +ssl is the latest installed
:debug:main curl 7.74.0_0 +ssl is active
:debug:main Merging existing variants '+ssl' into variants
:debug:main new fully merged portvariants: ssl +
:debug:main Changing to port directory:
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/net/c
url
:debug:main OS darwin/19.6.0 (macOS 10.15) arch i386
:debug:main Sourcing PortGroup clang_dependency 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_reso
urces/port1.0/group/clang_dependency-1.0.tcl
:debug:main Reading variant descriptions from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_reso
urces/port1.0/variant_descriptions.conf
:debug:main Sourcing PortGroup muniversal 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_reso
urces/port1.0/group/muniversal-1.0.tcl
:debug:main universal variant already exists, so not adding the default one
:debug:main Executing variant ssl provides ssl
:debug:main Running callback portconfigure::add_automatic_compiler_dependencies
:debug:main Finished running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Running callback portbuild::add_automatic_buildsystem_dependencies
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
:debug:main Running callback portstartupitem::add_notes
:debug:main Finished running callback portstartupitem::add_notes
:debug:main No need to upgrade! curl 7.74.0_0 >= curl 7.74.0_0
:debug:main epoch: in tree: 0 installed: 0
:debug:main libpsl 0.21.1-20200817_0 exists in the ports tree
:debug:main libpsl 0.21.1-20200817_0 is the latest installed
:debug:main libpsl 0.21.1-20200817_0 is active
:debug:main Merging existing variants '' into variants
:debug:main new fully merged portvariants:
:debug:main Changing to port directory:
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/net/li
bpsi
:debug:main OS darwin/19.6.0 (macOS 10.15) arch i386
:debug:main Sourcing PortGroup github 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_reso
urces/port1.0/group/github-1.0.tcl
:debug:main Sourcing PortGroup clang_dependency 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_reso
urces/port1.0/group/clang_dependency-1.0.tcl
```

```
:debug:main Re-registering default for livecheck.regex
:debug:main adding the default universal variant
:debug:main Reading variant descriptions from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_resources/port1.0/variant_descriptions.conf
:debug:main Running callback portconfigure::add_automatic_compiler_dependencies
:debug:main Finished running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Running callback portbuild::add_automatic_buildsystem_dependencies
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
:debug:main Running callback portstartupitem::add_notes
:debug:main Finished running callback portstartupitem::add_notes
:debug:main No need to upgrade! libpsl 0.21.1-20200817_0 >= libpsl 0.21.1-20200817_0
:debug:main epoch: in tree: 0 installed: 0
:debug:main nss 3.60_0 exists in the ports tree
:debug:main nss 3.60_0 is the latest installed
:debug:main nss 3.60_0 is active
:debug:main Merging existing variants " into variants
:debug:main new fully merged portvariants:
:debug:main Changing to port directory:
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/net/nss
:debug:main OS darwin/19.6.0 (macOS 10.15) arch i386
:debug:main Reading variant descriptions from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_resources/port1.0/variant_descriptions.conf
:debug:main Sourcing PortGroup muniversal 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_resources/port1.0/group/muniversal-1.0.tcl
:debug:main universal variant already exists, so not adding the default one
:debug:main Running callback portconfigure::add_automatic_compiler_dependencies
:debug:main Finished running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Running callback portbuild::add_automatic_buildsystem_dependencies
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
:debug:main Running callback portstartupitem::add_notes
:debug:main Finished running callback portstartupitem::add_notes
:debug:main No need to upgrade! nss 3.60_0 >= nss 3.60_0
:debug:main epoch: in tree: 0 installed: 0
:debug:main nspr 4.29_0 exists in the ports tree
:debug:main nspr 4.29_0 is the latest installed
:debug:main nspr 4.29_0 is active
:debug:main Merging existing variants " into variants
:debug:main new fully merged portvariants:
```

```
:debug:main Changing to port directory:
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/devel
/nspr
:debug:main OS darwin/19.6.0 (macOS 10.15) arch i386
:debug:main Reading variant descriptions from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_reso
urces/port1.0/variant_descriptions.conf
:debug:main Sourcing PortGroup muniversal 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_reso
urces/port1.0/group/muniversal-1.0.tcl
:debug:main universal variant already exists, so not adding the default one
:debug:main Running callback portconfigure::add_automatic_compiler_dependencies
:debug:main Finished running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Running callback portbuild::add_automatic_buildsystem_dependencies
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
:debug:main Running callback portstartupitem::add_notes
:debug:main Finished running callback portstartupitem::add_notes
:debug:main No need to upgrade! nspr 4.29_0 >= nspr 4.29_0
:debug:main epoch: in tree: 0 installed: 0
:debug:main poppler-data 0.4.10_0 exists in the ports tree
:debug:main poppler-data 0.4.10_0 is the latest installed
:debug:main poppler-data 0.4.10_0 is active
:debug:main Merging existing variants " into variants
:debug:main new fully merged portvariants:
:debug:main Changing to port directory:
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/grap
hics/poppler-data
:debug:main OS darwin/19.6.0 (macOS 10.15) arch i386
:debug:main universal_variant is false, so not adding the default universal variant
:debug:main Running callback portconfigure::add_automatic_compiler_dependencies
:debug:main Finished running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Running callback portbuild::add_automatic_buildsystem_dependencies
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
:debug:main Running callback portstartupitem::add_notes
:debug:main Finished running callback portstartupitem::add_notes
:debug:main No need to upgrade! poppler-data 0.4.10_0 >= poppler-data 0.4.10_0
:debug:main epoch: in tree: 0 installed: 0
:debug:main qpdf 10.0.4_0 exists in the ports tree
:debug:main qpdf 10.0.4_0 is the latest installed
:debug:main qpdf 10.0.4_0 is active
:debug:main Merging existing variants " into variants
:debug:main new fully merged portvariants:
```

```
:debug:main Changing to port directory:
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/textproc/qpdf
:debug:main OS darwin/19.6.0 (macOS 10.15) arch i386
:debug:main Sourcing PortGroup github 1.0 from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_resources/port1.0/group/github-1.0.tcl
:debug:main Re-registering default for livecheck.regex
:debug:main adding the default universal variant
:debug:main Reading variant descriptions from
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/_resources/port1.0/variant_descriptions.conf
:debug:main Running callback portconfigure::add_automatic_compiler_dependencies
:debug:main Finished running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Running callback portbuild::add_automatic_buildsystem_dependencies
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
:debug:main Running callback portstartupitem::add_notes
:debug:main Finished running callback portstartupitem::add_notes
:debug:main No need to upgrade! qpdf 10.0.4_0 >= qpdf 10.0.4_0
:msg:main ---> Computing dependencies for auto-multiple-choice-devel:info:main
.:debug:main Checking for conflicts against auto-multiple-choice-devel
:debug:main Searching for dependency: auto-multiple-choice
:debug:main Didn't find receipt, going to depspec regex for: auto-multiple-choice
:debug:main Searching for dependency: dblatex
:debug:main Found Dependency: receipt exists for dblatex
:debug:main Searching for dependency: gmake
:debug:main Found Dependency: receipt exists for gmake
:debug:main Searching for dependency: p5.28-xml-libxml
:debug:main Found Dependency: receipt exists for p5.28-xml-libxml
:debug:main Searching for dependency: opencv
:debug:main Found Dependency: receipt exists for opencv
:debug:main Searching for dependency: gdk-pixbuf2
:debug:main Found Dependency: receipt exists for gdk-pixbuf2
:debug:main Searching for dependency: libnotify
:debug:main Found Dependency: receipt exists for libnotify
:debug:main Searching for dependency: libsvg
:debug:main Found Dependency: receipt exists for libsvg
:debug:main Searching for dependency: netpbm
:debug:main Found Dependency: receipt exists for netpbm
:debug:main Searching for dependency: p5.28-archive-zip
:debug:main Found Dependency: receipt exists for p5.28-archive-zip
:debug:main Searching for dependency: p5.28-clone
:debug:main Found Dependency: receipt exists for p5.28-clone
:debug:main Searching for dependency: p5.28-dbd-sqlite
:debug:main Found Dependency: receipt exists for p5.28-dbd-sqlite
```

:debug:main Searching for dependency: p5.28-digest-md5
:debug:main Found Dependency: receipt exists for p5.28-digest-md5
:debug:main Searching for dependency: p5.28-email-mime
:debug:main Found Dependency: receipt exists for p5.28-email-mime
:debug:main Searching for dependency: p5.28-email-sender
:debug:main Found Dependency: receipt exists for p5.28-email-sender
:debug:main Searching for dependency: p5.28-file-basedir
:debug:main Found Dependency: receipt exists for p5.28-file-basedir
:debug:main Searching for dependency: p5.28-file-mimeinfo
:debug:main Found Dependency: receipt exists for p5.28-file-mimeinfo
:debug:main Searching for dependency: p5.28-glib-object-introspection
:debug:main Found Dependency: receipt exists for p5.28-glib-object-introspection
:debug:main Searching for dependency: p5.28-gtk3
:debug:main Found Dependency: receipt exists for p5.28-gtk3
:debug:main Searching for dependency: p5.28-locale-codes
:debug:main Found Dependency: receipt exists for p5.28-locale-codes
:debug:main Searching for dependency: p5.28-locale-gettext
:debug:main Found Dependency: receipt exists for p5.28-locale-gettext
:debug:main Searching for dependency: p5.28-module-load-conditional
:debug:main Found Dependency: receipt exists for p5.28-module-load-conditional
:debug:main Searching for dependency: p5.28-openoffice-oodoc
:debug:main Found Dependency: receipt exists for p5.28-openoffice-oodoc
:debug:main Searching for dependency: p5.28-perlmagick
:debug:main Found Dependency: receipt exists for p5.28-perlmagick
:debug:main Searching for dependency: p5.28-text-csv
:debug:main Found Dependency: receipt exists for p5.28-text-csv
:debug:main Searching for dependency: p5.28-xml-simple
:debug:main Found Dependency: receipt exists for p5.28-xml-simple
:debug:main Searching for dependency: p5.28-xml-writer
:debug:main Found Dependency: receipt exists for p5.28-xml-writer
:debug:main Searching for dependency: poppler
:debug:main Found Dependency: receipt exists for poppler
:debug:main Searching for dependency: qpdf
:debug:main Found Dependency: receipt exists for qpdf
:debug:main Searching for dependency: sqlite3
:debug:main Found Dependency: receipt exists for sqlite3
:debug:main Executing org.macports.main (auto-multiple-choice-devel)
:debug:main dropping privileges: euid changed to 501, egid changed to 501.
:debug:archivefetch archivefetch phase started at Mon Jan 4 11:31:09 CET 2021
:msg:archivefetch ---> Fetching archive for auto-multiple-choice-devel
:debug:archivefetch Executing org.macports.archivefetch (auto-multiple-choice-devel)
:debug:archivefetch euid/egid changed to: 0/0
:debug:archivefetch chowned /opt/local/var/macports/incoming to macports
:debug:archivefetch euid/egid changed to: 501/501
:info:archivefetch ---> auto-multiple-choice-devel-1.4.0-
202004101300_0+mactex.darwin_19.x86_64.tbz2 doesn't seem to exist in
/opt/local/var/macports/incoming/verified


```
:msg:archivefetch ---> Attempting to fetch auto-multiple-choice-devel-1.4.0-202004101300_0+mactex.darwin_19.x86_64.tbz2 from
https://lil.fr.packages.macports.org/auto-multiple-choice-devel
:debug:archivefetch Fetching archive failed: The requested URL returned error: 404 Not Found
:msg:archivefetch ---> Attempting to fetch auto-multiple-choice-devel-1.4.0-202004101300_0+mactex.darwin_19.x86_64.tbz2 from
https://mse.uk.packages.macports.org/auto-multiple-choice-devel
:debug:archivefetch Fetching archive failed: The requested URL returned error: 404 Not Found
:msg:archivefetch ---> Attempting to fetch auto-multiple-choice-devel-1.4.0-202004101300_0+mactex.darwin_19.x86_64.tbz2 from
https://packages.macports.org/auto-multiple-choice-devel
:debug:archivefetch Fetching archive failed: The requested URL returned error: 404 Not Found
:debug:archivefetch Privilege de-escalation not attempted as not running as root.
:debug:archivefetch Skipping completed org.macports.fetch (auto-multiple-choice-devel)
:debug:archivefetch Privilege de-escalation not attempted as not running as root.
:debug:archivefetch Skipping completed org.macports.checksum (auto-multiple-choice-devel)
:debug:archivefetch Privilege de-escalation not attempted as not running as root.
:debug:archivefetch Skipping completed org.macports.extract (auto-multiple-choice-devel)
:debug:archivefetch Privilege de-escalation not attempted as not running as root.
:debug:archivefetch Skipping completed org.macports.patch (auto-multiple-choice-devel)
:debug:archivefetch Privilege de-escalation not attempted as not running as root.
:debug:archivefetch Skipping completed org.macports.configure (auto-multiple-choice-devel)
:debug:archivefetch Privilege de-escalation not attempted as not running as root.
:debug:build build phase started at Mon Jan 4 11:31:09 CET 2021
:notice:build ---> Building auto-multiple-choice-devel
:debug:build Executing org.macports.build (auto-multiple-choice-devel)
:debug:build Environment:
:debug:build AMCCONF='macports'
:debug:build BASEPATH='/opt/local'
:debug:build CC_PRINT_OPTIONS='YES'
:debug:build
CC_PRINT_OPTIONS_FILE='/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_macports_release_tarballs_ports_x11_auto-multiple-choice/auto-multiple-choice-devel/work/.CC_PRINT_OPTIONS'
:debug:build CPATH='/opt/local/include'
:debug:build DEVELOPER_DIR='/Library/Developer/CommandLineTools'
:debug:build LIBRARY_PATH='/opt/local/lib'
:debug:build MACOSX_DEPLOYMENT_TARGET='10.15'
:debug:build SDKROOT='/Library/Developer/CommandLineTools/SDKs/MacOSX10.15.sdk'
:info:build Executing: cd
"/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_macports_release_tarballs_ports_x11_auto-multiple-choice/auto-multiple-choice-
```

```
devel/work/auto-multiple-choice-fd2136db5241e33dec5d920535d23000525b6b6d-
fd2136db5241e33dec5d920535d23000525b6b6d" && /opt/local/bin/gmake -j4 -w all
:debug:build system: cd
"/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_mac
ports_release_tarballs_ports_x11_auto-multiple-choice/auto-multiple-choice-
devel/work/auto-multiple-choice-fd2136db5241e33dec5d920535d23000525b6b6d-
fd2136db5241e33dec5d920535d23000525b6b6d" && /opt/local/bin/gmake -j4 -w all
:info:build gmake: Entering directory
'/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_mac
ports_release_tarballs_ports_x11_auto-multiple-choice/auto-multiple-choice-
devel/work/auto-multiple-choice-fd2136db5241e33dec5d920535d23000525b6b6d-
fd2136db5241e33dec5d920535d23000525b6b6d'
:info:build /opt/local/bin/gmake auto-multiple-choice auto-multiple-choice.desktop AMC-
gui-apropos.glade AMC-gui.pl AMC-latex-link.pl AMC-perl/AMC/Basic.pm doc/doc-xhtml-
site.fr.xsl doc/doc-xhtml-site.ja.xsl doc/doc-xhtml-site.en.xsl doc/amcdocstyle.sty doc/doc-
xhtml.xsl doc/auto-multiple-choice.en.xml doc/auto-multiple-choice.fr.xml doc/auto-
multiple-choice.ja.xml doc/sty/automultiplechoice.dtx
:info:build gmake[1]: Entering directory
'/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_mac
ports_release_tarballs_ports_x11_auto-multiple-choice/auto-multiple-choice-
devel/work/auto-multiple-choice-fd2136db5241e33dec5d920535d23000525b6b6d-
fd2136db5241e33dec5d920535d23000525b6b6d'
:info:build gmake[1]: 'auto-multiple-choice' is up to date.
:info:build gmake[1]: 'auto-multiple-choice.desktop' is up to date.
:info:build gmake[1]: 'AMC-gui-apropos.glade' is up to date.
:info:build gmake[1]: 'AMC-gui.pl' is up to date.
:info:build gmake[1]: 'AMC-latex-link.pl' is up to date.
:info:build gmake[1]: 'AMC-perl/AMC/Basic.pm' is up to date.
:info:build gmake[1]: 'doc/doc-xhtml-site.fr.xsl' is up to date.
:info:build gmake[1]: 'doc/doc-xhtml-site.ja.xsl' is up to date.
:info:build gmake[1]: 'doc/doc-xhtml-site.en.xsl' is up to date.
:info:build gmake[1]: 'doc/amcdocstyle.sty' is up to date.
:info:build gmake[1]: 'doc/doc-xhtml.xsl' is up to date.
:info:build gmake[1]: 'doc/auto-multiple-choice.en.xml' is up to date.
:info:build gmake[1]: 'doc/auto-multiple-choice.fr.xml' is up to date.
:info:build gmake[1]: 'doc/auto-multiple-choice.ja.xml' is up to date.
:info:build gmake[1]: 'doc/sty/automultiplechoice.dtx' is up to date.
:info:build gmake[1]: Leaving directory
'/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_mac
ports_release_tarballs_ports_x11_auto-multiple-choice/auto-multiple-choice-
devel/work/auto-multiple-choice-fd2136db5241e33dec5d920535d23000525b6b6d-
fd2136db5241e33dec5d920535d23000525b6b6d'
:info:build /opt/local/bin/gmake AMC-detect AMC-buildpdf AMC-pdfformfields icons/auto-
multiple-choice.xpm icons/auto-multiple-choice.svgz doc l18N
:info:build gmake[1]: Entering directory
'/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_mac
ports_release_tarballs_ports_x11_auto-multiple-choice/auto-multiple-choice-
```

```
devel/work/auto-multiple-choice-fd2136db5241e33dec5d920535d23000525b6b6d-
fd2136db5241e33dec5d920535d23000525b6b6d'
:info:build gmake[1]: 'AMC-detect' is up to date.
:info:build gmake[1]: 'AMC-buildpdf' is up to date.
:info:build gmake[1]: 'AMC-pdfformfields' is up to date.
:info:build gmake[1]: 'icons/auto-multiple-choice.xpm' is up to date.
:info:build gmake[1]: 'icons/auto-multiple-choice.svgz' is up to date.
:info:build /opt/local/bin/gmake -C doc
:info:build /opt/local/bin/gmake -C I18N
:info:build gmake[2]: Entering directory
'/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_mac
ports_release_tarballs_ports_x11_auto-multiple-choice/auto-multiple-choice-
devel/work/auto-multiple-choice-fd2136db5241e33dec5d920535d23000525b6b6d-
fd2136db5241e33dec5d920535d23000525b6b6d/doc'
:info:build dlatex -P latex.encoding=utf8 -b xetex -t tex -p custom.xml --
texstyle=amcdocstyle --xslt-opts="--nonet" --xslt-opts="--catalogs" auto-multiple-
choice.en.xml -o auto-multiple-choice.en.tex
:info:build rsvg-convert -f pdf img_src/important.svg -o img_pdf/important.pdf
:info:build rsvg-convert -f pdf img_src/note.svg -o img_pdf/note.pdf
:info:build gmake[2]: Entering directory
'/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_mac
ports_release_tarballs_ports_x11_auto-multiple-choice/auto-multiple-choice-
devel/work/auto-multiple-choice-fd2136db5241e33dec5d920535d23000525b6b6d-
fd2136db5241e33dec5d920535d23000525b6b6d/I18N'
:info:build gmake[2]: Nothing to be done for 'all'.
:info:build gmake[2]: Leaving directory
'/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_mac
ports_release_tarballs_ports_x11_auto-multiple-choice/auto-multiple-choice-
devel/work/auto-multiple-choice-fd2136db5241e33dec5d920535d23000525b6b6d-
fd2136db5241e33dec5d920535d23000525b6b6d/I18N'
:info:build rsvg-convert -f pdf img_src/warning.svg -o img_pdf/warning.pdf
:info:build dlatex -P latex.encoding=utf8 -b xetex -t tex -p custom.xml --
texstyle=amcdocstyle --xslt-opts="--nonet" --xslt-opts="--catalogs" auto-multiple-
choice.fr.xml -o auto-multiple-choice.fr.tex
:info:build dlatex -P latex.encoding=utf8 -b xetex -t tex -p custom.xml --
texstyle=amcdocstyle --xslt-opts="--nonet" --xslt-opts="--catalogs" auto-multiple-
choice.ja.xml -o auto-multiple-choice.ja.tex
:info:build /opt/local/bin/perl extrait-fichiers.pl --liste auto-multiple-choice.en.ext auto-
multiple-choice.en.xml
:info:build Build the book set list...
:info:build Build the book set list...
:info:build Build the book set list...
:info:build *** File auto-multiple-choice.en.xml
:info:build | lang=en
:info:build * extracting modeles/en/simple-txt
:info:build   embedded description / N=AMC-TXT format simple example
:info:build * extracting modeles/en/simple-txt-nominative-sheets
```

:info:build * extracting modeles/en/simple
:info:build embedded description / N=Simple example
:info:build * extracting modeles/en/groups
:info:build embedded description / N=Groups
:info:build * extracting modeles/en/separate
:info:build embedded description / N=Separate answers
:info:build * extracting modeles/en/scoring
:info:build embedded description / N=Scoring strategy
:info:build xsltproc --nonet --catalogs --param man.charmap.use.subset "0" --param
make.year.ranges "1" --param make.single.year.ranges "1" --param
man.output.lang.in.name.enabled "1"
<http://docbook.sourceforge.net/release/xsl/current/manpages/docbook.xsl> auto-multiple-
choice.en.xml
:info:build Variable \$SGML_CATALOG_FILES not set
:info:build Note: Writing auto-multiple-choice.1
:info:build Note: Writing AMC-prepare.1
:info:build Note: meta source : no *info/productname or alternative AMC-meptex
:info:build Note: meta source : see <http://www.docbook.org/tdg5/en/html/produ> AMC-
meptex
:info:build Note: meta source : no refentry/refmeta/refmiscinfo@class=source AMC-
meptex
:info:build Note: meta source : see <http://www.docbook.org/tdg5/en/html/refmi> AMC-
meptex
:info:build Note: meta version: no *info/productnumber or alternative AMC-meptex
:info:build Note: meta version: see <http://www.docbook.org/tdg5/en/html/produ> AMC-
meptex
:info:build Note: meta version: no refentry/refmeta/refmiscinfo@class=version AMC-
meptex
:info:build Note: meta version: see <http://www.docbook.org/tdg5/en/html/refmi> AMC-
meptex
:info:build Warn: meta source : using "Auto Multiple Choice" for "source" AMC-meptex
:info:build Build the listings...
:info:build Build the listings...
:info:build Build the listings...
:info:build Note: Writing AMC-meptex.1
:info:build Note: Writing AMC-imprime.1
:info:build Note: Writing AMC-getimages.1
:info:build XSLT stylesheets DocBook - LaTeX 2e (0.3.11)
:info:build =====
:info:build XSLT stylesheets DocBook - LaTeX 2e (0.3.11)
:info:build =====
:info:build XSLT stylesheets DocBook - LaTeX 2e (0.3.11)
:info:build =====
:info:build Note: Writing AMC-analyse.1
:info:build Note: Writing AMC-note.1
:info:build Note: Writing AMC-association-auto.1
:info:build Note: Writing AMC-association.1

:info:build Note: Writing AMC-export.1
:info:build Note: Writing AMC-annotate.1
:info:build Note: Writing AMC-mailing.1
:info:build date > auto-multiple-choice.en.man
:info:build rm -f html/auto-multiple-choice.en/*.html
:info:build xsltproc --nonet --catalogs --stringparam base.dir html/auto-multiple-choice.en/
doc-xhtml.xsl auto-multiple-choice.en.xml
:info:build Variable \$SGML_CATALOG_FILES not set
:info:build Writing html/auto-multiple-choice.en/prerequis.html for sect1(prerequis)
:info:build Writing html/auto-multiple-choice.en/usagenotes.html for sect1(usagenotes)
:info:build Writing html/auto-multiple-choice.en/AMC-TXT.html for sect1(AMC-TXT)
:info:build Image 'tiger' not found
:info:build Writing html/auto-multiple-choice.en/latex.html for sect1(latex)
:info:build 'auto-multiple-choice.ja.tex' successfully built
:info:build /opt/local/bin/perl extrait-fichiers.pl --liste auto-multiple-choice.fr.ext auto-
multiple-choice.fr.xml
:info:build Image 'tigre' not found
:info:build *** File auto-multiple-choice.fr.xml
:info:build | lang=fr
:info:build * extracting modeles/fr/simple-txt
:info:build embedded description / N=Exemple simple au format AMC-TXT
:info:build * extracting modeles/fr/simple-txt-copies-preremplies
:info:build embedded description / N=Exemple simple au format AMC-TXT avec les copies
pré-remplies
:info:build * extracting modeles/fr/simple
:info:build embedded description / N=Exemple simple
:info:build * extracting modeles/fr/groupes
:info:build embedded description / N=Groupes
:info:build * extracting modeles/fr/ensemble
:info:build embedded description / N=Réponses séparées
:info:build * extracting modeles/fr/bareme
:info:build embedded description / N=Barème
:info:build xsltproc --nonet --catalogs --param man.charmap.use.subset "0" --param
make.year.ranges "1" --param make.single.year.ranges "1" --param
man.output.lang.in.name.enabled "1"
<http://docbook.sourceforge.net/release/xsl/current/manpages/docbook.xsl> auto-multiple-
choice.fr.xml
:info:build Variable \$SGML_CATALOG_FILES not set
:info:build 'auto-multiple-choice.fr.tex' successfully built
:info:build rm -f html/auto-multiple-choice.fr/*.html
:info:build xsltproc --nonet --catalogs --stringparam base.dir html/auto-multiple-choice.fr/
doc-xhtml.xsl auto-multiple-choice.fr.xml
:info:build Variable \$SGML_CATALOG_FILES not set
:info:build Writing html/auto-multiple-choice.en/graphical-interface.html for
sect1(graphical-interface)
:info:build Writing html/auto-multiple-choice.en/alt.html for sect1(alt)
:info:build Warn: AUTHOR sect.: no personblurb|contrib for Alexis Bienvenüe

:info:build Note: AUTHOR sect.: see <http://www.docbook.org/tdg5/en/html/contr>

:info:build Note: AUTHOR sect.: see <http://www.docbook.org/tdg5/en/html/perso>

:info:build Warn: AUTHOR sect.: no personblurb|contrib for Frédéric Bréal

:info:build Note: AUTHOR sect.: see <http://www.docbook.org/tdg5/en/html/contr>

:info:build Note: AUTHOR sect.: see <http://www.docbook.org/tdg5/en/html/perso>

:info:build Writing html/auto-multiple-choice.en/conflits.html for sect1(conflits)

:info:build Image 'tiger' not found

:info:build Writing html/auto-multiple-choice.en/auto-multiple-choice.html for refentry(auto-multiple-choice)

:info:build Writing html/auto-multiple-choice.en/AMC-prepare.html for refentry(AMC-prepare)

:info:build Note: Writing auto-multiple-choice.fr.1

:info:build Warn: AUTHOR sect.: no personblurb|contrib for Alexis Bienvenüe

:info:build Note: AUTHOR sect.: see <http://www.docbook.org/tdg5/en/html/contr>

:info:build Note: AUTHOR sect.: see <http://www.docbook.org/tdg5/en/html/perso>

:info:build Warn: AUTHOR sect.: no personblurb|contrib for Frédéric Bréal

:info:build Note: AUTHOR sect.: see <http://www.docbook.org/tdg5/en/html/contr>

:info:build Note: AUTHOR sect.: see <http://www.docbook.org/tdg5/en/html/perso>

:info:build Writing html/auto-multiple-choice.en/re03.html for refentry

:info:build Writing html/auto-multiple-choice.en/AMC-imprime.html for refentry(AMC-imprime)

:info:build Writing html/auto-multiple-choice.en/re05.html for refentry

:info:build Note: Writing AMC-prepare.fr.1

:info:build Writing html/auto-multiple-choice.en/AMC-analyse.html for refentry(AMC-analyse)

:info:build 'auto-multiple-choice.en.tex' successfully built

:info:build /opt/local/bin/perl extrait-fichiers.pl --liste auto-multiple-choice.ja.ext auto-multiple-choice.ja.xml

:info:build Writing html/auto-multiple-choice.fr/prerequis.html for sect1(prerequis)

:info:build Writing html/auto-multiple-choice.en/AMC-note.html for refentry(AMC-note)

:info:build Writing html/auto-multiple-choice.fr/notesutilisation.html for sect1(notesutilisation)

:info:build Writing html/auto-multiple-choice.en/AMC-association-auto.html for refentry(AMC-association-auto)

:info:build date > auto-multiple-choice.fr.man

:info:build xsltproc --nonet --catalogs --param man.charmap.use.subset "0" --param make.year.ranges "1" --param make.single.year.ranges "1" --param man.output.lang.in.name.enabled "1"

<http://docbook.sourceforge.net/release/xsl/current/manpages/docbook.xsl> auto-multiple-choice.ja.xml

:info:build Writing html/auto-multiple-choice.en/AMC-association.html for refentry(AMC-association)

:info:build Variable \$SGML_CATALOG_FILES not set

:info:build Writing html/auto-multiple-choice.en/AMC-export.html for refentry(AMC-export)

:info:build Wide character in print at extrait-fichiers.pl line 86.

:info:build Wide character in print at extrait-fichiers.pl line 86.

:info:build Wide character in print at extrait-fichiers.pl line 86.

:info:build Wide character in print at extrait-fichiers.pl line 86.
:info:build Wide character in print at extrait-fichiers.pl line 86.
:info:build Writing html/auto-multiple-choice.en/AMC-annotate.html for refentry(AMC-annotate)
:info:build *** File auto-multiple-choice.ja.xml
:info:build | lang=ja
:info:build * extracting modeles/ja/simple-txt
:info:build embedded description / N=AMC-TXT形式の単純な例
:info:build * extracting modeles/ja/simple
:info:build embedded description / N=単純な例
:info:build * extracting modeles/ja/groups
:info:build embedded description / N=設問グルーピング
:info:build * extracting modeles/ja/separate
:info:build embedded description / N=別紙答案用紙
:info:build * extracting modeles/ja/scoring
:info:build embedded description / N=採点基準
:info:build rm -f html/auto-multiple-choice.ja/*.html
:info:build Writing html/auto-multiple-choice.fr/AMC-TXT.html for sect1(AMC-TXT)
:info:build xsltproc --nonet --catalogs --stringparam base.dir html/auto-multiple-choice.ja/doc-xhtml.xsl auto-multiple-choice.ja.xml
:info:build Variable \$SGML_CATALOG_FILES not set
:info:build Writing html/auto-multiple-choice.en/re12.html for refentry
:info:build Writing html/auto-multiple-choice.en/commands.html for sect1(commands)
:info:build Writing html/auto-multiple-choice.en/Miscellaneous.html for sect1(Miscellaneous)
:info:build Writing html/auto-multiple-choice.en/index.html for article
:info:build Note: Writing auto-multiple-choice.ja.1
:info:build date > auto-multiple-choice.en.html
:info:build /opt/local/bin/perl ./index.pl auto-multiple-choice.en auto-multiple-choice.fr auto-multiple-choice.ja > html/index.html
:info:build set -e ; xelatex -halt-on-error -interaction=nonstopmode auto-multiple-choice.en.tex; xelatex -halt-on-error -interaction=nonstopmode auto-multiple-choice.en.tex
:info:build Writing html/auto-multiple-choice.ja/prerequis.html for sect1(prerequis)
:info:build Note: Writing AMC-prepare.ja.1
:info:build Note: meta source : no *info/productname or alternative AMC-meptex
:info:build Note: meta source : see <http://www.docbook.org/tdg5/en/html/produ> AMC-meptex
:info:build Note: meta source : no refentry/refmeta/refmiscinfo@class=source AMC-meptex
:info:build Note: meta source : see <http://www.docbook.org/tdg5/en/html/refmi> AMC-meptex
:info:build Note: meta version: no *info/productnumber or alternative AMC-meptex
:info:build Note: meta version: see <http://www.docbook.org/tdg5/en/html/produ> AMC-meptex
:info:build Note: meta version: no refentry/refmeta/refmiscinfo@class=version AMC-meptex

:info:build Note: meta version: see <http://www.docbook.org/tdg5/en/html/refmi> AMC-meptex

:info:build Warn: meta source : using "Auto Multiple Choice" for "source" AMC-meptex

:info:build Writing html/auto-multiple-choice.ja/usagenotes.html for sect1(usagenotes)

:info:build This is XeTeX, Version 3.14159265-2.6-0.999992 (TeX Live 2020) (preloaded format=xelatex)

:info:build restricted \write18 enabled.

:info:build Note: Writing AMC-meptex.ja.1

:info:build Writing html/auto-multiple-choice.ja/AMC-TXT.html for sect1(AMC-TXT)

:info:build Writing html/auto-multiple-choice.fr/latex.html for sect1(latex)

:info:build entering extended mode

:info:build (./auto-multiple-choice.en.tex

:info:build LaTeX2e <2020-02-02> patch level 5

:info:build L3 programming layer <2020-03-06>

:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/base/article.cls

:info:build Document Class: article 2019/12/20 v1.4| Standard LaTeX document class

:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/base/size10.clo))

:info:build (/usr/local/texlive/2020/texmf-dist/tex/generic/iftex/ifxetex.sty

:info:build (/usr/local/texlive/2020/texmf-dist/tex/generic/iftex/iftex.sty))

:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/fontspec/fontspec.sty

:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/l3packages/xparse/xparse.sty

:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/l3kernel/expl3.sty

:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/l3backend/l3backend-xdvi.pdfmx.def

:info:build))) (/usr/local/texlive/2020/texmf-dist/tex/latex/fontspec/fontspec-xetex.sty

:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/base/fontenc.sty)Note: Writing AMC-imprime.ja.1

:info:build Note: Writing AMC-getimages.ja.1

:info:build Writing html/auto-multiple-choice.ja/latex.html for sect1(latex)

:info:build Note: Writing AMC-analyse.ja.1

:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/fontspec/fontspec.cfg)))

:info:build (/usr/local/texlive/2020/texmf-dist/tex/xelatex/xltxtra/xltxtra.sty

:info:build (/usr/local/texlive/2020/texmf-dist/tex/generic/iftex/ifluatex.sty)

:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/realscripts/realscripts.sty)

:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/metalogo/metalogo.sty

:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/graphics/graphicx.sty

:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/graphics/keyval.sty)

:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/graphics/graphics.sty

:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/graphics/trig.sty)

:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/graphics-cfg/graphics.cfg)

:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/graphics-def/xetex.def))))))Writing html/auto-multiple-choice.fr/interface-graphique.html for sect1(interface-graphique)

:info:build Writing html/auto-multiple-choice.fr/alt.html for sect1(alt)

:info:build Writing html/auto-multiple-choice.fr/conflits.html for sect1(conflits)

:info:build Note: Writing AMC-note.ja.1

:info:build Writing html/auto-multiple-choice.fr/auto-multiple-choice.html for refentry(auto-multiple-choice)

:info:build Writing html/auto-multiple-choice.fr/AMC-prepare.html for refentry(AMC-prepare)
:info:build Writing html/auto-multiple-choice.fr/commandes.html for sect1(commandes)
:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/fancybox/fancybox.sty
:info:build Style option: `fancybox' v1.4 <2010/05/15> (tvz)
:info:build) (/usr/local/texlive/2020/texmf-dist/tex/latex/base/makeidx.sty)
:info:build (./amcdocstyle.sty
:info:build (/usr/local/texlive/texmf-local/tex/latex/dblatex/style/docbook.sty
:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/titlesec/titlesec.sty)
:info:build (/usr/local/texlive/2020/texmf-dist/tex/generic/iftex/ifpdf.sty)
:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/pdfpages/pdfpages.sty
:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/base/iftthen.sty)
:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/tools/calc.sty)Writing html/auto-multiple-choice.fr/Divers.html for sect1(Divers)
:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/eso-pic/eso-pic.sty
:info:build (/usr/local/texlive/2020/texmf-dist/tex/generic/atbegshi/atbegshi.sty
:info:build (/usr/local/texlive/2020/texmf-dist/tex/generic/infwarerr/infwarerr.sty)
:info:build (/usr/local/texlive/2020/texmf-dist/tex/generic/ltxcmds/ltxcmds.sty))
:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/xcolor/xcolor.sty)Writing html/auto-multiple-choice.fr/index.html for article
:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/graphics-cfg/color.cfg))
:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/pdfpages/ppxetex.def))
:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/multirow/multirow.sty)
:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/subfigure/subfigure.sty
:info:build *****
:info:build * Local config file subfigure.cfg used *
:info:build *****
:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/subfigure/subfigure.cfg))
:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/tools/tabularx.sty
:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/tools/array.sty))
:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/footmisc/footmisc.sty)
:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/appendix/appendix.sty)
:info:build (/usr/local/texlive/texmf-local/tex/latex/dblatex/style/dbk_fonts.sty
:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/amsmath/amstext.sty
:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/amsmath/amsgen.sty))
:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/amsmath/amsmath.sty
:info:build For additional information on amsmath, use the `?' option.
:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/amsmath/amsbsy.sty)
:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/amsmath/amsopn.sty))
:info:build (/usr/local/texlive/texmf-local/tex/latex/dblatex/style/dbk_hyper.sty
:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/hyperref/hyperref.sty
:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/pdftexcmds/pdftexcmds.sty)
:info:build (/usr/local/texlive/2020/texmf-dist/tex/generic/kvsetkeys/kvsetkeys.sty)
:info:build (/usr/local/texlive/2020/texmf-dist/tex/generic/kvdefinekeys/kvdefinekeys.sty)
:info:build (/usr/local/texlive/2020/texmf-dist/tex/generic/pdfescape/pdfescape.sty)
:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/hycolor/hycolor.sty)
:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/letltxmacro/letltxmacro.sty)

```
:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/auxhook/auxhook.sty)
:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/kvoptions/kvoptions.sty)Note:
Writing AMC-association-auto.ja.1
:info:build )
:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/hyperref/pd1enc.def)
:info:build (/usr/local/texlive/2020/texmf-dist/tex/generic/intcalc/intcalc.sty)
:info:build (/usr/local/texlive/2020/texmf-dist/tex/generic/etexcmds/etexcmds.sty)
:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/url/url.sty)
:info:build (/usr/local/texlive/2020/texmf-dist/tex/generic/bitset/bitset.sty)
:info:build (/usr/local/texlive/2020/texmf-dist/tex/generic/bigintcalc/bigintcalc.sty))date >
auto-multiple-choice.fr.html
:info:build )
:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/hyperref/hxetex.def)
:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/hyperref/puenc.def)set -e ; xelatex -
halt-on-error -interaction=nonstopmode auto-multiple-choice.fr.tex; xelatex -halt-on-error -
interaction=nonstopmode auto-multiple-choice.fr.tex
:info:build Writing html/auto-multiple-choice.ja/graphical-interface.html for sect1(graphical-
interface)
:info:build )
:info:build (/usr/local/texlive/2020/texmf-dist/tex/generic/stringenc/stringenc.sty)
:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/rerunfilecheck/rerunfilecheck.sty)
:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/atveryend/atveryend.sty)
:info:build (/usr/local/texlive/2020/texmf-
dist/tex/generic/uniquecounter/uniquecounter.sty)
:info:build ))) (/usr/local/texlive/2020/texmf-dist/tex/latex/bookmark/bookmark.sty)Writing
html/auto-multiple-choice.ja/alt.html for sect1(alt)
:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/bookmark/bkm-dvipdfm.def)))
:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/fancyhdr/fancyhdr.sty)
:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/fancyvrb/fancyvrb.sty)
:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/float/float.sty)
:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/refcount/refcount.sty)
:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/lastpage/lastpage.sty)
:info:build (/usr/local/texlive/texmf-local/tex/latex/dblatex/style/dbk_locale.sty)
:info:build (/usr/local/texlive/texmf-local/tex/latex/dblatex/style/dbk_title.sty)
:info:build (/usr/local/texlive/texmf-local/tex/latex/dblatex/style/dbk_headfoot.sty)
:info:build (/usr/local/texlive/texmf-local/tex/latex/dblatex/style/dbk_revision.sty)
:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/tools/longtable.sty))
:info:build (/usr/local/texlive/texmf-local/tex/latex/dblatex/style/dbk_admonition.sty)
:info:build (/usr/local/texlive/texmf-local/tex/latex/dblatex/style/dbk_changebar.sty)
:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/changebar/changebar.sty))
:info:build (/usr/local/texlive/texmf-local/tex/latex/dblatex/style/dbk_biblio.sty)
:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/bibtopic/bibtopic.sty)Writing
html/auto-multiple-choice.ja/auto-multiple-choice.html for reentry(auto-multiple-choice)
:info:build ))
:info:build (/usr/local/texlive/texmf-local/tex/latex/dblatex/style/dbk_table.sty)
:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/graphics/lscap.sty)
:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/colortbl/colortbl.sty)
```

:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/tools/hhline.sty)
:info:build (/usr/local/texlive/texmf-local/tex/latex/dblatex/misc/multirow2.sty))
:info:build (/usr/local/texlive/texmf-local/tex/latex/dblatex/style/dbk_item.sty
:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/enumitem/enumitem.sty))Note:
Writing AMC-association.ja.1
:info:build (/usr/local/texlive/texmf-local/tex/latex/dblatex/style/dbk_graphic.sty)
:info:build (/usr/local/texlive/texmf-local/tex/latex/dblatex/style/dbk_cover.sty)
:info:build (/usr/local/texlive/texmf-local/tex/latex/dblatex/style/dbk_verbatim.sty
:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/listings/listings.sty
:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/listings/lstmisc.sty)
:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/listings/listings.cfg)))Writing
html/auto-multiple-choice.ja/AMC-prepare.html for refentry(AMC-prepare)
:info:build (/usr/local/texlive/texmf-local/tex/latex/dblatex/style/dbk_misc.sty
:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/listings/lstmisc.sty))
:info:build (/usr/local/texlive/texmf-local/tex/latex/dblatex/style/dbk_callout.sty
:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/overpic/overpic.sty
:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/eepic/epic.sty
:info:build Enhancements to Picture Environment. Version 1.2 - Released June 1, 1986
:info:build))) (/usr/local/texlive/texmf-local/tex/latex/dblatex/style/dbk_annot.sty))
:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/isodate/isodate.sty
:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/substr/substr.sty)
:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/isodate/english.idf
:info:build Define commands for American date format
:info:build)) (/usr/local/texlive/2020/texmf-dist/tex/xelatex/xecjk/xecjk.styWriting
html/auto-multiple-choice.ja/re03.html for refentry
:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/l3packages/l3keys2e/l3keys2e.sty)
:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/l3packages/xtemplate/xtemplate.st
:info:build y)This is XeTeX, Version 3.14159265-2.6-0.999992 (TeX Live 2020) (preloaded
format=xelatex)
:info:build restricted \write18 enabled.
:info:build Writing html/auto-multiple-choice.ja/AMC-imprime.html for refentry(AMC-
imprime)
:info:build Writing html/auto-multiple-choice.ja/re05.html for refentry
:info:build Note: Writing AMC-export.ja.1
:info:build Writing html/auto-multiple-choice.ja/AMC-analyse.html for refentry(AMC-
analyse)
:info:build Writing html/auto-multiple-choice.ja/AMC-note.html for refentry(AMC-note)
:info:build Writing html/auto-multiple-choice.ja/AMC-association-auto.html for
refentry(AMC-association-auto)
:info:build Writing html/auto-multiple-choice.ja/AMC-association.html for refentry(AMC-
association)
:info:build entering extended mode
:info:build (./auto-multiple-choice.fr.tex
:info:build LaTeX2e <2020-02-02> patch level 5
:info:build L3 programming layer <2020-03-06>
:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/base/article.cls
:info:build Document Class: article 2019/12/20 v1.4l Standard LaTeX document class

```
:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/base/size10.clo)
:info:build (/usr/local/texlive/2020/texmf-dist/tex/generic/iftex/ifxetex.sty)
:info:build (/usr/local/texlive/2020/texmf-dist/tex/generic/iftex/iftex.sty))
:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/fontspec/fontspec.sty)
:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/l3packages/xparse/xparse.sty)
:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/l3kernel/expl3.sty)
:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/l3backend/l3backend-
xdvipdfmx.def
:info:build ))Writing html/auto-multiple-choice.ja/AMC-export.html for refentry(AMC-
export)
:info:build ) (/usr/local/texlive/2020/texmf-dist/tex/latex/fontspec/fontspec-xetex.sty)
:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/base/fontenc.sty)
(/usr/local/texlive/2020/texmf-dist/tex/xelatex/xecjk/xecjk.cfg))
:info:build kpathsea: Running mktexfm IPAexMincho/OT
:info:build Note: Writing AMC-annotate.ja.1
:info:build Writing html/auto-multiple-choice.ja/AMC-annotate.html for refentry(AMC-annotate)
:info:build Writing html/auto-multiple-choice.ja/re12.html for refentry
:info:build Writing html/auto-multiple-choice.ja/commands.html for sect1(commands)
:info:build Writing html/auto-multiple-choice.ja/ar01s09.html for sect1
:info:build Writing html/auto-multiple-choice.ja/ix01.html for index
:info:build Writing html/auto-multiple-choice.ja/index.html for article
:info:build Note: Writing AMC-mailing.ja.1
:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/fontspec/fontspec.cfg)))
:info:build (/usr/local/texlive/2020/texmf-dist/tex/xelatex/xltxtra/xltxtra.sty)
:info:build (/usr/local/texlive/2020/texmf-dist/tex/generic/iftex/ifluatex.sty)
:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/realscripts/realscripts.stydate >
auto-multiple-choice.ja.html
:info:build )
:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/metalogo/metalogo.sty)
:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/graphics/graphicx.sty)
:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/graphics/keyval.sty)
:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/graphics/graphics.sty)
:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/graphics/trig.sty)
:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/graphics-cfg/graphics.cfg)
:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/graphics-def/xetex.defset -e ;
xelatex -halt-on-error -interaction=nonstopmode auto-multiple-choice.ja.tex; xelatex -halt-
on-error -interaction=nonstopmode auto-multiple-choice.ja.tex
:info:build ))))date > auto-multiple-choice.ja.man
:info:build mktexfm: Cannot find mktex.opt; check your installation.
:info:build kpathsea: Appending font creation commands to missfont.log.
:info:build ! Package fontspec Error: The font "IPAexMincho" cannot be found.
:info:build For immediate help type H <return>.
:info:build ...
:info:build
:info:build l.37 \setCJKsansfont
:info:build {IPAexGothic}%
:info:build No pages of output.
```

```
:info:build Transcript written on auto-multiple-choice.en.log.
:info:build gmake[2]: *** [Makefile:71: auto-multiple-choice.en.pdf] Error 1
:info:build gmake[2]: *** Waiting for unfinished jobs....
:info:build This is XeTeX, Version 3.14159265-2.6-0.999992 (TeX Live 2020) (preloaded
format=xelatex)
:info:build restricted \write18 enabled.
:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/fancybox/fancybox.sty
:info:build Style option: `fancybox' v1.4 <2010/05/15> (tvz)
:info:build ) (/usr/local/texlive/2020/texmf-dist/tex/latex/base/makeidx.sty)
:info:build (/usr/local/texlive/2020/texmf-dist/tex/generic/babel/babel.sty
:info:build (/usr/local/texlive/2020/texmf-dist/tex/generic/babel/switch.def)
:info:build (/usr/local/texlive/2020/texmf-dist/tex/generic/babel-french/french.ldf
:info:build (/usr/local/texlive/2020/texmf-dist/tex/generic/babel/babel.def
:info:build (/usr/local/texlive/2020/texmf-dist/tex/generic/babel/xebabel.def
:info:build (/usr/local/texlive/2020/texmf-dist/tex/generic/babel/txtbabel.def))))))
:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/carlisle/scalefnt.sty)
:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/cmap/cmap.sty
:info:build Package cmap Warning: pdftex not detected - exiting.
:info:build ) (./amcdocstyle.sty
:info:build (/usr/local/texlive/texmf-local/tex/latex/dblatex/style/docbook.sty
:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/titlesec/titlesec.sty)
:info:build (/usr/local/texlive/2020/texmf-dist/tex/generic/iftex/ifpdf.sty)
:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/pdfpages/pdfpages.sty
:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/base/ifthen.sty)
:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/tools/calc.sty)
:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/eso-pic/eso-pic.sty
:info:build (/usr/local/texlive/2020/texmf-dist/tex/generic/atbegshi/atbegshi.sty
:info:build (/usr/local/texlive/2020/texmf-dist/tex/generic/infwarerr/infwarerr.sty)
:info:build (/usr/local/texlive/2020/texmf-dist/tex/generic/ltxcmds/ltxcmds.sty))
:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/xcolor/xcolor.sty
:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/graphics-cfg/color.cfg)))
:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/pdfpages/ppxetex.def))
:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/multirow/multirow.sty)
:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/subfigure/subfigure.sty
:info:build *****
:info:build * Local config file subfigure.cfg used *
:info:build *****
:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/subfigure/subfigure.cfg))
:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/tools/tabularx.sty
:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/tools/array.sty))
:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/footmisc/footmisc.sty)
:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/appendix/appendix.sty)
:info:build (/usr/local/texlive/texmf-local/tex/latex/dblatex/style/dbk_fonts.sty
:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/amsmath/amstext.sty
:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/amsmath/amsgen.sty))
:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/amsmath/amsmath.sty
:info:build For additional information on amsmath, use the `?' option.
```

:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/amsmath/amsbsy.sty)
:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/amsmath/amsopn.sty)))
:info:build (/usr/local/texlive/texmf-local/tex/latex/dblatex/style/dbk_hyper.sty
:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/hyperref/hyperref.sty
:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/pdftexcmds/pdftexcmds.sty)
:info:build (/usr/local/texlive/2020/texmf-dist/tex/generic/kvsetkeys/kvsetkeys.sty)
:info:build (/usr/local/texlive/2020/texmf-dist/tex/generic/kvdefinekeys/kvdefinekeys.sty)
:info:build (/usr/local/texlive/2020/texmf-dist/tex/generic/pdfescape/pdfescape.sty)
:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/hycolor/hycolor.sty)
:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/letltxmacro/letltxmacro.sty)
:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/auxhook/auxhook.sty)
:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/kvoptions/kvoptions.sty)
:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/hyperref/pd1enc.def)
:info:build (/usr/local/texlive/2020/texmf-dist/tex/generic/intcalc/intcalc.sty)
:info:build (/usr/local/texlive/2020/texmf-dist/tex/generic/etexcmds/etexcmds.sty)
:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/url/url.sty)
:info:build (/usr/local/texlive/2020/texmf-dist/tex/generic/bitset/bitset.sty
:info:build (/usr/local/texlive/2020/texmf-dist/tex/generic/bigintcalc/bigintcalc.sty)))
:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/hyperref/hxetex.def
:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/hyperref/puenc.def)
:info:build (/usr/local/texlive/2020/texmf-dist/tex/generic/stringenc/stringenc.sty)entering
extended mode
:info:build (./auto-multiple-choice.ja.tex
:info:build LaTeX2e <2020-02-02> patch level 5
:info:build L3 programming layer <2020-03-06>
:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/base/article.cls
:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/rerunfilecheck/rerunfilecheck.sty
:info:build Document Class: article 2019/12/20 v1.4| Standard LaTeX document class
:info:build (/usr/local/texlive/2020/texmf-
dist/tex/latex/base/size10.clo)(/usr/local/texlive/2020/texmf-
dist/tex/latex/atveryend/atveryend.sty))
:info:build (/usr/local/texlive/2020/texmf-
dist/tex/generic/uniquecounter/uniquecounter.sty
:info:build (/usr/local/texlive/2020/texmf-dist/tex/generic/iftex/ifxetex.sty)))
:info:build (/usr/local/texlive/2020/texmf-dist/tex/generic/iftex/iftex.sty))
(/usr/local/texlive/2020/texmf-dist/tex/latex/bookmark/bookmark.sty
:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/fontspec/fontspec.sty
:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/l3packages/xparse/xparse.sty
:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/l3kernel/expl3.sty
:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/l3backend/l3backend-
xdvipdfmx.def
:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/bookmark/bkm-dvipdfm.def))))))
:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/fancyhdr/fancyhdr.sty)
:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/fancyvrb/fancyvrb.sty)
(/usr/local/texlive/2020/texmf-dist/tex/latex/fontspec/fontspec-xetex.sty)
:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/float/float.sty)
:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/base/fontenc.sty

:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/refcount/refcount.sty))
:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/lastpage/lastpage.sty)
:info:build (/usr/local/texlive/texmf-local/tex/latex/dblatex/style/dbk_locale.sty)
:info:build (/usr/local/texlive/texmf-local/tex/latex/dblatex/style/dbk_title.sty)
:info:build (/usr/local/texlive/texmf-local/tex/latex/dblatex/style/dbk_headfoot.sty)
:info:build (/usr/local/texlive/texmf-local/tex/latex/dblatex/style/dbk_revision.sty
:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/tools/longtable.sty))
:info:build (/usr/local/texlive/texmf-local/tex/latex/dblatex/style/dbk_admonition.sty)
:info:build (/usr/local/texlive/texmf-local/tex/latex/dblatex/style/dbk_changebar.sty
:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/changebar/changebar.sty))
:info:build (/usr/local/texlive/texmf-local/tex/latex/dblatex/style/dbk_biblio.sty
:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/bibtopic/bibtopic.sty))
:info:build (/usr/local/texlive/texmf-local/tex/latex/dblatex/style/dbk_table.sty
:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/graphics/lscap.sty)
:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/colortbl/colortbl.sty)
:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/tools/hhline.sty)
:info:build (/usr/local/texlive/texmf-local/tex/latex/dblatex/misc/multirow2.sty))
:info:build (/usr/local/texlive/texmf-local/tex/latex/dblatex/style/dbk_item.sty
:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/enumitem/enumitem.sty))
:info:build (/usr/local/texlive/texmf-local/tex/latex/dblatex/style/dbk_graphic.sty)
:info:build (/usr/local/texlive/texmf-local/tex/latex/dblatex/style/dbk_cover.sty)
:info:build (/usr/local/texlive/texmf-local/tex/latex/dblatex/style/dbk_verbatim.sty
:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/listings/listings.sty
:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/listings/lstmisc.sty)
:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/listings/listings.cfg))
:info:build (/usr/local/texlive/texmf-local/tex/latex/dblatex/style/dbk_misc.sty
:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/listings/lstmisc.sty))
:info:build (/usr/local/texlive/texmf-local/tex/latex/dblatex/style/dbk_callout.sty
:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/overpic/overpic.sty
:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/eepic/epic.sty
:info:build Enhancements to Picture Environment. Version 1.2 - Released June 1, 1986
:info:build))) (/usr/local/texlive/texmf-local/tex/latex/dblatex/style/dbk_annot.sty))
:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/isodate/isodate.sty
:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/substr/substr.sty)
:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/isodate/english.idf
:info:build Define commands for American date format
:info:build)) (/usr/local/texlive/2020/texmf-dist/tex/xelatex/xecjk/xecjk.sty
:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/l3packages/l3keys2e/l3keys2e.sty)
:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/l3packages/xtemplate/xtemplate.st
:info:build y)
:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/fontspec/fontspec.cfg))
:info:build (/usr/local/texlive/2020/texmf-dist/tex/xelatex/xltxtra/xltxtra.sty
:info:build (/usr/local/texlive/2020/texmf-dist/tex/generic/iftex/ifluatex.sty)
:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/realscripts/realscripts.sty)
:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/metalogo/metalogo.sty
:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/graphics/graphicx.sty
:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/graphics/keyval.sty)

:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/graphics/graphics.sty
:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/graphics/trig.sty)
:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/graphics-cfg/graphics.cfg)
:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/graphics-def/xetex.def)))))
(/usr/local/texlive/2020/texmf-dist/tex/xelatex/xecjk/xecjk.cfg))
:info:build kpathsea: Running mktexfm IPAexMincho/OT
:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/fancybox/fancybox.sty
:info:build Style option: `fancybox' v1.4 <2010/05/15> (tvz)
:info:build) (/usr/local/texlive/2020/texmf-dist/tex/latex/base/makeidx.sty)
:info:build (./amcdocstyle.sty
:info:build (/usr/local/texlive/texmf-local/tex/latex/dblatex/style/docbook.sty
:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/titlesec/titlesec.sty)
:info:build (/usr/local/texlive/2020/texmf-dist/tex/generic/iftex/ifpdf.sty)
:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/pdfpages/pdfpages.sty
:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/base/ifthen.sty)
:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/tools/calc.sty)
:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/eso-pic/eso-pic.sty
:info:build (/usr/local/texlive/2020/texmf-dist/tex/generic/atbegshi/atbegshi.sty
:info:build (/usr/local/texlive/2020/texmf-dist/tex/generic/infwarerr/infwarerr.sty)
:info:build (/usr/local/texlive/2020/texmf-dist/tex/generic/ltxcmds/ltxcmds.sty))
:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/xcolor/xcolor.sty
:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/graphics-cfg/color.cfg))
:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/pdfpages/ppxetex.def))
:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/multirow/multirow.sty)
:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/subfigure/subfigure.sty
:info:build *****
:info:build * Local config file subfigure.cfg used *
:info:build *****
:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/subfigure/subfigure.cfg))
:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/tools/tabularx.sty
:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/tools/array.sty))
:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/footmisc/footmisc.sty)
:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/appendix/appendix.sty)
:info:build (/usr/local/texlive/texmf-local/tex/latex/dblatex/style/dbk_fonts.sty
:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/amsmath/amstext.sty
:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/amsmath/amsgen.sty))
:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/amsmath/amsmath.sty
:info:build For additional information on amsmath, use the `?' option.
:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/amsmath/amsbsy.sty)
:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/amsmath/amsopn.sty)))))
:info:build (/usr/local/texlive/texmf-local/tex/latex/dblatex/style/dbk_hyper.sty
:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/hyperref/hyperref.sty
:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/pdftexcmds/pdftexcmds.sty)
:info:build (/usr/local/texlive/2020/texmf-dist/tex/generic/kvsetkeys/kvsetkeys.sty)
:info:build (/usr/local/texlive/2020/texmf-dist/tex/generic/kvdefinekeys/kvdefinekeys.sty)
:info:build (/usr/local/texlive/2020/texmf-dist/tex/generic/pdfescape/pdfescape.sty)
:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/hycolor/hycolor.sty)

:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/letltxmacro/letltxmacro.sty)
:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/auxhook/auxhook.sty)
:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/kvoptions/kvoptions.sty)
:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/hyperref/pd1enc.def)
:info:build (/usr/local/texlive/2020/texmf-dist/tex/generic/intcalc/intcalc.sty)
:info:build (/usr/local/texlive/2020/texmf-dist/tex/generic/etexcmds/etexcmds.sty)
:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/url/url.sty)
:info:build (/usr/local/texlive/2020/texmf-dist/tex/generic/bitset/bitset.sty)
:info:build (/usr/local/texlive/2020/texmf-dist/tex/generic/bigintcalc/bigintcalc.sty)))
:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/hyperref/hxetex.def)
:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/hyperref/puenc.def)
:info:build (/usr/local/texlive/2020/texmf-dist/tex/generic/stringenc/stringenc.sty)
:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/rerunfilecheck/rerunfilecheck.sty)
:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/atveryend/atveryend.sty)
:info:build (/usr/local/texlive/2020/texmf-dist/tex/generic/uniquecounter/uniquecounter.sty
:info:build))) (/usr/local/texlive/2020/texmf-dist/tex/latex/bookmark/bookmark.sty
:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/bookmark/bkm-dvipdfm.def)))
:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/fancyhdr/fancyhdr.sty)
:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/fancyvrb/fancyvrb.sty)
:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/float/float.sty)
:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/refcount/refcount.sty)
:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/lastpage/lastpage.sty)
:info:build (/usr/local/texlive/texmf-local/tex/latex/dblatex/style/dbk_locale.sty)
:info:build (/usr/local/texlive/texmf-local/tex/latex/dblatex/style/dbk_title.sty)
:info:build (/usr/local/texlive/texmf-local/tex/latex/dblatex/style/dbk_headfoot.sty)
:info:build (/usr/local/texlive/texmf-local/tex/latex/dblatex/style/dbk_revision.sty)
:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/tools/longtable.sty))
:info:build (/usr/local/texlive/texmf-local/tex/latex/dblatex/style/dbk_admonition.sty)
:info:build (/usr/local/texlive/texmf-local/tex/latex/dblatex/style/dbk_changebar.sty
:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/changebar/changebar.sty))
:info:build (/usr/local/texlive/texmf-local/tex/latex/dblatex/style/dbk_biblio.sty
:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/bibtopic/bibtopic.sty))
:info:build (/usr/local/texlive/texmf-local/tex/latex/dblatex/style/dbk_table.sty
:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/graphics/lscap.sty)
:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/colortbl/colortbl.sty)
:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/tools/hhline.sty)
:info:build (/usr/local/texlive/texmf-local/tex/latex/dblatex/misc/multirow2.sty))
:info:build (/usr/local/texlive/texmf-local/tex/latex/dblatex/style/dbk_item.sty
:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/enumitem/enumitem.sty))
:info:build (/usr/local/texlive/texmf-local/tex/latex/dblatex/style/dbk_graphic.sty)
:info:build (/usr/local/texlive/texmf-local/tex/latex/dblatex/style/dbk_cover.sty)
:info:build (/usr/local/texlive/texmf-local/tex/latex/dblatex/style/dbk_verbatim.sty
:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/listings/listings.sty
:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/listings/lstmisc.sty)
:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/listings/listings.cfg))
:info:build (/usr/local/texlive/texmf-local/tex/latex/dblatex/style/dbk_misc.sty

```
:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/listings/lstmisc.sty)
:info:build (/usr/local/texlive/texmf-local/tex/latex/dblatex/style/dbk_callout.sty
:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/overpic/overpic.sty
:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/eepic/epic.sty
:info:build Enhancements to Picture Environment. Version 1.2 - Released June 1, 1986
:info:build )mktexfm: Cannot find mktex.opt; check your installation.
:info:build )kpathsea: Appending font creation commands to missfont.log.
:info:build ) (/usr/local/texlive/texmf-local/tex/latex/dblatex/style/dbk_annot.sty))
:info:build ! Package fontspec Error: The font "IPAexMincho" cannot be found.
:info:build For immediate help type H <return>.
:info:build ...
:info:build
:info:build l.37 \setCJKsansfont
:info:build          {IPAexGothic}%
:info:build No pages of output.
:info:build Transcript written on auto-multiple-choice.fr.log.
:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/isodate/isodate.sty
:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/substr/substr.sty)
:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/isodate/english.idf
:info:build Define commands for American date format
:info:build )) (/usr/local/texlive/2020/texmf-dist/tex/xelatex/xecjk/xecJK.sty
:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/l3packages/l3keys2e/l3keys2e.sty)
:info:build gmake[2]: *** [Makefile:71: auto-multiple-choice.fr.pdf] Error 1
:info:build (/usr/local/texlive/2020/texmf-dist/tex/latex/l3packages/xtemplate/xtemplate.st
:info:build y) (/usr/local/texlive/2020/texmf-dist/tex/xelatex/xecjk/xecJK.cfg))
:info:build kpathsea: Running mktexfm IPAexMincho/OT
:info:build mktexfm: Cannot find mktex.opt; check your installation.
:info:build kpathsea: Appending font creation commands to missfont.log.
:info:build ! Package fontspec Error: The font "IPAexMincho" cannot be found.
:info:build For immediate help type H <return>.
:info:build ...
:info:build
:info:build l.37 \setCJKsansfont
:info:build          {IPAexGothic}%
:info:build No pages of output.
:info:build Transcript written on auto-multiple-choice.ja.log.
:info:build gmake[2]: *** [Makefile:71: auto-multiple-choice.ja.pdf] Error 1
:info:build rm img_pdf/important.pdf auto-multiple-choice.ja.tex auto-multiple-
choice.ja.man auto-multiple-choice.fr.html img_pdf/warning.pdf auto-multiple-choice.en.tex
auto-multiple-choice.ja.ext auto-multiple-choice.ja.html auto-multiple-choice.en.ext
img_pdf/note.pdf auto-multiple-choice.en.man auto-multiple-choice.fr.man auto-multiple-
choice.en.html auto-multiple-choice.fr.tex auto-multiple-choice.fr.ext
:info:build gmake[2]: Leaving directory
'/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_mac
ports_release_tarballs_ports_x11_auto-multiple-choice/auto-multiple-choice-
devel/work/auto-multiple-choice-fd2136db5241e33dec5d920535d23000525b6b6d-
fd2136db5241e33dec5d920535d23000525b6b6d/doc'
```

```
:info:build gmake[1]: *** [Makefile:166: doc] Error 2
:info:build gmake[1]: Leaving directory
'/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_mac
ports_release_tarballs_ports_x11_auto-multiple-choice/auto-multiple-choice-
devel/work/auto-multiple-choice-fd2136db5241e33dec5d920535d23000525b6b6d-
fd2136db5241e33dec5d920535d23000525b6b6d'
:info:build gmake: *** [Makefile:119: all] Error 2
:info:build gmake: Leaving directory
'/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_mac
ports_release_tarballs_ports_x11_auto-multiple-choice/auto-multiple-choice-
devel/work/auto-multiple-choice-fd2136db5241e33dec5d920535d23000525b6b6d-
fd2136db5241e33dec5d920535d23000525b6b6d'
:info:build Command failed: cd
"/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_mac
ports_release_tarballs_ports_x11_auto-multiple-choice/auto-multiple-choice-
devel/work/auto-multiple-choice-fd2136db5241e33dec5d920535d23000525b6b6d-
fd2136db5241e33dec5d920535d23000525b6b6d" && /opt/local/bin/gmake -j4 -w all
:info:build Exit code: 2
:error:build Failed to build auto-multiple-choice-devel: command execution failed
:debug:build Error code: CHILDSTATUS 2380 2
:debug:build Backtrace: command execution failed
:debug:build   while executing
:debug:build "system {*} $notty {*} $nice $fullcmdstring"
:debug:build   invoked from within
:debug:build "command_exec build"
:debug:build   (procedure "portbuild::build_main" line 8)
:debug:build   invoked from within
:debug:build "$procedure $targetname"
:error:build See
/opt/local/var/macports/logs/_opt_local_var_macports_sources_rsync.macports.org_macp
orts_release_tarballs_ports_x11_auto-multiple-choice/auto-multiple-choice-devel/main.log
for details.
```