



AMC a rencontré des problèmes lors de l'analyse de vos scans.

Erreurs

Scan /home/fsjes.bezzaa/Projets-QCM/2023/proba/norm/normal/scans/-imagezentar_002.pdf-page-0002_0001.pdf.png: No layout for ID +0/0/0+
Scan /home/fsjes.bezzaa/Projets-QCM/2023/proba/norm/normal/scans/-imagezentar_002.pdf-page-0001_0001.pdf.png: No layout for ID +0/0/0+
Scan /home/fsjes.bezzaa/Projets-QCM/2023/proba/norm/normal/scans/-imagezentar_002.pdf-page-0004_0001.pdf.png: No layout for ID +0/0/0+
Scan /home/fsjes.bezzaa/Projets-QCM/2023/proba/norm/normal/scans/-imagezentar_002.pdf-page-0003_0001.pdf.png: No layout for ID +0/0/0+
Scan /home/fsjes.bezzaa/Projets-QCM/2023/proba/norm/normal/scans/-imagezentar_002.pdf-page-0007_0001.pdf.png: No layout for ID +0/0/0+
Scan /home/fsjes.bezzaa/Projets-QCM/2023/proba/norm/normal/scans/-imagezentar_002.pdf-page-0005_0001.pdf.png: No layout for ID +0/0/0+
Scan /home/fsjes.bezzaa/Projets-QCM/2023/proba/norm/normal/scans/-imagezentar_002.pdf-page-0008_0001.pdf.png: No layout for ID +0/0/0+
Scan /home/fsjes.bezzaa/Projets-QCM/2023/proba/norm/normal/scans/-imagezentar_002.pdf-page-0009_0001.pdf.png: No layout for ID +0/0/0+
Scan /home/fsjes.bezzaa/Projets-QCM/2023/proba/norm/normal/scans/-imagezentar_002.pdf-page-0010_0001.pdf.png: No layout for ID +0/0/0+
Scan /home/fsjes.bezzaa/Projets-QCM/2023/proba/norm/normal/scans/-imagezentar_002.pdf-page-0011_0001.pdf.png: No layout for ID +0/0/0+

(Seules les dix premières erreurs ont été retranscrites)

Veillez jeter un œil à ces scans.

Valider