Auto Multiple Choice - Feature # 41: Interval notation by \choixIntervalles

Status:	Closed	Priority:	Normal
Author:	Hiroto Kagotani	Category:	
Created:	04/02/2012	Assignee:	
Updated:	04/23/2012	Due date:	
Description:	In Japanese schools, (right-)open intervals are taught as [0,0.1), [0.1,0.2).		
	Though I can switch it by redefining \AMC@intervx, could you provide a shortcut for teachers?		
	How about the following (not tested)?		
	<pre></pre>		
	\def\AMCIntervalFormat#1#2{[#1,#2[}		
	\def\AMC@intervx#1#2{\AMC@CI@cas{\AMCIntervalFormat#1#2}}		

History

04/02/2012 11:40 am - Alexis Bienvenüe

- Tracker changed from Support to Feature

04/02/2012 11:41 am - Alexis Bienvenüe

- Target version set to 1.1.0

04/02/2012 02:09 pm - Alexis Bienvenüe

- % Done changed from 0 to 100

- Status changed from New to Resolved

Applied in changeset r987.

04/02/2012 02:10 pm - Alexis Bienvenüe

Very sensible: integrated since revision r987.

04/23/2012 10:47 pm - Alexis Bienvenüe

- Status changed from Resolved to Closed