

Auto Multiple Choice - Bug # 461: installation version developpement sur mac OS 10.11.4

Status:	Closed	Priority:	Normal
Author:	Julien Varaldi	Category:	
Created:	02/03/2017	Assignee:	
Updated:	04/12/2017	Due date:	
Description:	Bonjour, j'essaie d'installer la version developpement sur mon Mac 10.11.4 (avec xcode 7.3.1). J'ai suivi les instructions de la page suivante: http://project.auto-multiple-choice.net/projects/auto-multiple-choice/wiki/Installation_de_la_version_de_developpement_d%27AMC_sous_OS_X_Mountain_Lion Tout se passait bien jusqu'au sudo port install pdftk : <pre>portindex Creating port index in /Users/julienvaraldi/nix/macports Total number of ports parsed: 0 Ports successfully parsed: 0 Ports failed: 0 Up-to-date ports skipped: 3</pre> sudo port uninstall auto-multiple-choice Password: <pre>---> Deactivating auto-multiple-choice @1.2.1_7+latex ---> Cleaning auto-multiple-choice ---> Uninstalling auto-multiple-choice @1.2.1_7+latex ---> Cleaning auto-multiple-choice</pre> ET LA PATATRA : sudo port install pdftk <pre>---> Computing dependencies for pdftk ---> Cleaning pdftk ---> Scanning binaries for linking errors ---> Found 92 broken files, matching files to ports ---> Found 7 broken ports, determining rebuild order You can always run 'port rev-upgrade' again to fix errors. The following ports will be rebuilt: kerberos5 @1.15+universal gtk2 @2.24.31+universal+x11 libsvg @2.40.16+universal harfbuzz-icu @1.4.2+universal texlive-bin @2016+universal+x11 p5.24-gssapi @0.280.0+universal p5.24-gtk2 @1.249.900+universal Continue? [Y/n]: Y ---> Computing dependencies for kerberos5 ---> Cleaning kerberos5</pre>		

```

---> Computing dependencies for gtk2
---> Cleaning gtk2
---> Computing dependencies for librsvg
---> Cleaning librsvg
---> Computing dependencies for harfbuzz-icu
---> Cleaning harfbuzz-icu
---> Computing dependencies for texlive-bin
---> Cleaning texlive-bin
---> Computing dependencies for p5.24-gssapi
---> Cleaning p5.24-gssapi
---> Computing dependencies for p5.24-gtk2
---> Cleaning p5.24-gtk2
---> Scanning binaries for linking errors
---> Found 92 broken files, matching files to ports
---> Found 7 broken ports, determining rebuild order
---> Rebuilding in order
    kerberos5 @1.15 +universal
    gtk2 @2.24.31 +universal+x11
    librsvg @2.40.16 +universal
    harfbuzz-icu @1.4.2 +universal
    texlive-bin @2016 +universal+x11
    p5.24-gssapi @0.280.0 +universal
    p5.24-gtk2 @1.249.900 +universal
---> Computing dependencies for kerberos5
---> Fetching distfiles for kerberos5
---> Verifying checksums for kerberos5
---> Extracting kerberos5
---> Applying patches to kerberos5
---> Configuring kerberos5
Error: Failed to configure kerberos5, consult
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_n
et_kerberos5/kerberos5/work/krb5-1.15/src/config.log
Error: Failed to configure kerberos5: configure failure: command execution failed
Error: See
/opt/local/var/macports/logs/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_n
et_kerberos5/kerberos5/main.log for details.
Error: rev-upgrade failed: Error rebuilding kerberos5
Error: Follow https://guide.macports.org/#project.tickets to report a bug.

```

Il n'arrive pas a configurer kerberos5...

Quelqu'un aurait-il une idée ?
toute aide sera grandement appréciée !

Merci

History

02/06/2017 02:55 pm - Joël Brogniart

J'ai l'impression que votre installation MacPorts n'est pas très récente. Si c'est une installation dédiée à AMC, le plus simple serait de nettoyer

l'installation actuelle, de mettre à jour MacPorts puis de lancer l'installation AMC.

Nettoyage de l'installation

```
<pre>sudo port clean -f --all kerberos5
sudo port uninstall installed
</pre>
```

Mise à jour de MacPorts

```
<pre>sudo port selfupdate
</pre>
```

Il se peut qu'il soit nécessaire d'effectuer la mise à jour plusieurs fois.

Après la mise à jour vous devriez avoir la version 2.4.0 de MacPorts. Si c'est bien le cas et que vous avez installé les ports locaux comme indiqué dans le wiki, il ne reste plus qu'à lancer l'installation d'AMC.

```
<pre>
sudo port install -N auto-multiple-choice-devel
</pre>
```

L'option -N évite que l'installation reste bloquée à attendre une réponse après le calcul des dépendances.

Prévoyez du temps car l'installation est assez longue.

04/12/2017 07:39 pm - Alexis Bienvenüe

- % Done changed from 0 to 100

- Status changed from New to Closed